

### CAST IRON STOVES & FIREPLACES

### WOODBURNING • MULTI-FUEL • GAS • ELECTRIC



Fire with Character

## Forging ahead

Named after the beautiful but enduring Norwegian mountain range, our stoves and fires come from 60 years' experience crafting innovative, high performance heating products built for the harshest Arctic winters.



# The Dovre **Range**...

Traditional Wood & Multi-fuel Stoves

Pages 08 - 17



Contemporary Wood & Multi-fuel Stoves





Sense

Contemporary Wood & Multi-fuel Cassette Fireplaces

Pages 42 - 45



Traditional Wood & Multi-fuel Insert & Canopied Fireplaces



Pages 46 - 53

Traditional Gas Stoves

Pages 54 - 57



Dovre 425 Gas

Traditional Electric Stoves

Pages 58 - 61



Dovre 425 Electric

З

## Cast Iron Performance ...

...made in our foundry, our stoves and fires are cast with absolute precision for exceptional heating performance.

### Beautifully Reliable

Each of our stoves and fires begins its life in our foundry. Firing at up to 1500°C, furnaces melt down the raw materials to make high quality cast iron for our products.

Moulded with absolute precision for strength and longevity, the cast iron used in Dovre products has excellent durability and thermal qualities. Radiating heat long after the fire has died, our cast iron stoves and fires retain their shape even after years of use.

Thanks to its versatile nature, cast iron can be crafted into a huge variety of shapes and textures, bringing beauty and presence to your interior whether traditional or contemporary.

Whatever your choice - wood, multi-fuel, gas or electric – your cast iron Dovre stove or fireplace will be built to the uncompromising standards you would expect from our Scandinavian heritage.







### Clean, eco-friendly heating

Over the decades, Dovre products have been continuously developed to meet the toughest UK & European safety, efficiency, and emission standards. Today, all of our woodburning and multi-fuel stoves, as well as some of our fires, feature our cutting-edge Cleanburn and Airwash systems. This advanced combustion technology minimises environmental impact whilst delivering superb flame visuals with outstanding thermal efficiency.

### 

### High Efficiency

All solid-fuel models in this brochure burn wood or multi-fuel with outstanding efficiency, and are rated as either A or A+ energy class appliances according to European energy labelling standards. For more information on individual energy classes, see each appliance's product page.



### Urban Area Approved

Our eco-focused approach to stove and fire design means that many models in this brochure are suitable for burning wood in urban areas. Independently tested, 250, Vintage and Sense models are all exempt from DEFRA smoke control restrictions in towns and cities\*.



### External Air Supply

Many stoves in this brochure can be installed with an external air supply meaning they do not need to draw any air from the room. This potentially negates the need for an additional air vent, therefore minimising drafts.



### SIA Ecodesign Ready

All Dovre wood and multi-fuel stoves burn so cleanly, they meet proposed 2022 Ecodesign air quality standards. These low emission products produce minimal levels of carbon monoxide (CO), nitrogen oxide (NOx) organic gaseous compounds (OGCs) and particulates (PMs).



### See our stoves being built

Watch our short film to see the typical journey of a Dovre stove, from the molten metal to the finished article:

### dovre.co.uk/about-us

\*250, Vintage & Sense stoves are approved when fitted with a Smoke Control Kit.



## The dovre **difference**...

## Wood and Multi-fuel Stoves and Fireplaces

**Wood** – Being carbon neutral, wood is the better fuel in environmental terms, as the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when



derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give up to twice the output of freshly felled timber but help avoid a build up of tar in your flue. Hardwood logs are better still, as they will have around twice the calorific value of softwoods of equivalent weight.

**Solid fuels** – anthracite and manufactured smokeless fuels can be burnt on multi-fuel models which feature a fixed or riddling grate. Please note, however, that bituminous coal or petroleum based fuels must never be used on your stove.

### Gas Stoves

All Dovre gas stoves are available with natural gas or LPG and depending on model, feature a highly realistic coal or log effect fire. These high efficiency stoves are available as manual operation but have the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic and timer controls.

### Electric Stoves

A Dovre electric stove can be as easy to install as plugging in and switching on! All models feature our unique



VeriFlame<sup>™</sup> technology with low energy LED illumination and a hand painted fuel bed. The heater is discreetly located underneath and a remote control allows you to adjust the heat in addition to the VeriFlame effects which can run without any heat at all.



### Expert Retailer Network & Warranty Information

Dovre products are only available from Expert Independent Retailers who will ensure your stove or fire is both appropriate for your home and fitted correctly. Your Dovre retailer will provide you with a Five Year Warranty for your new stove's castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. For more information, see page 72.





## 250



#### **KEY DETAILS**

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Ready<sup>†</sup>
- Approved for Smoke Control Areas\*
- Colour matched enamel flue pipe also available
- Nominal heat output: 4.9kW
- Heat output range: 2 7kW
- High efficiency: up to 77%
- Top or rear flue exit
- Flue diameter: 125mm
- Optional longer legs
- Maximum log length: 33cm
- Weight: 79kg
- Efficiency Class: A+

<sup>†</sup> Subject to HETAS confirmation \*When fitted with a Smoke Control Kit

#### PRODUCT CODES

Matt Black multi-fuel with riddling grate and Airwash system Ivory White enamel multi-fuel with riddling grate and Airwash system

#### ACCESSORIES

DV250SCKIT

DV-250IWH

Smoke control kit

#### FINISHES













## 425

### Multi-Fuel Stove

#### **KEY DETAILS**

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Ready<sup>†</sup>
- Colour matched enamel flue pipe also available
- Nominal heat output: 8kW
- Heat output range: 2.7 10kW
- High efficiency: up to 83%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 40cm
- Weight: 130kg
- Gas and Electric versions also available, see pages 56 - 57 and 60 - 61
- Efficiency Class: A+
- <sup>†</sup> Subject to HETAS confirmation

### PRODUCT CODES

DV-425 DV-425IWH

Matt Black multi-fuel with riddling grate and Airwash system H Vory White enamel multi-fuel with riddling grate and Airwash system

#### FINISHES











## 640WD



### Woodburning Stove

### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Ecodesign Ready<sup>†</sup>
- Side door for loading
- Nominal heat output: 9kW
- Heat output range: 3 11kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 158kg
- Efficiency Class: A+

<sup>†</sup> Subject to HETAS confirmation



### PRODUCT CODES

DV-640WD

Matt Black woodburner with Cleanburn and Airwash

### FINISHES



Traditional Matt Black



## 760WD

### Woodburning Stove

### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Ecodesign Ready<sup>†</sup>
- Side door for loading
- Nominal heat output: 11kW
- Heat output range: 3.7 13kW
- High efficiency: up to 80.2%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm -
- Maximum log length: 60cm
- Weight: 180kg
- Efficiency Class: A+ —
- <sup>†</sup> Subject to HETAS confirmation

### PRODUCT CODES

DV-760WD

Matt Black woodburner with Cleanburn and Airwash

### ACCESSORIES

DV-AIRKIT-K01

Outside air kit

### FINISHES



Traditional Matt Black







14





## 225

### Wood Stoves

### **KEY DETAILS**

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 4.6kW
- Heat output range: 1.7 7kW
- High efficiency: 81%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 30cm
- Weight: 100kg
- Efficiency Class:
- <sup>†</sup> Subject to HETAS confirmation

### PRODUCT CODES



Matt Black woodburner with Cleanburn and Airwash systems

### FINISHES











## SENSE 103



### Wood Stove

### **KEY DETAILS**

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of three finishes
- Top or rear flue exit
- Short Leg models available (see pages 20 & 21)
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg 125kg
- Efficiency Class: A
- <sup>†</sup> Subject to HETAS confirmation
- \* When fitted with a Smoke Control Kit



#### PRODUCT CODES

DV-SENSE103

DV-SENSE103PW

DV-SENSE103GY

Sense 103 with side windows, legs, Cleanburn and Airwash - Matt Black Sense 103 with side windows, legs, Cleanburn and Airwash - Pure White enamel Sense 103 with side windows, legs, Cleanburn and Airwash - Grey enamel

#### ACCESSORIES

DV-SENSESZKIT DV-HS-SENSE Smoke Control Area Kit Heat Shield Kit (see page 65)\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

#### FINISHES



See page 66 for Grey Enamel finish





## SENSE 113



### Wood Stove

### KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Long Leg models available (see page 18-19)
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Efficiency Class:
- <sup>†</sup> Subject to HETAS confirmation
- \* When fitted with a Smoke Control Kit

**AIR** WASH

#### PRODUCT CODES

DV-SENSE113PW

DV-SENSE113
-------------

Sense 113 with short legs, side windows, Cleanburn and Airwash -Matt Black Sense 113 with short legs, side windows, Cleanburn and Airwash -

Sense 113 with short legs, side windows, Cleanburn and Airwash Pure White enamel

### ACCESSORIES

DV-SENSESZKIT DV-HS-SENSE

Smoke Control Area Kit Heat Shield Kit (see page 65)\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

#### FINISHES







## SENSE 203



### Wood Stove

#### **KEY DETAILS**

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control

AIR

CLEAN

- Choice of three finishes
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg 125kg
- Efficiency Class: A
- <sup>†</sup> Subject to HETAS confirmation
- \* When fitted with a Smoke Control Kit

#### PRODUCT CODES

DV-SENSE203	Sense 203 box mounted, with side windows, Cleanburn and Airwash - Matt Black
	Sense 203 box mounted, with side windows, Cleanburn and Airwash - Pure White enamel
DV-SENSE203GY	Sense 203 box mounted, with side windows, Cleanburn and Airwash - Grey enamel

#### ACCESSORIES

DV-SENSESZKIT	Smoke Co
DV-HS-SENSE	Heat Shiel

Smoke Control Area Kit Heat Shield Kit (see page 65)\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

#### FINISHES



Also see image on front cover, pages 7 and 66.





## VINTAGE 30



### Wood Stove

#### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Approved for Smoke Control Areas\*
- Nominal heat output: 5kW
- Heat output range: 1.7 7kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 30cm
- Weight: 95kg
- Efficiency Class: A+
- <sup>†</sup> Subject to HETAS confirmation \* When fitted with a Smoke Control Kit

AIR

### PRODUCT CODES

[	DV-VIN30
[	DV-VIN30GY
[	DV-VIN30WH
[	DV-VIN30PW

Matt Black woodburner with Cleanburn and Airwash Grey enamel woodburner with Cleanburn and Airwash Ivory White enamel woodburner with Cleanburn and Airwash Pure White enamel woodburner with Cleanburn and Airwash

### ACCESSORIES

DV-TBVIN30
DV-TBVIN30GY
DV-TBVIN30WH

DV-VINSCKIT

Matt Black tablet stand Grey enamel tablet stand Ivory White enamel tablet stand

Smoke Control Kit

### FINISHES





## VINTAGE 35

### Wood Stove

### **KEY DETAILS**

- All cast iron construction
- Woodburner \_
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Approved for Smoke Control Areas\*
- Nominal heat output: 7kW
- Heat output range: 2.3 9kW
- High efficiency: up to 83%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 125kg
- Efficiency Class: A+

<sup>†</sup> Subject to HETAS confirmation \* When fitted with a Smoke Control Kit

### PRODUCT CODES

DV-

DV-

DV-

-VIN35	Matt Black woodburner with Cleanburn and Airwash
-VIN35GY	Grey enamel woodburner with Cleanburn and Airwash
-VIN35WH	Ivory White enamel woodburner with Cleanburn and Airwash
-VIN35PW	Pure White enamel woodburner with Cleanburn and Airwash

#### ACCESSORIES

DV-TBVIN35
DV-TBVIN35GY
DV-TBVIN35WH

Matt Black tablet stand
Grey enamel tablet stand
Ivory White enamel tablet stand

DV-VINSCKIT

Smoke Control Kit

#### **FINISHES**



Also see picture on page 73









## VINTAGE 50



### Wood Stove

#### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Approved for Smoke Control Areas\*
- Nominal heat output: 9kW
- Heat output range: 3 11kW
- High efficiency: up to 84%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 155kg
- Efficiency Class: A+
- <sup>†</sup> Subject to HETAS confirmation \* When fitted with a Smoke Control Kit

AIR

#### PRODUCT CODES

DV-VIN50
DV-VIN50GY
DV-VIN50WH
DV-VIN50PW

Matt Black woodburner with Cleanburn and Airwash Grey enamel woodburner with Cleanburn and Airwash Ivory White enamel woodburner with Cleanburn and Airwash Pure White enamel woodburner with Cleanburn and Airwash

### ACCESSORIES

DV-TBVIN50
DV-TBVIN50GY
DV-TBVIN50WH

Matt Black tablet stand Grey enamel tablet stand Ivory White enamel tablet stand

Smoke Control Kit

### FINISHES

DV-VINSCKIT





## BOLD 300

### Wood Stoves

### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 7kW
- Heat output range: 2.3 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 130kg
- Efficiency Class: A+
- <sup>†</sup> Subject to HETAS confirmation

### PRODUCT CODES

DV-BOLD300Bold 300, Matt Black on legsDV-BOLD300PWBold 300, Pure White enamel on legsDV-BOLD300GYBold 300, Grey enamel on legs

#### FINISHES











## BOLD 400



### Wood Stoves

### KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 7kW
- Heat output range: 2.3 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 145kg
- Efficiency Class: A+

<sup>†</sup> Subject to HETAS confirmation



### PRODUCT CODES

DV-BOLD4000Bold 400, Matt BlackDV-BOLD400PWBold 400, Pure White enamelDV-BOLD400GYBold 400, Grey enamel

#### FINISHES



Please see page 71 for Pure White enamel model.



## **ROCK 350**

### Wood Stoves

### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 7kW \_
- Heat output range: 2.3 9 kW
- High efficiency: up to 80% -
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm \_
- Maximum log length: 35cm \_
- Weight: 110 125kg
- Efficiency Class: A+

<sup>†</sup> Subject to HETAS confirmation

### PRODUCT CODES

DV-ROCK350TB DV-ROCK350WB DV-ROCK350TBPW DV-ROCK350TBGY

Rock 350 with tablet stand, Matt Black Rock 350 with wood box, Matt Black Rock 350 with tablet stand, Pure White DV-ROCK350WBPW Rock 350 with wood box, Pure White Rock 350 with tablet stand, Grey Enamel DV-ROCK350WBGY Rock 350 with wood box, Grey Enamel

### FINISHES











# **ROCK 500**

## Wood Stoves

#### **KEY DETAILS**

HIGH EFFICIENCY

- All cast iron construction
- Woodburner
- \_\_\_\_ Airwash and Cleanburn systems
- Ecodesign Ready<sup>†</sup>
- Nominal heat output: 9kW
- Heat output range: 3 11 kW \_
- High efficiency: up to 80% \_
- External Air Supply
- Top or rear flue exit \_
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 130kg -----
- Efficiency Class: A+

<sup>†</sup> Subject to HETAS confirmation



#### PRODUCT CODES

DV-ROCK500TB DV-ROCK500WB DV-ROCK500TBGY DV-ROCK500WBGY

Rock 500 with tablet stand, Matt Black Rock 500 with wood box, Matt Black DV-ROCK500TBPW Rock 500 with tablet stand, Pure White DV-ROCK500WBPW Rock 500 with wood box, Pure White Rock 500 with tablet stand, Grey Enamel Rock 500 with wood box, Grey Enamel

#### **FINISHES**



Please see page 69 for additional image.





# ASTROLINE 3



## Wood Stoves

#### KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Ecodesign Ready<sup>†</sup>
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 158kg 171kg
- Efficiency Class: A

<sup>†</sup> Subject to HETAS confirmation Also see image on page 5



#### PRODUCT CODES

DV-ASTRO3CB/P	Matt Black woodburner with pedestal base, Cleanburn and external combustion air connection
DV-ASTRO3CB/WB	Matt Black woodburner with wood store base, Cleanburn and external combustion air connection

#### ACCESSORIES

DV-HSF3.2

Heat shield (see page 65)\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

#### FINISHES



Matt Black



# ASTROLINE 4



## Wood & Multi-fuel Stoves

#### KEY DETAILS

- All cast iron construction
- Woodburner or multi-fuel versions
- Cleanburn and Airwash systems
- Ecodesign Ready<sup>†</sup>
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 168kg 181kg
- Efficiency Class: A
- <sup>†</sup> Subject to HETAS confirmation

#### PRODUCT CODES

DV-ASTRO4CB/P	Matt Black coloured woodburner with pedestal base, Cleanburn and external air connection
DV-ASTRO4CB/WB	Matt Black coloured woodburner with wood store base, Cleanburn and external air connection
DV-ASTRO4MF/P	Matt Black coloured multi-fuel with pedestal base, riddling grate, Cleanburn and external air connection
DV-ASTRO4MF/WB	Matt Black coloured multi-fuel with wood store base, riddling, Cleanburn and external air connection

#### ACCESSORIES

DV-HSF4.1

Heat shield (see page 65)\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

#### FINISHES



Matt Black













# ZEN 100



## Woodburning Cassette

#### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 4.75kW
- Heat output range: 2 7kW
- High efficiency: up to 80%
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Double sided version also available see pages 44 45
- Efficiency Class: A+

CLEAN

#### FINISHES



Traditional Matt Black

AIR

#### PRODUCT CODES

DV-ZEN100

Matt Black woodburning cassette fire with Cleanburn and Airwash systems



The Zen 100 recessed combustion chamber ensures beautiful flame visuals.



# ZEN 102



## Double Sided Woodburning Cassette

#### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 5kW
- Heat output range: 2 7kW
- High efficiency: up to 80% -
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 115kg
- Single sided version also available see pages 42 - 43
- Efficiency Class: A+

#### PRODUCT CODES

DV-ZEN102

Matt Black double-sided woodburning cassette fire with Cleanburn and Airwash systems

#### FINISHES

















## HIGH Efficiency

#### **KEY DETAILS**

- All cast iron construction
- Multi-fuel
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 8kW
- High efficiency: up to 80%
- Flue diameter: 150mm
- Weight: 75kg
- Efficiency Class: A+

## Multi-Fuel Fireplace

#### PRODUCT CODES

DV-1800W Matt Black multi-fuel

#### ACCESSORIES

For canopies, base plinths and side panels, see pages  $62 \ \& \ 63$ 

#### FINISHES



Traditional Matt Black



## Multi-Fuel Fireplace

#### **KEY DETAILS**

- All cast iron construction
- Multi-fuel
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 11kW
- High efficiency: up to 71%
- Flue diameter: 186mm
- Weight: 165kg
- Efficiency Class: A+

#### PRODUCT CODES

DV-2000MFR Matt Black multi-fuel

#### ACCESSORIES

For canopies, base plinths and side panels, see pages 62 & 63

#### FINISHES



Traditional Matt Black



HIGH EFFICIENCY

Intricate depiction of the Billy Goats Gruff tale on high quality inner castings













#### **KEY DETAILS**

- All cast iron construction
- Cleanburn woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Removable ash system
- Maximum heat output: 9kW
- High efficiency: up to 72%
- Flue diameter: 188mm
- Weight: 130kg

AIR

WASH

- Efficiency Class: A

CLEAN

## 2400CB

## Woodburning Fireplace

#### PRODUCT CODES

DV-2400CB

Matt Black woodburner with Cleanburn, Airwash and bi-fold doors

#### ACCESSORIES

For canopy and side panels see pages 62 & 63

#### **FINISHES**



Traditional Matt Black







## Woodburning Fireplace

#### **KEY DETAILS**

- All cast iron construction
- Woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 11kW
- High efficiency: up to 77%
- Flue diameter: 186mm
- Weight: 135kg
- Efficiency Class: A

#### **PRODUCT CODES**

DV-2700W

Matt Black woodburner with Airwash system

#### ACCESSORIES

For canopies, base plinths and side panels, see pages 62 & 63

#### **FINISHES**



Traditional Matt Black







## Gas Stoves

#### **KEY DETAILS**

- All cast iron construction
- Balanced and Conventional flue with realistic log-effect fire
- Conventional flue models with coal-effect
- Optional remote controls
- High Efficiency: up to 95.4%
- Max. heat output: 3.1kW (CF)/ 3.8kW (BF)
- Ignition system requires no electricity supply
- Top or rear flue exit:125mm (CF)/ 152mm (BF)
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Weight: 50kg (CF)/54.4kg (BF)
- Electric version available, see pages 58 - 59

PRODUCT CODES	FLUE TYPE	GAS TYPE	FUEL EFFECT	ENERGY INPUT	HEAT OUTPUT	EFFICIENCY	EFFICIENCY CLASS
DV541-010	CF	NG	LOGS	4.55KW	3.1KW	75%	E
DV541-409	CF	LPG	LOGS	4.35KW	3.0KW	75%	E
DV541-148	BF	NG	LOGS	4.3KW	3.7KW	95.4%*	A*
DV541-503	BF	LPG	LOGS	4.3KW	3.8KW	95.4%*	A*
DV-280CFNG	CF	NG	COALS	4.6KW	3.1KW	76%	E
DV-280CFLPG	CF	LPG	COALS	4.4KW	3.1KW	76%	E

\*When used with Programmable Thermostatic Remote Control

CF = Conventional Flue / BF = Balanced Flue

#### **OPTIONAL REMOTE CONTROLS**



8455: Standard (Left)

> 8456: Programmable (Right)

Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

#### FINISHES





## Gas Stoves

#### **KEY DETAILS**

- All cast iron construction
- Realistic log-effect fire
- Conventional and Balanced flue versions
- Optional remote controls
- High Efficiency: up to 90.1%
- Max. heat output: 5.5kW
- Ignition system requires no electricity supply
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Top or rear flue exit: 125mm (CF) / 152mm (BF)
- Weight: 74kg (CF)/81.5kg (BF)
- Multi-fuel, Wood & Electric versions also available, see pages 10 - 11 and 60 - 61

PRODUCT CODES	FLUE TYPE	GAS TYPE	FUEL EFFECT	ENERGY INPUT	HEAT OUTPUT	EFFICIENCY	EFFICIENCY CLASS
DV-425CFNG	CF	NG	LOGS	6.6KW	4.6KW	78%	E
DV-424CFLPG	CF	LPG	LOGS	6.4KW	4.8KW	78%	E
DV-425BFNG	BF	NG	LOGS	6.45KW	5.4KW	90.1%*	B*
DV-425BFLPG	BF	LPG	LOGS	6.1KW	5.5KW	90.1%*	B*

\*When used with Programmable Thermostatic Remote Control

CF = Conventional Flue / BF = Balanced Flue

#### OPTIONAL REMOTE CONTROLS



8455: Standard (Left)

**8456:** Programmable (Right) Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

#### FINISHES



Traditional Matt Black

HIGH EFFICIENCY







## Electric Stove

#### **KEY DETAILS**

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose from three brightness levels using unique VeriFlame technology
- Flame effect can be operated with or without heat output
- Discreetly concealed fan heater with 1kW and 2kW settings
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 50kg
- Gas version also available, see pages 54 55

#### PRODUCT CODES

DV-280E Matt Black, log-effect fire

#### FINISHES



Traditional Matt Black







## **Electric Stove**

#### **KEY DETAILS**

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose from three brightness levels using unique VeriFlame™ technology
- Flame effect can be operated with or without heat output
- Discreetly concealed fan heater with 1kW and 2kW settings
- All functions operated from remote control
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 74kg
- Multi-fuel, Wood & Gas versions also available, see pages 10 - 11 and 56 - 57

#### PRODUCT CODES

DV-425E

#### Matt Black, log-effect fire

#### FINISHES



Traditional Matt Black



Remote Control Supplied








## Canopies

## Plinths & Side Panels

Our range of canopies, plinths & side panels has been specially designed to complement Dovre appliances whether installed freestanding in an inglenook or a recessed fireplace. They are manufactured to the highest standards & help ensure a lifetime of fireside pleasure.





## Inglenook Canopies

All dimensions are quoted in millimetres

	IREPLACE					
CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CM2	Medium 1800 Canopy	700	685	260	460	235
DV-CM3	Tall 1800 Canopy	950	685	230	460	235
2000 &	2700 FIREPLACES					
CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS1	Small 2700 Canopy*	360	710	410	400	260
DV-CS2	Medium 2000/2700 Canopy	685	900	350	570	300
DV-CS2 DV-CS3 'COUN	Tall 2000/2700 Canopy	1070	900	350	570 560	300 290
COUN	Tall 2000/2700 Canopy	1070 00 FIREPLACE eavy, more rugged,	900 ES black studded strap trim	300	560	290
COUN COUN	Tall 2000/2700 Canopy TRYMAN' FOR 2000 & 27 al 'olde worlde' styled canopy with h DESCRIPTION	1070 DO FIREPLACE eavy, more rugged, HEIGHT	900 S black studded strap trim BASE WIDTH	300 TOP WIDTH	560 BASE DEPTH	290 TOP DEPTH
COUN COUN	Tall 2000/2700 Canopy	1070 00 FIREPLACE eavy, more rugged,	900 ES black studded strap trim	300	560	290
•COUN •COUN ne Tradition CODE DV-CS5	Tall 2000/2700 Canopy TRYMAN' FOR 2000 & 27 al 'olde worlde' styled canopy with h DESCRIPTION	1070 DO FIREPLACE eavy, more rugged, HEIGHT	900 S black studded strap trim BASE WIDTH	300 TOP WIDTH	560 BASE DEPTH	290 TOP DEPTH
•COUN •COUN ne Tradition CODE DV-CS5	Tall 2000/2700 Canopy TRYMAN' FOR 2000 & 270 al 'olde worlde' styled canopy with h DESCRIPTION Countryman Canopy	1070 DO FIREPLACE eavy, more rugged, HEIGHT	900 S black studded strap trim BASE WIDTH	300 TOP WIDTH	560 BASE DEPTH	290 TOP DEPTH

\* Small canopies are not suitable when used with side panel units





## 1800, 2000, 2400 & 2700 Fireplaces

All dimensions are quoted in millimetres

#### PLINTH

Designed to improve convection on appliances used in freestanding installations, base plinths will also enhance the visual appearance of your fireplace.

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-MBP	1800 Base Plinth (Black)	80	510	315
DV-SBP	2000/2700 Base Plinth (Black)	80	725	485

### SIDE PANEL UNITS

For use with freestanding type installations where the sides of the appliance may be exposed to view, for example with an extra wide inglenook.

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-SP1	1800 Side Panel Unit (Black)	470	530	290
DV-SP2	2700 Side Panel Unit (Black)	740	720	400
DV-SP3	2000 Side Panel Unit (Black)	780	720	350
DV-SP5	2400 Side Panel Unit (Black)	520	635	400

#### FLUE ADAPTORS

CODE	DESCRIPTION	FLUE PIPE DIAMETER	
DV-MFA	1800 Flue Adaptor	5 <sup>1</sup> / <sub>4</sub> "- 6" (134 - 153)	
DV-SFA	2000/2700 Flue Adaptor	7 <sup>1/</sup> 4"- 8" (185 - 204)	

## Accessories & Stove Care

## Care of your Stove or Fireplace

To help you get the best performance from your stove or fireplace and keep it in good condition, inside and out, Stovax (Dovre's distributor in the UK and Republic of Ireland) offers a wide range of cleaning and maintenance products. Stovax also supplies a wide variety of fireplace accessories. Your Dovre retailer will be able to give you full details or you may view the complete range at www.stovax.com.



## Fireplace, Stove and Hearth Accessories

Included in the brochure is an outstanding selection of fireplace and stove tools. Expertly crafted with a variety of styling options and available in wrought iron, black, brass and chrome finishes, this exquisite range of accessories comprises individual tools alongside complete companion sets. There are also a number of classically designed pails, scuttles and holders for your coals, logs and kindling – functional and stylish accompaniments to your Dovre stove or fireplace.

## Fire Screens and HearthGate

Stovax offers a wide range of fire screens that combine looks with practicality. Whether your Dovre appliance is traditional or contemporary in styling, you can find a fire screen that not only complements your stove or fire, but also helps keep you safe. Available in an array of designs and materials, including glass, black steel and brass plated, these fire screens are the perfect companion for your Dovre fire or stove.



## Contemporary Fire Tools and Steel Log Holders

For more modern interiors, Stovax has developed a range of contemporary fire tools and log holders. That are both sturdy and attractive. These minimalist accessories offer a superb pairing to Dovre's range of contemporary stoves such as the Vintage, Sense and Astroline stoves. See pages 7, 20, 26, 39, 40, 43 and 45 for contemporary tools and log holders in situ.





## Sense and Astroline Heat Shields

Dovre also offer a range of highly effective Heat Shields for the Astroline and Sense stoves. These fantastic additions reduce the distance to combustible materials at the rear and sides of the stoves as shown below.

The Dovre Heat Shields not only maximise the available space within the room, but they also enable you to accommodate a wider range of materials in your interior design. For further information please speak to your local Dovre retailer.

Distances to combustible materials when fitted with Dovre Heat Shield:

STOVE	DISTANCE FROM REAR	DISTANCE FROM SIDES
Astroline 3CB	100mm	300mm
Astroline 4CB	100mm	400mm
Sense 103 & 113	100mm	500mm
Sense 203	100mm	500mm

## Traditional and Contemporary Mantels

Stovax also offer a wide range of mantelpieces which provide the perfect complement to many


of the Dovre stoves and fires shown in this brochure. Choose from a wide selection of wood, cast iron or natural stone mantels in a choice of both historic and contemporary designs, each handcrafted to the highest quality finish. To view the extensive range on offer, please visit www.stovax.com to view and download the Stovax Classic Fireplaces brochure.




## Dimensions

## Correct Installation


A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at **www.dovre.co.uk** 




## Page 10/11 - 425 Multi-Fuel Stoves




## Page 12/13 - 640WD Wood Stove




### Page 14/15 - 760WD Wood Stove




### Page 16/17 - 225 Wood & Multi-Fuel Stoves




### Page 18/19 - Sense 103 Wood Stoves







## Dimensions


### Page 20/21 - Sense 113 Wood Stoves






### Page 22/23 - Sense 203 Wood Stoves







## Page 24/25 - Vintage 30 Wood Stoves




### Page 26/27 - Vintage 35 Wood Stoves




### Page 28/29 - Vintage 50 Wood Stoves




### Page 30/31 - Bold 300 Wood Stoves





420



## Correct Installation

200


135

605

375


<u>Ø15</u>0

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at **www.dovre.co.uk** 




## Dimensions


### Page 42/43 - Zen 100 Cassette Firet




Page 44/45 - Zen 102 Double-Sided Cassette Fire\*




Page 46/47 - 1800 Multi-Fuel Fireplace<sup>+</sup>







Page 48/49 - 2000 Multi-Fuel Fireplace<sup>†</sup>








### Page 52/53 - 2700 Wood Fireplace<sup>†</sup>






## **Correct Installation**


A HETAS approved installer should undertake a site survey prior to purchase and must install any solid fuel Dovre stove or fireplace. Dovre gas stoves must be installed by a Gas Safe registered Engineer. The information on pages 67 to 71 is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at www.dovre.co.uk

Page 54/55 - 280 Gas Stoves




\* To end of rear flue spigot. Installation instructions with configurations are available from www.dovre.co.uk rith information on balanced flue


### Page 56/57 - 425 Gas Stoves




\*To end of rear flue spigot. Installation instructions with information on balanced flue configurations are available from www.dovre.co.uk


## Page 58/59 - 280 Electric Stoves





### Page 60/61 - 425 Electric Stoves







## Further Information

## Expert Retailer Network

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independant retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers

## Warranty Information

Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. The continuation of the warranty is dependent on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at www.dovre.co.uk



## Photography and Installation

Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of enamel finishes may vary from actual product. Please consult your Dovre retailer for more accurate colours.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding. Certain settings in this brochure are dependent on the use of heat shields to reduce the required separation from combustible material. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

Please note: The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

## Product Improvement and Safety Information

Dovre reserves the right to amend any specifications herein or to make any product design changes.

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all installations also require a Carbon Monoxide Monitor be supplied and fitted.



#### Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

Amos Lighting - www.amoslighting.co.uk • Apple Conservatories - www.appleconservatories.com • Ashore - 01392 477763 • Carpet Right - www.carpetright.com Debenhams - www.debenhams.com • Eclectique - www.eclectique.co.uk • Fagins Antiques - www.faginsantiques.com • Farmington Stone Fireplaces - www.famington.co.uk Furniture Village - www.furniturevillage.co.uk • FW Homestores - www.fwhomestores.co.uk • John Lewis - www.johnlewis.com • Just Shutters - www.justshutters.co.uk McBains Antiques - 01392 366261 • Toby's Antiques - www.tobysreclamation.co.uk • House of Fraser - www.houseoffraser.co.uk • Laura Ashley - www.aanashley.com Merchant House Antiques - www.merchanthouseantiques.co.uk • Pedlars - www.pedlars.co.uk • Orange Tree - www.theorangetree.co.uk • Original Style - www.originalstyle.com Pilgrim Antiques - www.pilgrimantiques.co.uk • Romo - www.romo.com • St Bridget Nurseries - www.stbridgetnurseries.co.uk The Very Vintage Hire Company - www.veryvintagehire.co.uk • Walls and Floors - www.vallsandfloors.co.uk

## Enamelled **Flue Pipe**

For the fully colour coordinated installation of your stove, and optimum performance, we offer high quality enamel coloured flue pipe. However, please note that due to the different production processes we cannot guarantee a perfect match between pipe and stove. The flue pipe diameters required for each model are demonstrated on the product pages.



	STOVAX MATT BLACK	DOVRE BLACK ENAMEL	IVORY WHITE ENAMEL	PURE WHITE ENAMEL
127mm diameter				
305mm (1') straight without door	4500	DV-F512BLK	DV-4500IV	DV-4500PW
610mm (2') straight without door	4501	DV-F524BLK	DV-4501IV	DV-4501PW
915mm (3') straight without door	4502	DV-F536BLK	DV-4502IV	DV-4502PW
305mm (1') straight with door	4504	DV-FD512BLK	DV-4504IV	DV-4504PW
610mm (2') straight with door	4505	-	DV-4505IV	DV-4504PW
915mm (3') straight with door	4506	DV-FD536BLK	DV-4506IV	DV-4506PW
90° bend without door	-	DV-FE590BLK	-	-
90° tee piece with end cap	4516	-	DV-4516IV	DV-4516PW
135° bend without door	4537	-	DV-4537IV	DV-4537PW
135° bend with door	4512	DV-FED545BLK	-	-
Tee + end cap	4516	DV-FT5BLK	DV-4516IV	DV-4516PW
125mm – 150mm increaser	4518	DV-F5-6INCBLK	-	-
152mm diameter				
305mm (1') straight without door	4600	DV-F612BLK	DV-4600IV	DV-4600PW
610mm (2') straight without door	4601	DV-F624BLK	DV-4601IV	DV-4601PW
915mm (3') straight without door	4602	DV-F636BLK	DV-4602IV	DV-4602PW

135° bend without door	4637	DV-FE645BLK	DV-4637IV	DV-4637PW
90° tee piece with end cap	4616	-	DV-4616IV	DV-4616PW
90° bend without door	-	DV-FE690BLK	-	-
915mm (3') straight with door	4606	DV-FD636BLK	DV-4606IV	DV-4606PW
610mm (2') straight with door	4605	-	DV-4605IV	DV-4605PW
305mm (1') straight with door	4604	DV-FD612BLK	DV-4604IV	DV-4604PW
	1002	BVIOCOBEIX	DV 100211	DV TOOLT VV



## Professional XQ<sup>™</sup> Chimney Systems


Stovax (Dovre's distributor in the UK and Republic of Ireland) also offers a comprehensive range of stove and fireplace chimney systems, the Stovax Professional XQ<sup>™</sup> collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ<sup>TM</sup> range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ<sup>TM</sup> range carries a 10 year conditional warranty offering complete peace of mind.

#### For further information or to request a brochure, contact your local retailer or visit www.stovax.com/chimneysystems

YEAR EXTENDED WARRANTY FOR HOMES

WITHOUT A CHIMNEY!









United Kingdom & Republic of Ireland distributors for Dovre: Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

Solid Fuel Trade Sales tel: 01392 474000 Gas & Electric Trade Sales tel: 01392 261900 Other depts tel: 01392 474011 • Fax: 01392 219932 E-mail: dovre@stovax.com • www.dovre.co.uk

To view the complete range of brochures within the Stovax group, simply scan this code or visit **www.stovax.com** 



© All material copyright Stovax Ltd 2018 E & O E Paper sourced from sustainable forests and printed using vegetable based inks



