# FLAVEL

## At the heart of your home

## Gas Fires 2018



MADE IN BRITAL





## Welcome to Flavel



## **BFM** Europe

Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Flavel branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Every model\* carries the peace of mind of a 7 year guarantee and the reassurance of the Flavel Airwatch System on all living flame effect fires. This device immediately cuts off the gas supply in the unlikely event of the flame being extinguished through blockage.

Our 7 year guarantee is subject to terms & conditions including annual services carried out by a Gas Safe Register engineer and annual replacement of the oxy-pilot assembly (or thermocouple on balanced flue models).



At Flavel we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of affordable gas fires to complement all tastes and lifestyles. I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Flavel gas fires carry a 7 year guarantee to reflect my belief in their quality and durability. This brochure has been designed to

make the purchase of your new Flavel gas fire as simple as possible. I hope you will find it both informative and inspiring.



This logo signifies that the product is fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.

## **DSI.** Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI).

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.

## Contents

### **Conventional Flue**

### Wall Outset - Glass Fronted

Castelle Slimline ...... Curve... Kamina.

#### Wall Inset - Glass Fronted

Rocco HE	10
Jazz HE	11
Expression HE	12
Diamond HE	13
Windsor Contemporary HE	14

Wall Inset - Open Fronted Windsor Contemporary Plus

Fireplace Suites - Glass Fronted Sophia Suite..... . 16-17



## **high**efficiency

#### Hearth Inset - Glass Fronted

7

8 .9

..15

Caress HE	18
Decadence HE & Decadence Slimline H	E19
Kenilworth HE	20
Linear HE	21
Windsor Contemporary HE	22
Windsor Traditional HE	23

#### Hearth Inset - Open Fronted

Richmond Plus & Richmond	24
Caress Plus & Caress	25
Calypso Plus & Calypso	26
Rhapsody Plus & Rhapsody	27
Decadence Plus	28
Linear Plus	29
Kenilworth Plus	30
Opulence Plus	31
Expression Plus	32
Stirling Plus	33
Windsor Contemporary Plus	34
Windsor Traditional Plus	35

#### Hearth Outset - Glass Fronted

Emberglow	
Renoir	
Hearth Outset - Ope	
Hearth Outset - Ope	;1
Regent	•••
Welcome	
Strata	
Misermatic	

Renaissance.

Firenza.

### **standard**fires

- Opei

tove

#### **Conventional & Powerflue**

Wall Inset - Open Fronted		Melody
Finesse	. 48	Caress Slimline
Windsor Contemporary	. 49	Waverley
Hearth Inset - Open Fronted Kenilworth & Kenilworth Powerflue	50	Hearth Outset - Regent LFE
Linear & Linear Powerflue	51	Freestanding St
Warwick & Warwick Powerflue	52	Thurcroft Stove.
Windsor Contemporary, Classic & Traditional	53	

Guide to efficiencies and fire types4	-	5
Before you Begin - guide to icons		6

•	•		•	•		•	•	•			•	•	•	•	•			•	•	•	•	•			•	•	•	•	•	•	3	3	(	2	
																			•												2	3	1	/	/

#### n Fronted

 •	•	•	•	•	•							•	•	•	•	•	•	•	•	•	•			•		Ξ	3	8	3	
 •	•	•	•	•								•	•		•	•	•	•	•	•				•		Ξ	3	2	9	
 •	•	•	•	•									•			•	•	•	•	•				•	4	4	ŀ	C	)	
 •	•	•	•	•	•								•			•	•	•	•	•			 •	•	•	2	1	1		
 •	•	•	•	•	•								•			•	•	•	•	•			 •	•	4	4	ŀ	2	2	
 •	•	•	•	•				 					•		•	•	•	•	•	•			 •	•	2	4	Ļ	3	3	

#### **Balanced Flue**


Wall Inset – Glass Fronted Rocco BF Jazz BF	
Hearth Inset - Glass Fronted	
Calibre BF	44
Raglan BF	45
Orchestra BF	46
Atlanta BF	47
Fireplace Suites – Glass Fronted Sophia Slimline BF16-	17

#### Hearth Outset - Glass Fronted

Emberglow BF



54
.55
.56
57
.58



Builders' Opening Sizes ..... 59

## **high**efficiency

### Get up to 93.5% energy efficiency from your gas fire...

Flavel has always had a reputation as a manufacturer of excellent quality, British made gas fires and our R&D team has continued to invest in developing new technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

The Flavel high efficiency range combines exceptional heat output with lower running costs compared to standard gas fires.

#### **Conventional Flue**

#### **Glass Fronted**

**Open Fronted** 



Our range of high efficiency conventional flue glass fronted fires have an energy efficiency of up to 86.3%. They have a glass panel across the front of the fire which radiates the heat generated from the fuel bed directly into the room. The glass panel concentrates the radiant heat so that more heat is forced into the room and less is lost through the chimney. Combined with convected heat which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air though the gap above the canopy, making these the most efficient conventional flue fires available



Our high efficiency conventional flue open fronted fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant. and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air though the gap above the canopy.

#### **Balanced Flue**

**Glass Fronted** 



Our range of high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home, a balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.





**standard**fires

Standard fires can achieve a direct heat output of up to 3.1kW. However these products are not suitable for use as a primary heat source.





### What type of Flavel fire will suit your home best?

With one of the largest choice of styles and features in the UK, from contemporary to traditional, slimline to full depth, as well as inset and outset models for hearths and walls, there is a Flavel fire to make anywhere feel like home.

Start by browsing the different options on this page and use the guide on page 6 to help you identify which type of chimney or flue you have. On each product page you will find a key to all the options associated with each fire including controls, fire backs and fuel beds.



#### Wall Inset

To complement a contemporary home choose a wall inset fire, otherwise known as a hole in the wall fire, which is recessed into the wall and available for all chimney and flue types.



#### Hearth Inset

A hearth inset fire saves space as it is recessed into the chimney breast or flue and is available in a choice of slimline or full depth fuel beds with balanced flue options for homes without a chimney or flue.



#### Wall Outset

This type of fire has a direct connection to the flue and is fitted on to the wall with minimal building work required. A virtually hassle-free installation, and a perfect complement to homes requiring performance and aesthetics.



#### Hearth Outset

Set onto a hearth this type of fire takes a more prominent position in a room with some models offering the option of side windows so that the flame pattern can be seen from all angles.

## Fires for every home



#### **Fireplace Suite**

A Suite really makes a statement in a room and comes complete with the surround and gas fire suitable for conventional as well as balanced flues.



#### Freestanding

A freestanding stove is both portable and offers total flexibility to homeowners who want to heat a single room or boost the primary heat source when the temperature drops outside

## Before you begin

#### Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



#### Brick Chimney - Class 1 Flues

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



#### Pre-Fabricated Flue - Class 2 Flues Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



#### **Pre-Cast Flue**

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.


0

#### Controls



Manual Control A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right side on outsets.





Switch Control Instant heat at the flick of a switch.

Slide Control



#### A push down and twist ignition and control located on the top of outset fires means you don't have to bend down to light the fire.



Remote Control The remote control handset is used to light the fire as well as adjust the flame height and heat output.



#### Electronic Top or Side Control System

Both ignition and heat are controlled by a single rotary motion to light the fire. These easy to use controls are now available on our best selling radiant outsets. Requires an AA battery.

#### Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described on the left, then you will require either a Balanced Flue or a Powerflue.



#### Powerflue

Powerflue fires use an electronically driven fan unit mounted on the external wall to expel the flue gases directly outside the building.



**Balanced Flue** Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

#### Gas Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.




Natural Gas If you have a gas meter then  $\mathbf{O}$ 

you will have natural gas.



LPG is the most popular

#### Fuel Beds



Driftwood Decorative

Flame

#### Fire Back Panels





Ribbed Cream Ribbed Black



### highefficiency Conventional Flue - Wall Outset - Glass Fronted

### **Castelle Slimline**

The Castelle Slimline has been specifically designed to fit a standard precast flue without compromising style and performance. It features a striking curved black glass fascia, framing a beautifully realistic log fuel effect and a fully automatic remote control system.

#### **Specifications**

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energ	gy efficiency		67.9%									
Energy efficier	icy class		F									
Fuel type			Natural gas									
Direct heat o	output		3.1kW									
Fuel effect	Control type	Colour	Model Number									
Log	Remote	Black	FPCLOORN									

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





6





can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset

adjust the flame height and

Electronic Flame Control Discreet easy access buttons

are used to ignite the fire and

adjust heat and flame height.

The remote control handset

Remote Control with

Thermostat

heat output.

contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed

to ensure your room will be

warm whenever you wish.





#### highefficiency Conventional Flue - Wall Outset - Glass Fronted



### Curve

The Curve "hang-on-the-wall" fire with its sleek lines, textured fascia and glass front, complements the unique flame pattern created by an undulating back panel. This stunning fire is easy to install as it literally hangs on the wall, rather than slotting into the structure. The Curve is perfectly suited to contemporary homes requiring state-of-the-art appearance and the performance to match.

#### Specifications


Description: Slimline outset gas fire Type of Heat: Radiant & Convected Useful energy efficiency 68.3% Energy efficiency class F Fuel type Natural gas 4.0kW Direct heat output

Fuel effect	Control type	Colour	Model Number
Flame only	Remote	Black	FCRROORN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally







### highefficiency Conventional Flue - Wall Outset - Glass Fronted

### Kamina

The sleek black glass fascia on this "hang-on-the-wall" gas fire is perfectly complemented by the unique flame pattern created by an undulating back panel. Installation is virtually hassle free as this highly contemporary fire literally hangs on the wall, thereby minimising any costly or messy building work. With a maximum heat output of 4kW the Kamina is perfectly suited to contemporary homes requiring state-of-the-art appearance and performance.

#### Specifications


Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energ	y efficiency		68.3%
Energy efficien	Energy efficiency class		F
Fuel type			Natural gas
Direct heat output			4.0kW
Fuel effect Control type Colour		Colour	Model Number
Flame only	Remote	Black Glass	FCRR10RN





- A 650mm B 890mm
- C 445mm D 150mm





### highefficiency Conventional & Balanced Flue - Wall Inset - Glass Fronted



### Rocco HE

This stunning glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a choice of silver or black trim options.


Specifications				
Description: S	Description: Slimline outset gas fire Type of Heat: Radiant & Convected			
			Conventional	Balanced
Useful energ	gy efficiency		85.1%	80.8%
Energy efficien	ncy class		С	E
Fuel type		Natural gas	Natural gas	
Direct heat output		4.1kW	5.5kW	
Fuel effect Control type Colour			Model Number	
Log	Remote	Silver	FPHL21RN	FBFL01RN3
Log	nemote	Black	FPHL22RN	FBFL02RN3

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models) Air vent required: Not normally

#### Fuel Bed Back Panel Flue Fuel Control

Dimensions

E 725mm





Rocco HE with black trim

### highefficiency Conventional & Balanced Flue - Wall Inset - Glass Fronted

## Jazz HE

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. Both the Jazz HE and balanced flue models feature a black back and high quality trims in two finishes – silver and black.

#### Specifications

Description: Slimline outset gas fire	Type of Heat: Radiant & Convected	

	Conventional	Balanced
Useful energy efficiency	81.4%	83.9%
Energy efficiency class	D	D
Fuel type	Natural gas	Natural gas
Direct heat output	3.2kW	4.2kW
Fuel effect Control type Colour	Model Number	

1 401 011000	Conta or type	Colour	Though the announced	
1.00	Demete	Silver	FHCL21RN	FJBL21RN
Log	Hemote	Black	FHCL22RN	FJBL22RN

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models)

Air vent required: Not normally





#### Dimensions

Jazz HE A 549mm B 810mm C 460mm

D 315mm E 631mm

- Jazz BF A 549mm B 810mm C 460mm D 295mm E 631mm



Jazz HE with silver trim



### highefficiency Conventional Flue - Wall Inset - Glass Fronted



### highefficiency Conventional Flue - Wall Inset - Glass Fronted

### Expression HE


The Flavel Expression HE hole in the wall high efficiency gas fire is a contemporary and economical heating solution with an energy efficiency of 84.3%. This fully glass fronted model features a stunning stainless steel fascia design and is operated by a fully automatic remote control system.

Description: Full depth inset gas fire Type of Heat: Radiant & Convected			
Useful energy effi	ciency	84.3%	
Energy efficiency class		С	
Fuel type       Direct heat output       Fuel effect     Control type       Coal     Remote		Natural gas	
		3.4kW	
		Model Number	
		FHKCEHRN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



#### Dimensions



## Diamond HE

As Flavel's debut high efficiency hole-in-the-wall fire, the Diamond HE is a contemporary and economical heating solution with an energy efficiency of 84.3%. This fully glass fronted model features the stunning 'Diamond' fascia design and is available with a choice of coal or pebble fuel effect.

#### Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		84.3%
Energy efficiency class	;	С
//		Natural gas
		3.4kW
Fuel effect	Control type	Model Number
Coal	Duration	FHDCOORN3
Pebble	Remote	FHDPOORN3

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Diamond HE with coal fuel effect





Diamond HE with pebble fuel effect



YEAF YEAF Windsor Contemporary Plus with coal fuel effect

Windsor Contemporary HE with pebble fuel effect

### highefficiency Conventional Flue - Wall Inset - Glass Fronted

### **Eco**design Compliant

Back Panel

**high**efficiency

Conventional Flue - Wall Inset - Open Fronted

## Windsor Contemporary Plus

The Windsor Contemporary wall inset gas fire is also available as an open fronted model featuring a large viewing window and polished silver fascia. There is a choice of a coal or pebble fuel bed and this very versatile fire will fit into almost any chimney or flue.

#### Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Energy efficiency class		66.8%
		F
		F
		Natural gas
Direct heat output		4.0kW
	I	
Fuel effect	Control type	Model Number
Coal	Manual	FSPCHWMN
Pebble	Iviariuai	FSPPHWMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Flue



Control Fuel Bed

Fuel



Windsor Contemporary HE with coal fuel effect

## Windsor Contemporary HE

The Windsor Contemporary glass fronted high efficiency wall inset gas fire comes with the option of a coal or pebble fuel bed and features a large viewing window and polished silver fascia. This extremely versatile fire will fit into almost any chimney or flue.

#### Specifications

Description: Slimline inset das fire Type of Heat: Badiant & Convected

Description: Similine inset gas fire Type of Heat: Radiant & Convected			
Energy efficiency class Fuel type		81.3%	
		D	
		Natural gas	
		2.9kW	
Fuel effect	Control type	Model Number	
Coal	Manual	FSHCHWMN	
Pebble	IVIdiludi	FSHPHWMN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally







C 550mm D 125mm E 327mm



Windsor Contemporary Plus with pebble fuel effect

### highefficiency Conventional & Balanced Flue - Fireplace Suite - Glass Fronted



## Sophia Suite

The Flavel Sophia gas fire suite features a large, high efficiency, log effect gas fire framed by a beautifully designed Royal Botticino stone surround. The large non reflective glass front delivers an uninterrupted view of the fuel bed.

This gas fire suite is available in a conventional flue or slimline balanced flue version and is operated by a multifunctional remote control handset. The remote control system includes a thermostatic operation which automatically adjusts the heat output up or down to maintain your desired pre-set temperature. There is also a wake/sleep timer function which lets you specify when the fire will automatically turn on and turn off.

For optimum efficiency the Sophia comes with a built in electronic fan that is used to circulate convected heat around the room.





Specifications


Description: Full depth fireplace suite Type of Heat: Radiant & Convected

		Conventional	Balanced
Useful energy efficiency Energy efficiency class Fuel type Direct heat output		82%	<b>87.2</b> %
		D	С
		Natural gas	Natural gas
		5.6kW	4.3kW
Fuel effect	Control type	Model Number	

FDCLRBRN2+B-163230 FSBLBTRN+B-179830 Log Remote


Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models) Air vent required: Not normally

Dimensions









Conventional Flue A 1233mm B 1480mm 739mm

E 1450mm F 793mm G 921mm H 352mm

I 200mm J 410mm K 727mm L 727mm





#### highefficiency Conventional Flue - Hearth Inset - Glass Fronted

## Caress HE

The Caress HE glass fronted gas fire features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or polished silver cast iron. It features a heat output of up to 4kW and an energy efficiency of up to 86.3%.

Each model is available in a range of control options and there is an LPG model for homes without a natural gas supply.

#### Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	86%	86.3%
Energy efficiency class	С	С
Fuel type	Natural gas	LPG
Direct heat output	3.9kW	4.0kW

		Contemporary	Traditional	Contemporary	Traditional
Control type	Colour	Model Number			
Manual	Brass	FHEC15MN	FHEC11MN	n/a	n/a
Manual	Silver	FHEC3RMN	FHEC3JMN	n/a	n/a
Slide	Brass	FHEC45SN	FHEC41SN	n/a	FHEC11SP
Silde	Silver	FHEC6RSN	FHEC6JSN	FHEC3RSP	n/a
Remote	Brass	FHEC15RN2	FHEC11RN2	n/a	n/a
nemote	Silver	FHEC3RRN2	FHEC3JRN2	n/a	n/a

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



#### Dimensions





Caress HE Contemporary in silver

## Decadence HE & Decadence Slimline HE

The Decadence HE high efficiency glass fronted gas fire with an energy efficiency of 84.3%. It is available in a choice three beautiful high quality cast iron fascias - Gold, Silver or Black Nickel plated finishes. The Decadence HE Slimline model is also highly efficient and both models will fit almost any chimney or flue, including pre-cast (BS EN 1858). Both models are available in a choice of control model and feature a coal effect fuel bed.

#### Specifications


Description: Full depth inset gas fire/slimline inset gas fire Type of Heat: Radiant & Convected

		HE Manual	HE Remote	Slimline HE Manual
Useful ener	gy efficiency	84.3%	<b>84.3</b> %	81.3%
Energy efficier	ncy class	D	С	D
Fuel type		Natural gas	Natural gas	Natural gas
Direct heat	output	3.4kW	3.4kW	2.9kW
Fuel effect Colour		Model Number		
	Brass	FHKCDBMN2	FHKCDBRN3	FSHCDBMN
Coal	Silver	FHKCDCMN2	FHKCDCRN3	FSHCDCMN
	Black Nickel	FHKCDNMN2	FHKCDNRN3	FSHCDNMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally









in gold

Decadence Slimline HE Decadence Slimline HE in black nickel





## Kenilworth HE

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Spec	ificat	ions
opec	incau	10113

Description: Full de	epth inset gas fire Type	of Heat: Radiant & Co	onvected
		Manual	Remote
Useful energy efficiency Energy efficiency class Fuel type		84.3%	84.3%
		D	С
		Natural gas	Natural gas
Direct heat output		3.4kW	3.4kW
	I.		
Fuel effect Colour		Model Number	
Brass		FHKC14MN2	FHKC14RN3


FHKC26MN2

FHKC26RN3

Coal	Black	FHKC26MI
Safety: Flame Supervis Air vent required: Not		ch System



Dimensions





Kenilworth HE in brass

### highefficiency Conventional Flue - Hearth Inset - Glass Fronted

## Linear HE

The Linear is a stunning modern design with the combination of black ribbed back panels and polished silver fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

#### Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency			84.3%
Energy efficien	Energy efficiency class		D
Fuel type			Natural gas
Direct heat output			3.4kW
Fuel effect	Fuel effect Control type Colour		Model Number
Coal	Manual	Silver	FHLCXOMN2
Pebble	Iviariuai	Silver	FHLPX0MN2


Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally







A 595mm B 483mm C 550mm D 180mm E 365mm







Linear HE with pebble fuel effect





### highefficiency Conventional Flue - Hearth Inset - Glass Fronted

## Windsor Contemporary HE

Stunning styling makes the Windsor Contemporary glass fronted high efficiency gas fire the centrepiece of your room. This slimline model will fit almost any chimney or flue, including pre-cast (BS EN 1858), and comes in a polished silver fascia.

#### **Specifications**

Description: Slimline inset gas fire	Type of Heat: Badiant & Convected


1 0 A	
Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

	Fuel effect	Control type	Colour	Wodel Number
	Coal	Manual	Silver	FSHCUOMN
			Brass	FSHCU1MN
	Pebble		Silver	FSHPUOMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



#### Dimensions





Windsor Contemporary HE in brass with coal fuel effect

### Windsor Traditional HE

The Windsor Traditional HE glass fronted gas fire offers exceptional heat output of 2.9kW with an energy efficiency of 81.3% and is available in manual or slide control.

#### Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected			
Useful energ	Useful energy efficiency		81.3%
			D
			Natural gas
Direct heat o	output		2.9kW
Fuel effect	Control type	Colour	Model Number
	Manual	Brass	FSHC11MN
Coal	Iviariuai	Silver	FSHC3JMN
GUdi	Slide	Brass	FSHC11SN2
	allue	Silver	FSHC3JSN2







```
A 592mm
B 475mm
C 550mm
D 125mm
E 327mm
```





Windsor Traditional HE in silver





### highefficiency Conventional Flue - Hearth Inset - Open Fronted

## **Richmond Plus & Richmond**

You can now achieve the look of a real open coal fire, combined with the convenience of gas fuel. The Richmond full depth convector fire combines a brilliant flame effect with high efficiency and outstanding warmth. The Richmond features a Profiled trim and Dallas fret and is available in black, silver or brass finishes.

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


Richmond Plus		Richmond	
Useful energy efficiency	66.7%	Useful energy efficiency	60%
Energy efficiency class	F	Energy efficiency class	F
Fuel type	Natural gas	Fuel type	Natural gas
Direct heat output	4.1kW	Direct heat output	3.7kW

Model Number				Model Number		
Colour	Manual	Slide	Remote	Colour	Manual	Slide
Brass	FOPC12MN	FOPC12SN	FOPC12RN2	Brass	FICC12MN	FICC42SN
Black	FOPC23MN	FOPC23SN	FOPC23RN2	Black	FICC23MN	FICC53SN
Silver	FOPC37MN	FOPC37SN	FOPC37RN2	Silver	FICC37MN	FICC37SN

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally







**Richmond Plus** in silver

E 400mm

Richmond in black

## Caress Plus & Caress

The Caress Plus and Caress feature an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or polished silver cast iron. The Caress Plus open-fronted model has been designed to provide an energy efficiency of 68.3% and a heat output at 4.2kW. Each model is available in a range of control options.

#### Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Usefu	l energy	efficie	ency	68	.3%	Usefu	l energy	efficie	ency	60	1%
Energy	Energy efficiency class			F		Energy	/ efficienc	y class		F	
Fuel type			Natural gas		Fuel type					itui	
Direc	Direct heat output 4.2kW				2kW	Direc	t heat ou	ltput		3.7	7k
			Contempor	ary	Traditional				Contempo	rary	Т
Fuel Effect	Control	Colour	Model Num	nber		Fuel Effect	Control	Colour	Model Nur	nber	
	Manual	Brass	FKPC15MI	N	FKPC11MN		Manual	Brass	FICC15MN	J	F
	Iviariuai	Silver	<b>FKPC3RM</b>	N	<b>FKPC3JMN</b>	Coal		Silver	FICC3RMN	J	F
Coal	Slide	Brass	FKPC45SN	l	FKPC41SN	Coar	011	Brass	FICC45SN		FI
	Silde Silver FKPC6RSN		l	FKPC6JSN		Slide	Silver	FICC6RSN		F	
ooui	B		FKPC15RN2		FKPC11RN2						
0001	Remote										

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Flue








raditional

ICC11MN ICC3JMN ICC41SN ICC6JSN





Caress Plus Traditional in brass





#### highefficiency Conventional Flue - Hearth Inset - Open Fronted

Calypso Plus & Calypso

The Calypso successfully combines exceptional fire design with today's necessity for convenience in the form of a user friendly dual directional slide control. This fire will be equally at home in a contemporary or traditional fire surround and room setting.


#### **Specifications**


Description: Full depth inset gas fire	Type of Heat: Badiant & Convected
Description. Full deptit inset gas in e	Type of field. Fidulatie & Convected

Descript	Description, run deptininset gas in el Type of Heat. Aduant & Convected								
Calypso Plus					Calypso				
Useful energy efficiency 68.3%			<b>68.3</b> %	<b>67</b> %	Useful energy efficiency 60%			60%	
Energy e	Energy efficiency class		F	F	Energy efficiency class		F		
Fuel type	Fuel type		Natural gas	LPG	Fuel type		Natural gas		
Direct I	Direct heat output		4.2kW	4.2kW	Direct heat output		3.7kW		
Fuel Effect	Control	Colour	Model Numbe	er	Fuel Effect	Control	Colour	Model Number	
Coal	Slide	Brass	FKPC42SN	FKPC42SP	Coal	Slide	Brass	FNCN42SN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally









in brass

Rhapsody Plus & Rhapsody

The classic Rhapsody Plus and Rhapsody open fronted fires have a very realistic full depth fuel effect and beautiful flame picture making them indisguisable from a real coal fire. With an elegant arched trim and striking fret they are a timeless classic.

#### Specifications

opcom	100010115							
Descript	tion: Full d	epth inset	gas fire Ty	/pe of Heat: F	Radiant & C	onvected		
Rhaps	ody Plus	6			Rhapso	dy		
Useful	energy ef	ficiency	68.3%	<b>67</b> %	Useful e	nergy eff	iciency	60%
Energy e	efficiency cl	ass	F	F	Energy ef	Energy efficiency class		
Fuel type	е		Natural gas	LPG	Fuel type			Natural gas
Direct	heat outp	ut	4.2kW	4.2kW	Direct heat output			3.7kW
Fuel Effect	Control	Colour	Model Num	ber	Fuel Effect	Control	Colour	Model Number
		Brass	FKPCBRSN	FKPCBRSP			Brass	FDCN45SN
Coal	Slide	Antique Brass	FKPCBBSN	FKPCBBSP	Coal	Slide	Antique Brass	FDCN46SN
		Black	FKPCBLSN	FKPCBLSP			Black	FDCN57SN

Silver

FKPCSLSN FKPCSLSP

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Silver





Rhapsody Plus in antique brass

Rhapsody in brass

Rhapsody in black



Decadence Plus

Specifications

Fuel type

Coal

Direct heat output

Useful energy efficiency Energy efficiency class

Fuel effect Control type Colour

Manual

Slide

Remote

Air vent required: Not normally

a choice of gold, silver or black nickel plated finishes.

Gold

Silver

Gold

Silver

Gold

Silver

Safety: Flame Supervision Device & Airwatch System

Black Nickel

Black Nickel

The Decadence Plus is a striking open fronted full depth gas fire which

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

features a choice of three beautiful high quality cast iron fascias available in

**68.3**%

Natural gas

Model Number

FKPCDBMN

FKPCDCMN

FKPCDNMN

FKPCDBSN

FKPCDCSN

FKPCDNSN

FKPCDBRN2 FKPCDCRN2

Black Nickel FKPCDNRN2

4.2kW

F



## Linear Plus

The Linear is a stunning modern design with the combination of black ribbed back panels and polished silver fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

#### Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful ener	gy efficiency		68.3%		
Energy efficiency class			F		
Fuel type			Natural gas		
Direct heat output			4.2kW		
Fuel effect	Control type	Colour	Model Number		
Coal		01	FKPCUOMN		
Pebble	Manual	Silver	FKPPUOMN		

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally











Decadence Plus in gold


Decadence Plus in silver

28





- A 595mm B 483mm C 548mm D 170mm E 365mm





Linear Plus with coal fuel effect





### highefficiency Conventional Flue - Hearth Inset - Open Fronted

## Kenilworth Plus


The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3"rebate on the fire surround.

Description:	Full depth inset	gas fire <b>Type</b>	of Heat: Radiant & Convected			
Useful ener	gy efficiency		68.3%			
Energy efficie	ency class		F			
Fuel type			Natural gas			
Direct heat	output		4.2kW			
Fuel effect	Control type	Colour	Model Number			
		Brass	FKPC14MN			
	Manual	Silver (Grace)	FKPC37MN			
		Black	FKPC26MN			
		Brass	FKPC14SN			
Coal	Slide	Silver (Grace)	FKPC37SN			
		Black	FKPC26SN			
		Brass	FKPC14RN2			
	Remote	Silver (Grace)	FKPC37RN2			
		Black	FKPC26RN2			
Safety: Flame	Safaty: Elama Supervision Device & Airwatch System					

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



#### Dimensions







Kenilworth Plus in black with Balmoral fret

in silver with Grace fret

## **Opulence** Plus


The Flavel Opulence Plus high efficiency gas fire boasts an impressive 68.3% energy efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available as a manual or fully automatic remote controlled fire. The Opulence Plus comes in choice of brass or silver finishes.


#### Specifications

Description: Full depth inset gas fire	Type of Heat: Radiant & Convected

Useful ener	gy efficiency		68.3%	
Energy efficiency class			F	
Fuel type			Natural gas	
Direct heat output			4.2kW	
Fuel effect	Control type	Colour	Model Number	
	Manual	Brass	FKPCOBMN	
Coal	IVIdi ludi	Silver	FKPCOSMN	
	Demete	Brass	FKPCOBRN2	
	Remote	Silver	FKPCOSRN2	











Opulence Plus in silver



Flue

Dimensions

A 599mm

B 500mm

C 550mm D 170mm

E 365mm

Fuel Control

-D-



Fuel Bed Back Panel

#### highefficiency Conventional Flue - Hearth Inset - Open Fronted

## Stirling Plus

The Stirling Plus open fronted high efficiency slimline gas fire will fit into all flue types and, with a very impressive heat output of 4.0kW, is sure to be a popular choice. The Stirling Plus is operated by a choice of manual or EFC control and is available in either a black or brass finish.

#### Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful ener	gy efficiency		66.8%		
Energy efficie	ncy class		F		
Fuel type			Natural gas		
Direct heat output			4.0kW		
Fuel effect	Control type	Colour	Model Number		
Fuerenect	Control type	Colour	Widdel Number		
	Manual	Antique Brass	FSPC12MN		
Coal		Black	FSPC23MN		
EFC	EEC	Antique Brass	FSPC12TN2		
		Black	FSPC23TN2		

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

## Expression Plus

The Flavel Expression Plus high efficiency gas fire boasts an impressive 68.3% Energy efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a coal fuel effect and comes with a contemporary stainless steel one-piece fascia. The Expression Plus is available with manual or fully automatic remote control.

#### Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency			68.3%
Energy efficiency class			F
Fuel type			Natural gas
Direct heat output			4.2kW
Fuel effect	Control type	Colour	Model Number

Fuel effect	Control type	Colour	Model Numb

	Manual	Silver	FKPCEPMN
Coal	Slide	Silver	FKPCEPSN
	Remote	Silver	FKPCEPRN2







Stirling Plus with brass trim and Dallas antique brass fret






### highefficiency Conventional Flue - Hearth Inset - Open Fronted

#### Flue Fuel Control Fuel Bed Back Panel $\textcircled{\phantom{a}}$ s 😵

Dimensions





Windsor Contemporary Plus in polished silver with coal fuel effect Windsor Traditional Plus The Windsor Traditional Plus is an open fronted high efficiency gas fire

combining an exceptional heat output of 4.0kW and an energy efficiency of 66.8%. This fire is perfect for homes where a more traditional styling is needed to complement the décor.

#### Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency			66.8%
Energy efficiency class			F
Fuel type			Natural gas
Direct heat	output		4.0kW
Fuel effect Control type Colour		Colour	Model Number
Coal	Manual Brass		FSPC11MN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Windsor Contemporary Plus

Stunning styling makes the Windsor Contemporary Plus the centrepiece of your room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858) and achieves an impressive 66.8% energy efficiency with a 4.0kW heat output.

#### Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	66.8%	
Energy efficiency class	F	
Fuel type	Natural gas	
Direct heat output	4.0kW	

Fuel effect	Control type	Colour	Model Number
Coal		Polished Silver	FSPCUOMN
			FOR DUILON AND

Pebble	Manual	Polished Silver	FSPPUOMN	
	Peddie		Brushed Silver	FSPP80MN









### highefficiency Conventional & Balanced Flue - Hearth Outset - Glass Fronted



## Emberglow

The Emberglow ultra high efficiency outset gas fire features an elegant design with high quality cast iron canopy and fire front. With front and side windows the mesmerising dancing flames can be seen from all angles and it is operated by an easy to use electronic side control system. The main image represents the Calibre natural gas model. The flame picture may differ on LPG model.

#### Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

	ES	Remote	ES	Manual
	Convention	al		Balanced
Useful energy efficiency	<b>78.7</b> %	<b>81.6</b> %	82.2%	86.9%
Energy efficiency class	E	D	D	С
Fuel type	Natural gas		LPG	Natural gas
Direct heat output	4.2kW	4.4kW	4.2kW	4.3kW
Fuel effect	Model Numbe	er		

Fuel effect

Coal FEMCODEN FEMCODRN2 FEMCDOEP FEBCODMN

Safety: Flame Supervision Device & Airwatch System

(not applicable to balanced flue model)

Air vent required: Not normally







### highefficiency Conventional Flue - Hearth Outset - Glass Fronted

### Renoir

The Renoir outset living flame effect gas fire features a beautiful flickering flame effect and is operated by an electronic side control system to make it much easier to ignite the fire. This classically designed fire has an impressive heat output of up to 4.4 kW and energy efficiency of up to 81.6%.

#### Specifications

Description: Full o	depth outset gas fire Ty	e of Heat: Radiant & Convected	
		ES	Remote
Useful energy efficiency		<b>78.7</b> %	81.6%
Energy efficiency class		E	D
Fuel type		Natural gas	Natural gas
Direct heat output		4.2kW	4.4kW
Fuel effect Colour		Model Number	
Caal	Black	FRECNOEN	FRECNORN2
Coal Bronze		FRECROEN	FRECRORN2

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Emberglow Balanced Flue

 $\cap$ 






Dimensions

Emberglow A 703mm

B 684mm C 324mm





Renoir in bronze





### highefficiency Conventional Flue - Hearth Outset - Open Fronted

### Welcome

The Welcome's beautiful electrically illuminated coal effect brings life to the room even when the heat is off, providing a charming focal point to any room. It also has a 74% energy efficiency, resulting in lower running costs.

#### Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected			
Useful energy effic	iency	74%	
Energy efficiency class		E	
Fuel type		Natural gas	
Direct heat output		4.5kW	
	I.		
Control type	Colour	Model Number	
Electronic Side	Black	FWERNOEN	
LIEUM UNIC DIDE	Bronze	FWERROEN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

## Regent


One of the most popular radiant fires in the UK, the Regent features a slim design and has an energy efficiency of 74%. The Regent is available in a choice of black or bronze finishes and is operated by electronic side control.

Description: Full depth outset gas fire Type of Heat: Radiant & Convected				
Useful energy effic	iency	74%		
Energy efficiency class	3	E		
Fuel type		Natural gas		
Direct heat output		4.5kW		
Control type Colour		Model Number		
Electronic Side	Black	FRGCNOEN		
Electronic Side	Bronze	FRGCPOEN		

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally














#### Dimensions

A 680mm B 718mm C 310mm







Welcome in black





### highefficiency Conventional Flue - Hearth Outset - Open Fronted

### Misermatic

Incredible 82% energy efficiency and adaptability; the Misermatic has them both. Available in a range of wood finishes, this fire can be wall or hearth mounted with an easily accessible top mounted control. Can be wall mounted.

#### Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected			
Useful energy effic	ciency	82%	
Energy efficiency clas	S	D	
Fuel type		Natural gas	
Direct heat output		5.2kW	
Control type	Colour	Model Number	
	Mahogany	FORMMOEN	
	Teak	FORMTOEN	
Electronic Top	Light Oak	FORMLOEN	
	Medium Oak	FORMNOEN	
	Black	FORMBOEN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Misermatic in teak

Flue

### Strata

The Strata offers an incredible energy efficiency of 82% and 5.2kW heat output. It has a stylish contemporary look with soft, curved lines and is available in a choice of four colour options. Can be wall mounted.

#### Specifications

Description: Slimline outset gas fire	Type of Heat: Radiant & Convected
Useful energy efficiency	82%

	Energy efficiency class		D
	Fuel type		Natural gas
	Direct heat output		5.2kW
	Control type	Colour	Model Number
	Electronic Top	Black	FORSBLEN
		Brown	FORSBOEN
		White	FORSWOEN
		Cream	FORSCOEN

#### Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally







Strata in white

Fuel

Dimensions

A 530mm B 715mm C 210mm D 100mm E 60mm

Control

|---C---

Strata in cream






Dimensions

A 515mm B 800mm

C 200mm D 100mm E 60mm





Misermatic in medium oak Misermatic in mahogany Misermatic in black





### highefficiency Conventional Flue - Hearth Outset - Open Fronted

### Firenza

The compact and economical Firenza can be wall or hearth mounted and has an energy efficiency of 80.1%. The control handle is located on the top panel for ease of use.

#### Specifications

Description: Slimlir	e outset gas fire Type	of Heat: Radiant & Convected
Useful energy efficiency		80.1%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output		3.8kW
Control type Colour		Model Number
Electronic Tex	Black	FFIRZ1MN
Electronic Top	Bronze	FFIRROMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Renaissance

The Renaissance provides a natural talking point the moment you enter the room. Its stylish retro design is matched by its forward thinking simplicity of installation, impressive 5.2kW heat output and astounding 82% energy efficiency. Can be wall mounted.

#### Specifications


Description: Slimline outset gas fire Type of Heat: Radiant & Convected

	5 7	
Useful energy effic	iency	82%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output		5.2kW
Control type Colour		Model Number
	Silver	FORRSOEN
Electronic Top	Black	FORRBOEN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





Renaissance in black





#### Dimensions

A 658mm B 506mm C 222mm





Firenza in black



### **high**efficiency

The Calibre Balanced Flue gas fire boasts an energy efficiency of 93.5%and features a full depth coal fuel effect. This glass fronted fire has an

The main image represents the Calibre natural gas model. The flame

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Colour

Brass

Silver

Brass

Silver

Brass

Silver

exceptionally large viewing area and is available in a choice of brass or silver.

93.5%

Natural gas

Model Number

FBFC1SMN2

FBFC37MN2

FBFC1SEN3

FBFC37EN3

FBFC1SRN3

FBFC37RN3

3.9kW

В

93.5%

4.0kW

FBFC1SMP2

FBFC37MP2

n/a

n/a

n/a

n/a

В LPG



### highefficiency Balanced Flue - Hearth Inset - Glass Fronted

### Raglan BF

With an energy efficiency of 80% the stylish Raglan Balanced Flue is designed to fit into houses without a chimney or flue and its glass front does more than simply look great, it increases efficiency too.

#### Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected			
Useful energy efficiency			80%
Energy efficiency class			E
Fuel type			Natural gas
Direct heat output			2.7kW
Fuel effect	Control type	Colour	Model Number
Coal Manual		Silver	FBFC3JMN
GUdi	Coal Ivianual		FBFC12MN

Safety: Flame Supervision Device Air vent required: Not normally

Balanced Flue - Hearth Inset - Glass Fronted



#### Dimensions



\*Differs on EFC models. An optional flue extension is available to increase maximum length to 1015mm or manual and 973mm on EFC models.



Calibre BF in brass

Calibre BF

picture may differ on LPG model.

Specifications

Fuel type

Coal

Useful energy efficiency

Fuel effect Control type

Manua

EFC

Safety: Flame Supervision Device Air vent required: Not normally

Remote

Energy efficiency class

Direct heat output










- A 620mm B 470mm
- C 580mm D 125mm
- 95mm F 435mm
- G 675mm max 130mm min\*
- H 400mm I 145mm





Raglan BF in silver



### highefficiency Balanced Flue - Hearth Inset - Glass Fronted



### highefficiency Balanced Flue - Hearth Inset - Glass Fronted

## Orchestra BF


If you want the warmth and mood created by a living flame fire yet don't have a chimney or flue, then the Orchestra is the perfect solution. This neat, glass fronted inset fire with an energy efficiency of 80% is framed by a chamfered trim and sleek fret.

#### Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected			
Useful energy efficiency			80%
Energy efficiency class			E
Fuel type			Natural gas
Direct heat output			2.7kW
Fuel effect	Control type	Colour	Model Number
Coal Manual		Silver	FBFN98G
Coal	Ividijudi		

Manual	Silver	FBFN98G
IVIdiTudi	Brass	FBFN76G

Safety: Flame Supervision Device Air vent required: Not normally









Orchestra BF in brass

## Atlanta BF

Simplicity of form. Complexity of flame. The Atlanta's clean lines compliment its clean burning efficiency. The glass front amplifies a unique flame pattern through an undulating back panel. Offset against a brushed steel trim it conjures up an ethereal yet comforting minimalism.

#### Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

	5 7	
Useful energy effi	ciency	66.4%
Energy efficiency clas	ŝS	F
Fuel type		Natural gas
Direct heat output		2.4kW
	1	
Fuel effect	Control type	Model Number
Flame only	Manual	FBFR70MN

Safety: Flame Supervision Device Air vent required: Not normally










- A 622mm B 485mm
- C 125mm D 400mm

- E 245mm F 215mm G 435mm H 675mm max 130mm min







Ecodesign Compliant



### standard fires Conventional Flue - Wall Inset - Open Fronted

### Finesse

The most versatile hole-in-the-wall gas fire from Flavel. The Finesse will fit virtually any flue and is available in three different variations – a brass trim option with coal fuel effect to suit a classical setting and a chrome trim option with a choice of coal or pebble fuel effect.

Specifications
----------------


Description: S	Slimline inset g	as fire <b>Type o</b>	f Heat: Radiant
Fuel type			Natural gas
Direct heat	output		2.7kW
Fuel effect	Control type	Colour	Model Number
Coal	Chrome	FSRCYYMN	
Coal	Manual	Brass	FSRCXXMN
Pebble		Chrome	FSRPYYMN
	· · · · ·	· · · · ·	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes.



Dimensions





standard fires Conventional Flue - Wall Inset - Open Fronted

## Windsor Contemporary

The Windsor Wall inset open fronted gas fire is available in a choice of coal or pebble fuel bed and features a large viewing window. This extremely versatile fire will fit into almost any chimney or flue and comes in a polished silver finish.

#### Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Fuel type			Natural gas
Direct heat output			2.7kW
Fuel effect	Control type	Colour	Model Number
Coal	Manual Polished		FSRCHWMN
Pebble	IVIariuai	Silver	FSRPHWMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes.

Finesse with coal effect and chrome trim

Finesse with pebble effect and chrome trim





Windsor Contemporary with coal fuel effect



### standard fires Conventional & Powerflue - Hearth Inset - Open Fronted



### standard fires Conventional & Powerflue - Hearth Inset - Open Fronted

### Linear & Linear Powerflue

The Linear is a stunning modern design with the combination of black ribbed back panels and polished silver fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

#### Specifications

Description: Slimline inset gas fire Type of Heat: Radiant				
Conventional	Flue			
Fuel type			Natural gas	
Direct heat	Direct heat output Fuel effect   Control type   Colour		2.7kW	
Fuel effect			Model Number	
Coal	Manual		FRDCUOMN	
Pebble	Ivianuai	Silver	FRDPUOMN	

This product is not suitable for primary heating purposes.

Powerflue				
Useful ener	gy efficiency		57.2%	
Energy efficie	nergy efficiency class		F	
Fuel type			Natural gas	
Direct heat	output		3.6kW	
Fuel effect	Control type Colour		Model Number	
Coal	Manual Silver		FVPCUOMN	
Pebble	IVIdi ludi	Silver	FVPPUOMN	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

### Kenilworth & Kenilworth Powerflue

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a precast flue with a 3" rebate on the fire surround.


Description:	Full depth inset	gas fire <b>Type</b>	of Heat: Radiant	
Conventional Flue				
Fuel type			Natural gas	
Direct heat output			2.7kW	
Fuel effect	Control type	Colour	Model Number	
Coal	Manual	Brass	FRDC14MN	
Loai	Manual Black	FRDC26MN		

#### Dov erflue

owcrnuc			
Useful energy efficiency			57.2%
Energy efficiency class			F
Fuel type			Natural gas
Direct heat output			3.6kW
Fuel effect Control type Colour		Colour	Model Number
Coal	Manual	Brass	FVPC14MN
GUai	IVIdiTudi	Black	FVPC26MN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





\*Maximum flue length 5 metres and 3 bends.



470-720mm Outset 320-570mm\*






#### Dimensions

- Linear Conventional Flue
- A 595mm B 483mm
- C 550mm D 170mm
- E 365mm

Linear Powerflue


- A 594mm
- B 485mm
- C 547mm
- D 199mm E 368mm F 360mm
- G 78mm H 145mm I 290mm
- J 482mm K Inset
- 470-720mm Outset
- 320-570mm\*



\*Maximum flue length 5 metres and 3 bends.



Linear with coal fuel effect



### standard fires Conventional & Powerflue - Hearth Inset - Open Fronted



### standard fires Conventional Flue - Hearth Inset - Open Fronted

### Windsor Contemporary, Classic & Traditional

The versatile styling of the Windsor gas fires ensures that there is a style to suit any room. This slimline gas fire will fit almost any chimney st (BS EN 1858 الم الم

Specificati			
Description:	Slimline inset (	gas fire <b>Type o</b>	f Heat: Radiant
Fuel Type			Natural gas
Direct heat	output		2.7kW
Windsor Cor	temporary		
Fuel effect	Control type	Colour	Model Number
		Polished Silver	FSRCUOMN
Coal		Brushed Silver	FSRC80MN
		Brass	FSRCU1MN
	Manual	Polished Silver	FSRPUOMN
Pebble		Brushed Silver	FSRP80MN
		Brass	FSRPU1MN
Driftwood		Brushed Silver	FSRDUOMN
Dhitwood		Brass	FSRDU1MN
Windsor Cla	ssic		
Fuel effect	Control type	Colour	Model Number
Qual	Manual	Brass	FSRC1SMN
Coal	IVianual	Polished Silver	FSRC3WMN
Windsor Tra	ditional		
Fuel effect	Control type	Colour	Model Number
Qual	Manual	Brass	FSRC1PMN
Coal	Manual	Polished Silver	FSRC3JMN

Air vent required: Not normally This product is not suitable for primary heating purposes

### Warwick & Warwick Powerflue

This ultra slim Warwick gas fire will fit almost any chimney or flue, and an impressive heat output of up to 3.2kW. Specifications

Description:	Slimline incet a	ac fire Type o	f Heat: Radiant
Conventional	5	asine Typeo	
Useful energy efficiency			53.1%
Energy efficiency class			F
Fuel type			Natural gas
Direct heat output			3.1kW
Fuel effect	Fuel effect Control type Colour Brass		Model Number
			FIRC14MN
Coal	Manual	Black	FIRC26MN
Silver		Silver	FIRC37MN


#### Powerflue

Useful energy efficiency			55.2%
Energy efficiency class			F
Fuel type			Natural gas
Direct heat	output		3.2kW
Fuel effect	Control type Colour		Model Number
			FVNC14MN
Coal	Manual	Black	FVMC26MN
		Silver	FVNC37MN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally









\*Maximum flue length 5 metres and 3 bends

400-650mm Outset 250-500mm\* Warwick with black trim and Balmoral


black fret

F 360mm G 78mm H 145mm I 290mm

J 481mm K Inset



brass trim and Balmoral brass fret





Windsor Contemporary with brushed silver trim and driftwood fuel effect



Windsor Classic in polished silver with coal fuel effect



### **standard**fires Conventional Flue - Hearth Inset - Open Fronted

The Melody is an elegant slimline fire enabling installation in almost any flue

including pre-cast. The discreet slide control ensures convenient operation

**53.1**%

Natural gas 3.1kW

Model Number

FDRN68G

FDRN45G

FDRN57G

Antique Brass FDRN46G

F



### standard fires Conventional Flue - Hearth Inset - Open Fronted

### **Caress Slimline**

The Caress Slimline gas fire features a fabulous, top quality cast trim and Blenheim fret in a choice of solid cast brass or polished silver cast iron. Coal effect and flame picture differs on slide control models.

#### Specifications

Description: S Manual Contr	5	as fire Type o	f Heat: Radiant
Fuel type			Natural gas
Direct heat output			2.7kW
Fuel effect Control type Colour		Colour	Model Number
Coal		Brass	FSRCBCMN
	Manual	Silver	FSRCCCMN

This product is not suitable for primary heating purposes


#### Slide Control

Useful ener	gy efficiency		53.1%
Energy efficiency class			F
Fuel type	Fuel type		Natural gas
Direct heat	Direct heat output		3.1kW
Fuel effect	uel effect   Control type   Co		Model Number
Coal	011	Brass	FNVCBCSN
Coal Slid	Slide	Silver	FNVCCCSN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

#### Flue Fuel Control Fuel Bed Back Panel 0

Dimensions





Melody in antique brass Melody in black

Melody in brass

Melody

Specifications

with a heat output of 3.1kW.

Useful energy efficiency

Fuel effect Control type Colour

Slide

Air vent required: Not normally

Energy efficiency class

Direct heat output

Fuel type

Coal

Description: Slimline inset gas fire Type of Heat: Radiant

Silver

Brass

Black

Safety: Flame Supervision Device & Airwatch System





Control 1000 6








Caress Slimline Manual Control A 615mm B 510mm C 550mm D 120mm

E 329mm

#### Caress Slimline Slide Control A 615mm B 510mm C 550mm D 105mm E 325mm







Caress Slimline Slide Control in polished silver cast iron



### standard fires Conventional - Hearth Inset - Open Fronted

### Waverley

The Waverley, with its beautiful decorative flame effect, is a perfect replacement for a solid fuel grate. The 16" tapered inset tray is designed to fit a standard 16" fire back, providing a realistic coal effect for almost any style of fireplace.


Specifications				
Description: Full depth inset tray	Type of I	Heat: Radiant		
Fuel type		Natural gas		
Direct heat output		2 74/1		

Fuel effect	Control type	Model Number
Coal	Manual	FITCOOMN
Safety: Flame Supervis	sion Device & Airwato	ch System

Air vent required: Not normally This product is not suitable for primary heating purposes



Dimensions



### standard fires Conventional - Hearth Outset - Open Fronted

## Regent LFE

One of the most popular radiant fires in the UK, The Regent LFE is slim for a neat fit into an existing fireplace and is highly efficient. It provides radiant and convected heat and is an elegant interpretation of the Regency period.

**Specifications** 

Description: Full depth outset gas fire	Type of Heat: Radiant

Useful energy efficiency			59.3%	
Energy efficiency class			F	
Fuel type			Natural gas	
Direct heat output			3.3kW	
Fuel effect	Control type	Colour	Model Number	
Coal	Electronic Side	Black	FRLCNOEN	
		Bronze	FRLCPOEN	
	Remote	Black	FRLCNORN2	
		Bronze	FRLCPORN2	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Fuel Bed Back Panel



Dimensions

A 680mm B 710mm C 255mm





Regent LFE in bronze



### standard fires Freestanding Stove - Glass Fronted

## Thurcroft Stove


The Thurcroft is a portable stove and the ideal mobile gas appliance with a living flame effect that provides the warmth, appearance and atmosphere of a traditional stove. A self contained 7kg Butane gas cylinder\* housed within the body of the stove provides up to 60 hours burning time.

Specifications			
Description: Free	standing Stove Type of	Heat: Radiant & Convected	
Fuel type		Butane gas	
Direct heat out	out	2.7kW	
Fuel effect	Control type	Model Number	
Coal	Manual	FFSCOOMB	

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes





## Builders' Opening sizes

	Minimum Opening Width	Maximum Opening Width	Minimum Opening Height	Maximum Opening Height
Product				
Atlanta BF	410mm	420mm	550mm	560mm
Calibre BF	415mm	420mm	563mm	570mm
Calypso	400mm	450mm	550mm	570mm
Calypso Plus	370mm	440mm	550mm	570mm
Caress	400mm	450mm	550mm	570mm
Caress HE	400mm	450mm	550mm	570mm
Caress Plus	370mm	440mm	550mm	570mm
Caress Slimline SC	330mm	430mm	550mm	565mm
Caress Slimline MC	330mm	440mm	550mm	575mm
Castelle	350mm	400mm	490mm	500mm
Curve	300mm	440mm	300mm	440mm
Decadence HF	370mm	450mm	550mm	570mm
Decadence Plus	370mm	440mm	550mm	570mm
Decadence Slimline	330mm	440mm	550mm	575mm
Diamond HE	370mm	450mm	550mm	570mm
Emberglow	305mm	440mm	500mm	650mm
Expression HE	370mm	450mm	550mm	570mm
Expression Plus	370mm	440mm	550mm	570mm
Finesse	330mm	430mm	550mm	575mm
Firenza	305mm	440mm	510mm	650mm
Jazz HE	650mm	660mm	460mm	470mm
Jazz BF	635mm	645mm	465mm	475mm
Kamina	300mm	440mm	300mm	440mm
Kenilworth HE	370mm	450mm	550mm	570mm
Kenilworth Plus	370mm	440mm	550mm	570mm
Kenilworth inc PF	375mm	440mm	550mm	570mm
Linear HE	370mm	450mm	550mm	570mm
Linear inc PF	375mm	440mm	550mm	570mm
Linear Plus	370mm	440mm	550mm	570mm
Melody	330mm	430mm	550mm	565mm
Misermatic	305mm	440mm	580mm	650mm
Opulence Plus	370mm	440mm	550mm	570mm
Orchestra BF	410mm	420mm	555mm	565mm
Raglan BF	410mm	420mm	555mm	565mm
Regent	305mm	440mm	470mm	650mm
Regent LFE	305mm	440mm	525mm	650mm
Renaissance	305mm	440mm	580mm	650mm
Renoir	305mm	440mm	500mm	650mm
Rhapsody	400mm	450mm	550mm	570mm
Richmond Dive	400mm	450mm	550mm	570mm
Richmond Plus	400mm	450mm	550mm	570mm
Rocco HE	750mm	760mm	520mm	530mm
Rocco BF	730mm	780mm	540mm	550mm
Sophia	760mm	790mm	870mm	880mm
Sophia Slimline BF	750mm	840mm	1025mm	1050mm
Stirling Plus	330mm	440mm	550mm	575mm
Strata	305mm	440mm	580mm	650mm
Warwick inc PF	330mm	430mm	550mm	565mm
Waverley*	400mm	440mm	550mm	575mm
Waverley**	560mm	600mm	690mm	720mm
Welcome	305mm	440mm	470mm	650mm
Windsor	330mm	440mm	550mm	575mm
Windsor HE	330mm	440mm	550mm	575mm
Windsor Plus	330mm	440mm	550mm	575mm

\* Not included with the appliance. For details on how to obtain a Butane gas cylinder please call 0800 662 663 or visit

www.calorgas.co.uk

\*when fitted into standard builders opening with existing chair-brick \*\*when fitted with "Victorian" style casting



### www.flavelfires.co.uk

Go direct to the Flavel website on your smart phone or tablet device, just scan in this QR code.

WARNING BFM Europe Limited is a Gas Safe Registered company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions, electric models by a competent person.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.

Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyright 2018 and must not be reproduced in whole or in any part without prior written permission).

We would like to thank Kedleston Heating (01332 200303), Olde England Reproductions (01782 319350), Stanningley Firesides (0113 257 1512) and GB Mantles (01924 473243) for contributing fire surrounds to this brochure.















#### At the heart of your home

BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ. Tel: 01782 339000. www.flavelfires.co.uk e-mail: info@bfm-europe.com