



---

**FUORA**  
Outdoor Stoves

---

# About our outdoor fireplaces

## Area of use

Operation of FUORA outdoor fireplaces is only permitted outdoors!

## Product description

- The powder-coated base made of aluminium plate/VA steel or steel does not only create the ideal height for the firelight, but provides at the same time sufficient space for placing standard liquefied gas bottles inside the unit.
- In addition, there is the option of a natural gas connection for all models.
- Thanks to the gas bottle, for a period of up to 24 hours the unit will display an idyllic flame pattern.
- Since they are easy to install and operate, FUORA outdoor fireplaces can be put into operation quickly and used to great effect.
- 2 rollers allow for an easy and convenient transport of the units.
- Practical recessed grips for convenient handling of this high-quality fire unit.
- Adjustable flame height: the flame heights are adjustable at will for the maximum enjoyment of your fireplace.
- A weather protection cover is available for all fireplaces.
- A customised engraving can be included on the flat panes of the fireplaces Q, Q-XL, G and K.

## Key:



Operation only outdoors



Gas type: natural gas G20



Transport rollers on the appliance



Gas type: natural gas G25



Gas type: butane/propane G30/31

## Detailed description with the example of a FUORA Q

### Cover

Heat-resistant glass lid

### Combustion chamber

Panoramic all around view of the flames

### Base

Housing for holding the gas bottle; high quality housing made of powder-coated material (FUORA R), aluminium (FUORA Q/Q-XL) or steel (FUORA G/K)
















# FUORA R

The slender shape of the FUORA R is captivating. The Outdoor fireplace made of glass and stainless steel does not only create the right atmosphere for every occasion but just as well pleasant heat. The large panorama glass provides a 360-degree view of the flames.

And these, just like the heat, can be conveniently regulated by a rotary pushbutton. The base is available in white or Nero. Relax and forget time. Fire enjoyment that lasts for hours.



## Colours




Nero



White

## Dimensions | Side view | Top view



All dimensions in mm





# FUORA Q

The FUORA Q made of glass and powder-coated aluminium captivates with its straight-line design. The panorama glass offers an all around view of the flames and radiates cosy warmth.

So pleasant evenings can continue until late, and summer on the terrace can last right into late fall. This outdoor fireplace is easy to move around thanks to the two practical rollers and its recessed lateral grips.




## Colours



Nero

White

Dimensions | Side view | Top view



All dimensions in mm







# FUORA Q-XL

A fiery delight: Flickering XL flames. Unique atmosphere and pleasant heat - all without soot and smoke. Transform your garden and terrace into your residence outdoors. The large-format outdoor fireplace for flexible use with striking effect. The XL fire pleasure!




## Colours



Nero

White

Dimensions | Side view | Top view



All dimensions in mm









# FUORA G | FUORA K

With an outdoor fireplace on your terrace the evening is bound to be a perfect one. An extraordinary new design to stage the dancing flames. These fine outdoor fireplaces are over 2.20 metres high and come in appealing black. The central feature is the circular combustion chamber located perfectly at eye level when you sit down in front of it. A modern design using straight or convex panes to showcase the flickering flames. Design freedom with flexible glass-ceramic.

FUORA G and K - both models provide the best possible view of the fire and are absolute eye-catchers on your terrace at home or on any hotel or restaurant terrace.

Individualise your outdoor gas fireplace by having something personal engraved on the flat pane. Perhaps your name? An elegant word? An inspiring quotation? Let your imagination run wild!



FUORA G



Combustion chamber with straight glass

FUORA K



Combustion chamber with convex glass



Colour

Nero









Dimensions | Side view | Top view

FUORA G



FUORA K



All dimensions in mm



## Technical data

Operation	can only be used outdoors
Gas connection	standardized for liquefied gas bottles or 3/8" pipe thread for natural gas
Safety	thermocouple, pilot light, tilt protection

## Performance

Product	Fuora R / Q				Fuora Q-XL				Fuora G / K			
	Butane/propane		Natural gas		Butane/propane		Natural gas		Butane/propane		Natural gas	
	G30/G31		G20	G25	G30/G31		G20	G25	G30/G31		G20	G25
Connection pressure	30 mbar	50 mbar	20 mbar	20 mbar	30 mbar	50 mbar	20 mbar	20 mbar	30 mbar	50 mbar	20 mbar	20 mbar
Heat output	7,0 kW	9,0 kW	12,0 kW	10,0 kW	10,5 kW	14,5 kW	12,0 kW	10,0 kW	10,5 kW	14,5 kW	10,5 kW	9,0 kW
Country	IT/FR/GB/ PL/ES/NL	DE/CH/AT	DE/IT/FR/GB/ CH/AT/PL/ES	DE/FR/NL	IT/FR/GB/ PL/ES/NL	DE/CH/AT	DE/IT/FR/GB/ CH/AT/PL/ES	DE/FR/NL	IT/FR/GB/ PL/ES/NL	DE/CH/AT	DE/IT/FR/GB/ CH/AT/PL/ES	DE/FR/NL

## Dimensions and weight


Product	Fuora R	Fuora Q	Fuora Q-XL	Fuora G	Fuora K
Dimensions (w·h·d) mm	ø 400 x 1390	422 x 1386 x 424	702 x 1312 x 422	1000 x 2210 x 500	1000 x 2210 x 647
Dimensions of the glass (w·h·d) mm	ø 400 x 500	381 x 495 x 381	386 x 496 x 666	ø 827	ø 827
Total weight kg	31	42	38	88	91

## Equipment

Lining	Burner bed with lava stones				
Scope of delivery	Gas control valve, gas regulator ready for connection to standard liquefied gas bottles 5 + 11 kg with bottle lock				
Finish, all models are powder-coated	VA steel Nero and White	Aluminium sheet Nero and White	Aluminium sheet Nero and White	Steel, Nero	Steel, Nero
Tested according to	EN 14543 + A1				



Combustion chamber with lava stones



Base with recessed lateral grips



2-piece glass lid holder made of stainless steel




Weather protection cover



Inside view of base with liquefied gas bottle connected

Your specialist dealer



Drugasar Ltd.  
Deans Road | Swinton  
Manchester | M27 0JH  
United Kingdom  
T. +44 (0)161 - 793 8700  
F. +44 (0)161 - 727 8057  
www.drufire.co.uk

DRU Verwarming B.V.  
Postbus 1021 | 6920 BA Duiven  
Ratio 8 | 6921 RW Duiven  
Nederland  
T. +31 (0)26 - 319 5 319  
F. +31 (0)26 - 319 5 348  
www.dru.nl



www.drufire.com



BY APPOINTMENT OF THE COURT OF THE NETHERLANDS

since  
**1754**

DRU: Member of the Spartherm-Group

All changes reserved. The colours in this brochure may differ from the actual colours.  
Nothing in this publication may be used without the written permission of DRU Verwarming B.V.