



STOVAX

# FUTURA 5

ECODESIGN STOVES



**NEW**  
AND EXCLUSIVE TO  
SHOWROOMS

# SIMPLE LINES. ADVANCED ENGINEERING.

The result of over four decades of British stove engineering, the Futura 5 represents the cutting-edge of Ecodesign woodburning and multi-fuel fire design.



Above image: Futura 5 woodburning Ecodesign stove.  
Front cover image: Futura 5 woodburning Ecodesign stove shown with ceramic wood-effect beam.

## FUTURA 5 ECODESIGN STOVES

With a curved door and large viewing window, Futura 5 stoves prioritise flame visuals. Air jets within the stove's advanced burn chamber channel air to key areas of fire, to provide high-efficiency heating with minimal emissions.

A single stainless steel air control adds both flair and function, letting you easily switch the stove to boost mode for a quick and easy start-up.

Suitable for both urban and country settings, all Futura models are DEFRA Smoke Control Zone exempt and meet future Ecodesign air quality requirements.

To give you greater freedom to position your stove where you want it, Futura 5 stoves are engineered with integrated heat shields to reduce distances to combustibles and can be installed on a 12mm decorative hearth.

## KEY FACTS

- Nominal Heat Output: 5kW. Heat Output Range: 3.5 - 7.5kW
- Maximum Efficiency: 82% | Energy Class: **A+**
- Woodburning and Multi-fuel models
- Ecodesign Ready
- DEFRA Smoke Control Zone exempt as standard
- Convector design lowers distances to combustibles
- Cleanburn & Airwash Systems
- Cast iron and heavy-gauge steel construction
- Closeable grate with external riddling (multi-fuel only)
- Integrated External Air Connection
- Suitable for 12mm hearths
- Room sealed (when fitted to Integrated External Air Connection)




See It Burning  
at: [stovax.com/futura5](https://stovax.com/futura5)





Futura 5 multi-fuel  
Ecodesign stove,  
shown burning logs.

## DIMENSIONS



	A	A1*	B	B1*	C	D	E	F	G	H	I	J	K
Futura 5	588	366	588	271	407	588	622	642	229	158	137	139	171

DISTANCE TO COMBUSTIBLES	Distance from Sides	Distance from Rear
Futura 5 Wood with twin wall flue pipe & heat shield	150mm	75mm
Futura 5 Multi-fuel with twin wall flue pipe & heat shield	150mm	75mm

### Product Codes

715-010	Futura 5 Woodburning
715-458	Futura 5 Multi-fuel
998-080	Outdoor Air Kit - 80mm

*Note: Minimum distance to combustible material must be 450mm from any exposed single wall flue pipe.*

\*Glass Viewing Area  
All dimensions are in mm.



Stovax Limited, Falcon Road, Sowton Industrial Estate,  
Exeter, Devon, England EX2 7LF

Trade Sales: 01392 474000 / NI: 01392 261990

Email: [info@stovax.com](mailto:info@stovax.com) / NI: [northernireland@stovax.com](mailto:northernireland@stovax.com)

Export Sales: +44 1392 261990 • Email: [exportsales@stovax.com](mailto:exportsales@stovax.com)

[stovax.com](http://stovax.com)



Find Your Local  
Expert Retailer

You can find your nearest  
retailer by visiting:  
[stovax.com/retailers](http://stovax.com/retailers)



FUT5ADD0721



© All material copyright Stovax Limited 2021. A member of the Stovax Group / E & O E.

Paper sourced from sustainable forests and printed using vegetable based inks.