

a warm welcome

It's never been easier to get the warm inviting atmosphere of a real flame fire with all the convenience, versatility and efficiency of electricity.

Using the latest flame-effect technology, Gazco has created a beautiful range of stoves and fires that provide a versatile and stunning focal point for any home – and all without the need for a chimney!

Whether you want to achieve a modern, contemporary look or a more classic, traditional interior, this brochure will help you make the right choice for your home.













contents

Complete Peace of Mind04	
Creative Control05	
Traditional Electric Stoves	
Chesterfield06 -	0
Sheraton 08 -	08
Stockton	1
Marlborough212 -	13
Huntingdon14 -	15
Contemporary Electric Stoves	
Vogue Midi16 -	17
Vogue Midi T18 -	19
Vision20 -	2
Yeoman CL Stoves22 -	23
Liberty 8524 -	2
Riva2 670 Electric Fires28	
Riva2 670 Electric Fires28 Riva2 670 Verve XS29	
	3
Riva2 670 Verve XS29	
Riva2 670 Verve XS	
Riva2 670 Verve XS	30
Riva2 670 Verve XS	33 3
Riva2 670 Verve XS	33 31
Riva2 670 Verve XS	30 31 30
Riva2 670 Verve XS	30 31 31 31
Riva2 670 Verve XS	3(3) 3(3) 4(4)
Riva2 670 Verve XS	3(3) 3(4) 4(4)
Riva2 670 Verve XS	30 31 30 40 40 50

complete peace of mind

the gazco pedigree

When you choose Gazco, quality and technology are assured. From contemporary hang on the wall fires to traditional stoves, Gazco are committed to creating the ultimate in flame effect fires. Our research and development laboratories are amongst the most advanced in the industry, ensuring that the very latest innovations are incorporated into our products.

Gazco is part of the Stovax Group. We offer a prestigious product range, which includes everything from the traditional to the ultra-contemporary in a wide array of styles and sizes. Whether your choice is solid fuel, gas, or electric you can be sure to find a stove or fireplace from our range to add the perfect warmth and character to your home. Full details of the Stovax Group's range of products can be found at: www.stovax.com

Gazco is an ISO9001 and ISO14001 accredited company. Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing the UKCA and CE mark. Similarly, our environmental management systems ensure we work in a sustainable manner, whilst endeavouring to protect the environment by minimising any possible impact from our operations.



warranty information

Your Gazco retailer will provide you with a Two Year Warranty for your new electric fire providing it is registered with Gazco. Please note this warranty excludes certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard One Year Non-Extendable Warranty. Full warranty details, terms and conditions are available at: www.gazco.com

expert retailer network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you will enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements covering both technical issues and design, to ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

In addition, Gazco fires purchased from within our Expert Retailer Network will have the additional benefit of an extended warranty period, subject to terms and conditions. Full details can be found at: www.gazco.com

find your local retailer



You can find your nearest expert retailer by visiting: www.gazco.com/retailers



We are proud to have been recognised as an award-winning manufacturer, for our high-quality products and innovative technology. Find out more at **gazco.com/awards**



creative control

All Gazco electric fires and stoves come with a Programmable Thermostatic Eco Remote Control. This easy-to-use handset gives you full control over a host of features, including temperature control as well as visuals.

flame options

Choose from Amber, Blue** or a combination depending on your mood, with five brightness settings for each colour.

chromalight fuel bed lighting

Choose from 14 different Chromalight LED fuel bed settings on electric stoves*, with 13 vibrant colour choices or a gradually changing spectrum of each.

thermostatic ambient heating

Set the optimum temperature for your room between 15°C and 25°C. The fire or stove will use its thermostat to manage heating power, reaching the desired temperature as efficiently as possible.

comfort temperature

Eco and Comfort settings allow you to adjust the thermostat by a further +/- 4°C for greater temperature control.

daily and weekly heating

Fires and stoves can be programmed to provide heat at certain times of the day or week, using the handset's Daily and Weekly Timer function.

heating advance mode

Heating cycles can be easily delayed or advanced if desired, without disrupting daily or weekly programming.

adaptive start control

Advanced thermostat technology allows the fire or stove to turn on up to 45 minutes in advance of a scheduled time to ensure the room is at the right temperature, when you want it to be.

open window detection

To save energy, a sudden drop in room temperature of 4°C due to an open window or door will cause the fire or stove to stop heating the room. Heating can be easily resumed by pressing the heat button again or closing the window.

Gazco's energy saving features ensure all models comply with stringent Ecodesign energy product standards.









chesterfield 5 electric









Elegantly styled, yet decidedly sophisticated, the Chesterfield 5 Electric combines designer looks with traditional aesthetics. For unparalleled authenticity, the Chesterfield 5 features the same cast iron and heavy gauge steel construction used in its woodburning and gas versions. Inside, this advanced electric stove creates a superb flame picture thanks to the Chromalight technology and interchangeable, highly realistic log effects.

Finish

Matt Black

Heat Output

0.75 - 1.50kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm) 472 x 614 x 391





sheraton 5 electric











The Sheraton 5 Electric stove brings style, elegance, and remarkably realistic flame visuals to any interior. Cast iron bevelling and cornicing to the door, top plate and base give this stove a classic but timeless appearance that will suit modern and traditional settings alike.

Featuring a choice of fuel effects alongside our Chromalight® Immersive LED systems, the Sheraton 5 Electric gives you a variety of display options that can be mixed and matched to create a bespoke focal point.

Finish

Matt Black

Heat Output

0.75 - 1.50kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm) 458 x 614 x 371



stockton electric





With their cast iron doors and heavy gauge steel bodies, Stockton stoves combine the classic looks of a woodburning stove with the ease and convenience of electric.

Featuring our advanced Chromalight® technology, the Stockton's flame effects are projected among the fuel bed for a three-dimensional visual, whilst the various fuel effect options are lit from above and below for increased realism. The range of LED colour settings and interchangeable fuel bed options gives you the freedom to tailor your stove's visuals to suit your mood.

Finish

Matt Black

Heat Output

1.00kW - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

Stockton2 Small: 438 x 525 x 338 Stockton 5: 481 x 544 x 337 Stockton2 Medium: 601 x 616 x 412





marlborough2 electric





Country or city, traditional or contemporary, the innovative Marlborough2 Electric has the flexibility to suit your lifestyle and your décor. With their expansive viewing windows, enjoy the warming flame visuals with or without the heat from the comfort of your sofa.

Finish

Matt Black

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

Small: 429 x 533 x 280 Medium: 600 x 583 x 380





huntingdon electric





The fine castings of the Huntingdon Electric range are brought alive with Gazco's Chromalight® technology, The Huntingdon Electric range is available in a number of finishes to complement your home. For even more styling options, each size is also offered in either clear door or tracery door versions.

Finish

Matt Black
Matt Ivory
Ivory Enamel

Door Choice

Tracery Door Clear Door

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

20: 413 x 536 x 324 **30**: 560 x 592 x 351 **40**: 641 x 653 x 397





vogue midi electric





The Vogue Midi is offered in two models including the taller Midline version, which can be stacked with logs to enhance the wood burner aesthetic. Our Chromalight® Immersive LED technology lets you control flame and ember bed lighting effects to create the perfect ambience in virtually any part of the home, with a choice of fuel effects that can be mixed and matched.

The Vogue Midi is compatible with our range of stove benches, for more information see page 51.

Finish

Matt Black

Heat Output

0.75 - 1.50kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

Midi: 416 x 639 x 348 Midi Midline: 416 x 791 x 348





vogue midit electric









The stylish Vogue Midi T range comprises a collection of tall contemporary stoves. All Vogue Midi T stoves feature windows on either side of the stove body to supplement the large front window, ensuring the display is visible from almost any angle in the room.

The Vogue Midi T can be selected as a plinth-mounted stove or in Midline log store versions.

Alternatively, a statement wall-hung model creates a floating installation for a strikingly modern look. The Vogue Midi T can be enhanced with our range of stove benches, for more information see page 51.

Finish

Matt Black

Heat Output

0.75 - 1.50kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

Midi T: 418 x 776 x 349 Midi T Midline: 418 x 928 x 349

Midi T Wall Mounted: 416 x 776 x 348 (360*)

*360mm is depth with wall mounted bracket.





vision electric





The Vision is a contemporary electric stove that comes in three sizes: Small, Midi and Medium; each sporting a highly reflective black glass door, integral glass plinth, black glass top plate and contrasting stainless steel detailing for a clean stylish look.

To increase your interior design possibilities, you can enhance your Vision by choosing from one of ten stylish Stove Benches as shown on page 51.

Finish

Black Glass

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

Small: 370 x 555 x 299 Midi: 415 x 604 x 320 Medium: 535 x 676 x 363







CL electric







Effortlessly bridging the gap between modern and traditional stove design, the CL Electric range balances simplicity with subtle details. CL electric stoves feature our remote controlled Chromalight LED lighting systems for extraordinarily realistic flame and ember visuals, with an assortment of fuel effects to choose from. Choose from three stove sizes to complement your home, each featuring a high quality cast iron and steel construction. CL stoves can be further enhanced with our stove benches shown on page 51.

Additional image shown on page 47.

Finish

Matt Black

Heat Output

1.00 – 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice Effect

Dimensions w x h x d (mm)

CL3: 371 x 541 x 313 CL5: 416 x 552 x 333 CL8: 553 x 604 x 374



liberty 85 electric







Designed to make a statement, the Liberty 85 Electric stove combines bold design language, advanced technologies, and a range of customisable options. Chromalight technology projects vivid flame visuals among the glowing fuel bed for a deep, three-dimensional display. Two sophisticated finishes along with a selection of mounting options give you the freedom to choose the Liberty 85's look. Choose from either black or white front finishes, along with matching Plinth and Bench mounts to elevate this designer electric stove. The Liberty 85 can also be combined with a number of our Stove Benches shown overleaf and on page 51. Additional images shown on pages 3 and 51.

Finish

Black or White

Heat Output

1.00 – 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

- C

Programmable
Thermostatic
Eco Remote
Control

Dimensions w x h x d (mm)

Liberty 85: 1110 x 596 x 300

Liberty 85 with matching Plinth: $1305 \times 649 \times 585$

Liberty 85 with matching curved Bench: 1350 x 896 x 396





liberty 85 electric (continued)





Liberty 85 Electric stoves come with a choice of fuel effects giving you the freedom to customise your stove's display whenever you feel like a change. Choose from highly realistic logs, Crystal lce or a combination to suit your mood.

In addition to the matching Plinth and Bench options shown on the preceding pages, Liberty 85 stoves can also be combined with a number of our Stove Benches shown on page 51.

Additional images shown on pages 3 and 51.

Finish

Black or White

Heat Output

1.00 – 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

Liberty 85: 1110 x 596 x 300

For stove bench dimensions, see page 51.



riva2 670 electric fires

Riva2 670 fires bring a relaxing focal point to any home, with all the convenience of instant electric heat.

Designed to fit a wide variety of installation requirements, Riva2 670 electric fires can either be recessed into the wall, hearth-mounted into a traditional fireplace opening or alternatively hung directly on the wall with a wall-mounting box for easy installation.





frame options

Designio2







Graphite, Iridium & Black Glass

Verve XS



Graphite

Evoke



Graphite & Black Glass



riva2 670 verve xs



The stylish Verve XS transforms the Riva2 670 with a 3D frame designed to create maximum visual impact in your home. This subtly curving frame choice comes in smart Graphite to suit a variety of settings.

The Riva2 670's highly realistic fuel bed is enhanced by Gazco's stunning flame-effect, offering the ambiance of a real log flame with the instant convenience of electric.

FinishGraphite

1.00 - 2.00kW (or flame effect only)

Fuel Bed Log effect

Frame Dimensions w x h x d (mm) 1000 x 622 x 41*



Programmable Thermostatic Eco Remote Control

For information on the remote control features see page 5.

^{*} Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 48.



riva2 670 designio2





The Designio2 Glass and Steel frames offer a selection of contemporary framing options for the Riva2 670 electric fire.

The Designio2 Glass adds a striking black glass surround, with glossy reflective surfaces that enhance the fire's luxury aesthetic. For understated style, the Designio2 Steel frames the fire with a sophisticated metal surround, available in either Graphite or Iridium finishes to complement your décor.

Designio2 frames can be either wall or hearth mounted depending on your tastes.

Additional images shown on pages 28 and 48.

Finish

Black Glass Graphite Iridium

Fuel Bed

Log effect

Heat Output

1.00 - 2.00kW (or flame effect only)

Frame Dimensions w x h x d (mm) 735 x 569 x 40*



Programmable Thermostatic Eco Remote Control

For information on the remote control features see page 5.

^{*} Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 48.

riva2 670 evoke





Minimalist in design but bold in statement, the Evoke frame adds further presence to the Riva2 670. Choose from Steel or Glass fronts to suit your living area.

All Riva2 670 Electric fires can be recessed into a pre-constructed hole for a more minimalist installation but can also be hung directly on the wall with the optional wall-mounting box.

See rear cover for additional image.

Front Finish

Black Glass Graphite

Fuel Bed

Log effect

Heat Output

1.00 - 2.00kW (or flame effect only)

Frame Dimensions w x h x d (mm)920 x 622 x 41*

Programmable Thermostatic Eco Remote Control

For information on the remote control features see page 5.

^{*} Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 48.





logic2 electric fires

Featuring advanced LED technology, the Logic2 Electric Inset fire range offers captivating, life-like flame visuals for instant fireside ambience. Designed to fit easily into a standard fireplace opening, 3" rebated mantel with slip or simply against a flat wall using the optional spacer frame, this versatile fire can be enjoyed in almost any interior setting.

The Logic2 features various LED flame effects including deep amber, cool blue or a combination of the two. Using the handset that gives you full control over the fire's features, the Logic2's flames can be set to five brightness settings and can also be displayed with or without the heat if desired.

The Logic2's Programmable Thermostatic Eco handset also offers a number of convenient options, including Daily and Weekly scheduling. This advanced handset also includes various energy saving features which make it Ecodesign compliant. For more information see page 5.



These stylish electric fires come complete with three easily interchangeable fuel beds which each add a unique aesthetic. The log arrangement creates a traditional woodburning look, or, switch to either white and clear stones or grey pebbles for a strikingly contemporary aesthetic.

The versatile Logic2 has a choice of modern and traditionally styled frames and fronts (shown on the following pages) that allow you to customise your fire to suit your home.

three interchangeable fuel effects



Log-effect












logic2 arts







Taking its design origins from the Arts and Crafts movement in the early twentieth century, the Logic2 Arts embraces simplicity and clean styling. Available in a range of front and frame finishes, the Arts can be selected in a variety of combinations to suit your tastes. Using the optional spacer frame the Arts can also be installed without having to be inset into a wall, minimising building work.

Finish Combinations

Frame Choice	Front Choice
Trame Onoice	
	Matt Black
Matt Black	Brass effect
	Polished effect
	_ Highlight Polished
Brass effect	Brass effect
5	Matt Black
Polished Steel effect	Polished effect
ellect	_ Highlight Polished
	Matt Black
Brushed Steel effect	Polished effect
GIIGOL	- Highlight Polished

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

Dimensions w x h (mm)*

510 x 609



^{*} Dimensions given are those overall visible upon installation. For detailed technical information see page 49.

logic2 chartwell







The elegant Logic2 Chartwell instantly evokes the heritage and classical styling of a traditional fireplace. Available in various front and frame finishes, the Chartwell can be combined with Gazco's many mantels, fronts and insert panels to create the perfect fireplace for your home.

For easy installation, each frame choice can be used with the optional spacer frame which allows the Logic2 to be fitted directly against a flat wall. Additional image shown on page 34.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 49.

Finish Combinations

Frame Choice	Front Choice
	Matt Black
Matt Black	Brass effect
	Polished effect
	Highlight Polished
Brass effect	Brass effect
D	Matt Black
Polished Steel effect	Polished effect
ellect	Highlight Polished
D 1 101 1	Matt Black
Brushed Steel effect	Polished effect
Olloot	Highlight Polished

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

Dimensions w x h (mm)*

510 x 609







logic2 wave





Blending modern and traditional styling, the Logic2 Wave features smooth lines and refined curves, suiting both contemporary and period interiors alike. The Wave can be selected in Black, Polished Steel, Brushed Steel and Brass with the option to combine different frame and front finishes for unique styling. Logic2 Wave fires are available with an optional spacer frame which allows the fire to be quickly and easily fitted onto a flat wall, if desired. Additional image shown on page 35.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 49.

Finish Combinations

Frame Choice	Front Choice
	Matt Black
Matt Black	Brass effect
	Polished effect
	Highlight Polished
Brass effect	Brass effect
D. II. J. O. J.	Matt Black
Polished Steel effect	Polished effect
ellect	Highlight Polished
D 1 10: 1	Matt Black
Brushed Steel effect	Polished effect
Olloot	Highlight Polished

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

510 x 609

Dimensions w x h (mm)*

res Fuel Beds



logic2 progress





The ultra-contemporary Progress front's minimalist styling perfectly complements the advanced Logic2 fire. Featuring a smoothly curving front with a striking Iridium finish, this modern fire effortlessly makes for a designer centrepiece in any interior.

The versatile Logic2 fire range is designed to be fitted into a standard fireplace opening or flat against the wall with either a 3" rebated mantel with slip or by using the optional spacer frame.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 49.

Finish

Iridium

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

Dimensions w x h (mm)*

520 x 602






technical information - electric stoves

chesterfield 5

Code	Model	Fuel Effect	Heat Output
605-850	Chesterfield 5	Various	0.75 - 1.50kW

Weight: 56kg




marlborough2 range

Code	Model	Fuel Effect	Heat Output
659-085	Small	Various	1.00 - 2.00kW
659-112	Medium	Various	1.00 - 2.00kW
Dimonalana	()		

Dimensions (mm)


	Α	В	С	D	Е	F	Weight
Small	429	558	355	280	232	211	33kg
Medium	600	583	406	330	398	241	50kg



sheraton 5

Code	Model	Fuel Effect	Heat Output	
605-832	Sheraton 5	Various	0.75 - 1.50kW	


Weight: 55kg




stockton2 and stockton 5

Code	Model	Fuel Effect	Heat Output
604-144	Small	Various	1.00 - 2.00kW
604-172	5	Various	1.00 - 2.00kW
604-203	Medium	Various	1.00 - 2.00kW

Dimensions (mm)	Α	В	С	D	Е	F	Weight
Small	438	525	289	49	232	220	50kg
5	481	544	273	64	267	212	55kg
Medium	601	617	347	65	398	258	72kg








huntingdon range

Dimensions (mm)

	Α	В	С	D	Е	F	Weight
20	413	536	324	62	234	223	35kg
30	560	592	351	96	323	230	52kg
40	641	653	397	99	402	265	59.5kg



Code	Model	Colour	Fuel Effect	Door Type	Heat Output
615-258	20	Matt Black	Various	Tracery	1.00 - 2.00kW
615-624	20	Matt Ivory	Various	Tracery	1.00 - 2.00kW
615-371	20	Ivory Enamel	Various	Tracery	1.00 - 2.00kW
615-011	20	Matt Black	Various	Clear	1.00 - 2.00kW
615-050	20	Matt Ivory	Various	Clear	1.00 - 2.00kW
615-037	20	Ivory Enamel	Various	Clear	1.00 - 2.00kW
615-285	30	Matt Black	Various	Tracery	1.00 - 2.00kW
615-643	30	Matt Ivory	Various	Tracery	1.00 - 2.00kW
615-427	30	Ivory Enamel	Various	Tracery	1.00 - 2.00kW
615-094	30	Matt Black	Various	Clear	1.00 - 2.00kW
615-183	30	Matt Ivory	Various	Clear	1.00 - 2.00kW
615-142	30	Ivory Enamel	Various	Clear	1.00 - 2.00kW
615-302	40	Matt Black	Various	Tracery	1.00 - 2.00kW
615-662	40	Matt Ivory	Various	Tracery	1.00 - 2.00kW
615-613	40	Ivory Enamel	Various	Tracery	1.00 - 2.00kW
615-123	40	Matt Black	Various	Clear	1.00 - 2.00kW
615-222	40	Matt Ivory	Various	Clear	1.00 - 2.00kW
615-157	40	Ivory Enamel	Various	Clear	1.00 - 2.00kW

The above information is to assist in your choice of a suitable Gazco stove. It is not intended to be all information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com

product improvement & photography

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.


Owing to variations in studio lighting and printing inks, the colours of stoves illustrated in this brochure may differ slightly from actual models.



technical information - electric stoves


vogue midi

Model		Fuel	Fuel Effect		Heat Output	
Midi		Various		0.75 - 1.50kW		
3-834 Midi Midline		Various		0.75 - 1.50kW		
) _A	В	С	D	Е	Weight	
416	639	348	306	337	42kg	
416	791	348	306	337	48kg	
	Midi Midi Mid Midi Mid	Midi Midi Midline A B 416 639	Midi Val Midi Midline Val) A B C 416 639 348	Midi Various Midi Midline Various) A B C D D 416 639 348 306	Midi Various 0.75 Midi Midline Various 0.75 A B C D E 416 639 348 306 337	



CL range

Code	Model		Fuel I	Effect	Heat	Output
YM681-196	CL3		Vari	ous	1.00 -	2.00kW
YM681-331	CL5		Vari	ous	1.00 -	2.00kW
YM681-374	CL8		Vari	ous	1.00 - 2.00kW	
Dimensions (mm	n) A	В	С	D	E	Weight
CL3	371	313	541	244	252	40kg



vogue midi t

Code	Model	Fuel Effect	Heat Output
663-819	Midi T	Various	0.75 - 1.50kW
663-851	Midi T Midline	Various	0.75 - 1.50kW
663-860	Midi T Wall Mounted	Various	0.75 - 1.50kW

Dimensions (mm)	Α	В	С	D	Ε	F	G	Weight
Midi T	417	776	348	306	475	115	434	38kg
Midi T Midline	417	927	348	306	475	115	434	44kg
Midi T Wall Mounted	417	776	348*	306	475	115	434	44kg

^{*360}mm is depth with wall mounting bracket.

liberty 85

CL5

CL8

Code	Model	Colour	Fuel Effect	Heat Output
610-107	Liberty 85 - Black	Black (front)	Various	2.00kW
610-126	Liberty 85 - White	White (front)	Various	2.00kW

427

47kg

274

Plinth & Bench Mounting Choice


553

999-048 Liberty 8	35 Plinth - Black		
999-087 Liberty 8	35 Plinth - White		
	35 Matching Bench - Black	D →	- E
	35 Matching Bench - White	-	
N\$		A B	K G H
 0 † Δε	erial view	c	M
Ac	and them		<mark>→ J</mark>

O † Aerial view													J			
	Α	В	С	D	Ε	F	G	Н	ı	J	K	L	М	N	0	Weight
Liberty 85 on Matching Curved Bench	855	396	1050	1110	300	275	584	596	1350	396	896	991	300	71	27	132kg
Liberty 85 on Plinth	855	396	1050	1110	300	275	584	596	1305	585	649	991	53	71	114	118kg

vision range

Code N	Model F		Fuel E	Effect	Heat	Heat Output		
634-808 S	Small		Vari	ous	1.00 -	2.00kW		
634-846 N	∕lidi		Vari	ous	1.00 -	2.00kW		
634-889 N	/ledium		Vari	ous	1.00 -	2.00kW		
Dimensions (mm)	А	В	С	D	E	Weight		
Small	370	555	299	254	240	24kg		
Midi	415	604	320	316	214	28kg		
Medium	535	676	363	408	274	38kg		



Liberty 85 (without Plinth or Bench)



technical information - electric fires


riva2 670 electric

			Opening Size (mm		
Product Code	Fuel Effect	Heat Output	W	h	d
234-872	Logs	1.00 - 2.00kW	665	535	105

Riva2 670 Electric Wall Mounting Box

8688SL Wall mounting box for Riva2 670 Electric Cassette (234-872)

The wall mounting box allows you to hang your Riva2 670 directly onto the wall, without the need for an opening or recess.




frame information

			IIa	ille Size	(111111)
Product Code	Description	Frame Finish	w	h	d
934-339	Designio2 frame	Black Glass	735	569	40
934-238	Designio2 frame	Graphite	735	569	40
934-238IR	Designio2 frame	Iridium	735	569	40
934-529	Evoke frame	Black Glass front with Graphite rear	920	622	41
934-601	Evoke frame	Graphite front with Graphite rear	920	622	41
934-143	Verve XS frame	Graphite	1000	621	56

Frame Size (mm)



logic2 electric



^{*} The depth of the Logic2 Electric fires are increased by 6mm when using an optional spacer frame.

Product Code	Front	Frame Finish	Front Finish	Heat Output					
arts fire information									
201-005	Arts	Matt Black	Matt Black	1.00 - 2.00kW					
201-038	Arts	Matt Black	Brass Effect	1.00 - 2.00kW					
201-081	Arts	Matt Black	Polished Effect	1.00 - 2.00kW					
201-099	Arts	Matt Black	Highlight Polished	1.00 - 2.00kW					
201-132	Arts	Brass Effect	Brass Effect	1.00 - 2.00kW					
201-148	Arts	Polished Steel Effect	Matt Black	1.00 - 2.00kW					
201-173	Arts	Polished Steel Effect	Polished Effect	1.00 - 2.00kW					
201-197	Arts	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW					
201-222	Arts	Brushed Steel Effect	Matt Black	1.00 - 2.00kW					
201-236	Arts	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW					
201-401	Arts	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW					

Product Code	Front	Frame Finish	Front Finish	Heat Output		
wave fire	informat	ion				
201-416	Wave	Matt Black	Matt Black	1.00 - 2.00kW		
201-504	Wave	Matt Black	Brass Effect	1.00 - 2.00kW		
201-360	Wave	Matt Black	Polished Effect	1.00 - 2.00kW		
201-384	Wave	Matt Black	Highlight Polished	1.00 - 2.00kW		
201-688	Wave	Brass Effect	Brass Effect	1.00 - 2.00kW		
201-717	Wave	Polished Steel Effect	Matt Black	1.00 - 2.00kW		
201-591	Wave	Polished Steel Effect	Polished Effect	1.00 - 2.00kW		
201-828	Wave	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW		
201-757	Wave	Brushed Steel Effect	Matt Black	1.00 - 2.00kW		
201-269	Wave	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW		
201-323	Wave	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW		
chartwell fire information						
201-742	Chartwell	Matt Black	Matt Black	1.00 - 2.00kW		
201-742	Chartwell Chartwell	Matt Black Matt Black	Matt Black Brass Effect	1.00 - 2.00kW 1.00 - 2.00kW		
201-708	Chartwell	Matt Black	Brass Effect	1.00 - 2.00kW		
201-708 201-655	Chartwell Chartwell	Matt Black Matt Black	Brass Effect Polished Effect	1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626	Chartwell Chartwell Chartwell	Matt Black Matt Black Matt Black	Brass Effect Polished Effect Highlight Polished	1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626 201-554	Chartwell Chartwell Chartwell Chartwell	Matt Black Matt Black Matt Black Brass Effect	Brass Effect Polished Effect Highlight Polished Brass Effect	1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626 201-554 201-511	Chartwell Chartwell Chartwell Chartwell Chartwell	Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect	Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black	1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626 201-554 201-511 201-392	Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell	Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect	Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect	1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626 201-554 201-511 201-392 201-314	Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell	Matt Black Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect	Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished	1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626 201-554 201-511 201-392 201-314 201-293	Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell	Matt Black Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect Brushed Steel Effect	Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished Matt Black	1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626 201-554 201-511 201-392 201-314 201-293 201-024	Chartwell	Matt Black Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect Brushed Steel Effect Brushed Steel Effect Brushed Steel Effect	Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished Matt Black Polished Effect	1.00 - 2.00kW 1.00 - 2.00kW		
201-708 201-655 201-626 201-554 201-511 201-392 201-314 201-293 201-024 201-070	Chartwell	Matt Black Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect Brushed Steel Effect Brushed Steel Effect Brushed Steel Effect	Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished Matt Black Polished Effect	1.00 - 2.00kW 1.00 - 2.00kW		

Logic2 Electric Arts, Chartwell & Wave Spacer Frame - Black

Logic2 Electric Progress Spacer Frame - Graphite

† Logic2 Electric Spacer Frames are for use when installing onto a flat wall.

901-815



further information

stove benches

These versatile steel benches are compatible with the Vision, Vogue, CL, and Liberty 85 stoves. With a variety of sizes they offer greater design possibilities such as central or offset stove positioning, expanding your styling options.





Product Code	Bench	W (mm)	H (mm)	D (mm)
RVACLB45BHT	45 Low bench*	450	250	420
RVACB45BHT	45 High bench*	450	350	420
RVACLB100BHT	100 Low bench*	1000	250	420
RVACB100BHT	100 High bench*	1000	350	420
RVACLB120BHT	120 Low bench	1200	250	420
RVACB120BHT	120 High bench	1200	350	420
RVACLB140BHT	140 Low bench	1400	250	420
RVACB140BHT	140 High bench	1400	350	420
RVACLB180BHT	180 Low bench	1800	250	465
RVACB180BHT	180 High bench	1800	350	465
Deeper Bench Op	tions (500mm Deep	o)		
RVACLB120BHT	120 Low bench	1200	250	500
RVACB120BHT	120 High bench	1200	350	500
RVACLB140BHT	140 Low bench	1400	250	500
RVACB140BHT	140 High bench	1400	350	500
RVACLB180BHT	180 Low bench	1800	250	500
RVACB180BHT	180 High bench	1800	350	500
		_		



more Gazco electric fires









The Gazco electric fire collection also includes the eReflex and eStudio ranges.

Offering captivating flame and ember effects in a choice of colours, both the eReflex and eStudio feature our immersive Chromalight LED Systems. Combining their innovative lighting technology with the various highly realistic fuel effect choices, each fire brings stunning, atmospheric visuals to your living area.

Together, these designer electric fire ranges present an array of sizes and installation choices, with Inset, Multi-Sided and wall mounted options to suit your home.

For more information on eReflex and eStudio electric fires please contact your local retailer or visit: www.gazco.com, where you can download either range's brochure.





Onyx

Avanti Electric Fires







In addition to the eStudio & eReflex ranges, the Stovax Heating Group also includes the extraordinary Avanti electric range from our Onyx brand.

Delivering the ultimate in electric fire innovation, the Avanti's Chromalight® Plus systems employ layer upon layer of visual technology to weave a palette of captivating flame and lighting effects, with each effect highly customisable. Crisp flame visuals appear to dance and soar between true-to-life log effects, dynamically lit from all angles for absolute immersion.

For more information on the full Avanti electric range, please contact your local retailer or view and download the full brochure at: www.onyxfires.com.













Gazco Limited, Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG • Tel: 01392 261900 Trade Sales: 01392 261999 NI: 01392 261990 • Email: info@gazco.com NI: northernireland@gazco.com Export Sales: +44 1392 261990 • Export Email: exportsales@gazco.com

gazco.com **f y o**







Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

www.amara.com; www.furniturevillage.co.uk; www.theorangetree.co.uk; www.habitat.co.uk; www.houseoffraser.co.uk; www.eclectique.co.uk; www.debenhams.com; www.next.co.uk; www.mokodirect.co.uk; www.marksandspencer.com; www.frenchconnection.com; www.urbanoutfitters.com/uk; www.tkmaxx.com; www.homesense.com; www.johnlewis.com; www.coxandcox.co.uk; www.urbanara.co.uk; www.amoslighting.co.uk; www.farmington.co.uk; www.bnsp.co.uk; www.grandisson.com; www.farmington.co.uk; www.bnsp.co.uk; www.grandisson.com; www.farmington.co.uk; www.farmington.co.www.rudloe-stone.com; www.beechbros.co.uk; www.originalstyle.com; www.stbridgetnurseries.co.uk; www.amtico.com, www.opiesuk.co.uk, www.graceandgloryhome.co.uk; www.sofarooms.co.uk; www.chunkymonkeyfurniture.co.uk, www.wallsandfloors.co.uk, www.desenio.co.uk, www.birlea.com, www.ikea.com.



find your retailer

You can find your nearest retailer by visiting: www.gazco.com/retailers



Your Gazco stockist:

GZELECTRICO322



Paper sourced from sustainable forests and printed using vegetable based inks. © Copyright Gazco Ltd 2022 E & O E