# Global

GAS FIRES 2024



MADE IN BRITAIN







# Welcome to Global

At Global Fires we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of versatile and affordable gas fires to complement all tastes and lifestyles.



I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Global fires carry a 10 year guarantee to reflect my belief in their quality and durability, and our experienced Global retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Global fire as simple as possible. I hope you will find it both informative and inspiring.

Adrai Dues



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and services. Every Global branded gas fire is designed and developed in our ultramodern purpose built, British manufacturing facility in Stoke-on-Trent.







#### 10 Year Guarantee

All Global gas fires carry the peace of mind of a 10 year Guarantee and the reassurance of a flame supervision device on all models. This device prevents the uncontrolled release of gas to the burner.

Our 10 year Guarantee is subject to terms and conditions including annual services and annual replacement of the oxy-pilot assembly carried out by a Gas Safe Register engineer.



# Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical product testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.



# Ecodesign compliant


This logo signifies that the product is fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.



Tested & Approved
Conforms to GB legislation

2





# Using this brochure

Before you begin please take a moment to read page 6 and establish the type of chimney or flue you have in your home and the control type which would be most suitable for your needs. As you browse through our product range you can easily identify if a gas fire is suitable for you by checking the icons on each page.

Unless otherwise stated, our hearth inset fires come complete with a Profiled trim in your choice of brass, chrome, satin silver or black finish. Complete the look of your chosen fire with any of our traditional or contemporary fret designs. You may also be able to upgrade to a different trim, or for a more modern look, one of our fascia options. See pages 16-18 to find out which accessories are suitable for your chosen fire.

Welcome to Global	2-3
Contents	4
Efficiencies	5
Before you begin	6

# highefficiency

rara HE	
ntasy HE	

4	
5	Ba
6	Hear
	1 ICai

Conventional Flue	
Wall Inset – Glass Fronted	
Delta HE	7
Hearth Inset – Glass Fronted	
Saranda HE	8
Karara HE	9
Fantasy HE	10
Hearth Inset – Open Fronted	
Fantasy Plus	11
Arana Plus	12
Corda Plus	13
Balanced Flue	
Hearth Inset – Glass Fronted	
E . DE	1.4

# standardfires

Conventional Flue Hearth Inset – Open Fronted

Accessories
Trims
Frets
Fascias

# highefficiency

Conventional Flue Fires

Get up to 93.5% energy efficiency from your gas fire...

Global Fires have set new industry standards with the introduction of the high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires.

Our team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

# Balanced Flue Fires

Glass Fronted Fires



Our range of high efficiency conventional flue fires have an energy efficiency of up to 86%. These types of fires have a glass panel across the front which concentrates the radiant heat generated from the fuel bed, and forces it directly into the room with less heat lost through the chimney. Convected heat is also produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air though the gap above the canopy, making these the most efficient conventional flue fires available.

### Open Fronted Fires



Our high efficiency conventional flue open fronted fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant and convected heat. Radiant heat is emitted from the fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air though the gap above the canopy.

#### Glass Fronted Fires



Our range of high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home. A balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. These types of fires are glass fronted, completely room sealed appliances, and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.

# **standard**fires

Conventional Flue Fires

Open Fronted Fires



Standard fires can achieve a direct heat output of up to 2.7kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

# Before you begin...

# Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



#### **Brick Chimney**

Apart from products designed for 'no chimney' applications, all Global products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot



#### Pre-Fabricated Flue

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



#### Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Global fires featuring this icon are only suitable for pre-cast flues conforming to BS EN 1858.

# Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described above, then you will require a Balanced Flue fire.



#### **Balanced Flue**

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

#### Controls



#### Manual Control

Simple and discreet. The control system is located at the bottom of the fire behind the fret or fascia. Once the fire is lit rotate the control knob to adjust the flame height and heat output.



#### Slide Control

A convenient control system which is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



Discreet, easy access buttons are used to ignite the fire and adjust heat and



#### Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



#### Remote Control with Thermostat

extra benefit of a thermostatic control to regulate room temperature.

# **Fuel Bed Effects**







## **Back Panels**





Global





The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the

# Gas Supply





# Natural Gas

If you have a gas meter then you will have natural gas.





# highefficiency Conventional Flue

Wall Inset - Glass Fronted

# Delta HE



This portrait hole-in-the-wall fire features a striking chrome fascia and a 3.4kW heat output. The Delta HE wall inset is the ideal solution for smaller rooms where space is at a premium.

The glass fronted Delta HE is operated by thermostatic remote control and comes with a coal fuel bed.

# **Specifications**


Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	84.3%
Energy efficiency class	С
Fuel type	Natural gas
Direct heat output	3.4kW

Fuel effect	Control type	Model Number
Coal	Remote	GHKC56RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

#### Dimensions





















# highefficiency Conventional Flue

Hearth Inset – Glass Fronted

# Saranda HE



If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Saranda HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts an energy efficiency of 86%. With an impressive 3.9kW output the Saranda HE keeps your heat high and your fuel costs low.

Full range of trims, frets and fascias available. See pages 16-18

# Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	86%
Energy efficiency class	С
Fuel type	Natural gas
Direct heat output	3.9kW

Fuel effect	Control type	Model Number
	Manual	GHEC00MN
Coal	Slide	GHEC00SN
	Remote	GHECOORN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

#### Dimensions







Brick Pre-Chimney Fabricated









# Global Karara HE \*pebble Manual control only



Karara HE coal, Contemporary fascia in satin silver



















Contemporary fascia in chrome

\*Optional extra

highefficiency Conventional Flue

Hearth Inset - Glass Fronted

# Karara HE



The slimline Karara HE is the high energy efficiency solution for almost any flue type. Suitable for brick chimney, pre-fabricated and pre-cast flues, this glass fronted product delivers an amazing 2.9kW heat output and has an energy efficiency of 81.3%.

Full range of trims, frets and fascias available. See pages 16-18

# Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Fuel effect	Control type	Model Number
Coal	Manual	GSHC00MN
Coai	Slide	GSHC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

# Dimensions



Dimensions A & B refer to Profiled trim only.

Hearth Inset – Glass Fronted

# Fantasy HE



The Fantasy HE features a highly realistic full depth fuel bed and will fit most chimney and flue applications, including pre-cast when fitted with a 3" rebated surround. This glass fronted fire provides an impressive 3.4kW heat output and 84.3% energy efficiency. With a coal fuel effect and manual, slide or thermostatic remote control, you will certainly find a model to suit your taste and needs.

Full range of trims, frets and fascias available. See pages 16-18

#### **Specifications**


Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

	Manual/Slide	Remote
Useful energy efficiency	84.3%	84.3%
Energy efficiency class	D	С
Fuel type	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GHKC00MN2
	Slide	GHKC00SN2
	Remote	GHKC00RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

#### Dimensions



Dimensions A & B refer to Profiled trim only. 2 inch black spacer available on this product. Part no. B-1003890 Spacer not suitable with cast iron trims or fascias.











































highefficiency Conventional Flue

Hearth Inset - Open Fronted

# Fantasy Plus



The Fantasy Plus boasting an amazing 68.3% energy efficiency can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available in manual, slide or remote control.

Full range of trims, frets and fascias available. See pages 16-18

# **Specifications**


Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

	Fuel effect	Control type	Model Number
	Coal/Pebble	Manual	GKPC00MN
		Slide	GKPC00SN
		Remote	GKPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

#### Dimensions



Dimensions A & B refer to Profiled trim only. 2 inch black spacer available on this product. Part no. B-1003890 Spacer not suitable with cast iron trims or fascias.

# highefficiency Conventional Flue

Hearth Inset – Open Fronted

# Arana Plus



The Arana Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 66.7% energy efficiency. Suitable for installation into standard chimneys the Arana Plus comes in a choice of manual, slide or remote control and can be styled with our wide choice of accessories.

Full range of trims, frets and fascias available. See pages 16-18

#### **Specifications**


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	66.7%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.IkW

Fuel effect	Control type	Model Number
	Manual	GOPC00MN
Coal	Slide	GOPC00SN
	Remote	GOPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

# Dimensions



Dimensions A & B refer to Profiled trim only























Corda Plus coal, Deluxe Contemporary fascia in satin silver



















Corda Plus \*pebble, Deluxe

\*Optional extra

Plain Black

highefficiency Conventional Flue

Hearth Inset - Open Fronted

# Corda Plus



The Corda Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4kW it is also one of the warmest products suitable for a pre-cast flue.

The Corda Plus is available in a choice of manual, slide, or remote control. This extremely versatile fire can be styled with a wide range of Global accessories.

Full range of trims, frets and fascias available. See pages 16-18

#### **Specifications**


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

	Manual	Remote
Useful energy efficiency	66.8%	66.8%
Energy efficiency class	F	F
Fuel type	Natural gas	Natural gas
Direct heat output	4.0kW	3.8kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GSPC00MN
	Slide	GSPC00SN
	Remote	GSPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

# Dimensions



Dimensions A & B refer to Standard trim only. 2 inch black spacer available on this product. Part no. 1146-1036278B Spacer not suitable with cast iron trims or fascias.

12

Hearth Inset – Glass Fronted

# Fantasy BF



The Fantasy Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home. With 93.5% energy efficiency, this glass fronted fire is the most efficient product in our range and offers an impressive 3.9kW heat output.

This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.

Full range of trims, frets and fascias available. See pages 16-18


## **Specifications**

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Energy efficiency class		93.5%
		В
		Natural gas
Direct heat output		3.9kW
Fuel effect Natural Gas	Control type	Model Number
	Manual	GBFC00MN2
Coal	Easy Flame	GBFC00EN3
	Remote	GBFC00RN3
Las	Manual	GBFL00MN
Log	Remote	GBFL00RN

Safety: Flame Supervision Device Air vent required: No

#### Dimensions



Dimensions A & B refer to Profiled trim only. \*Dimensions differ on Easy Flame control models. Refer to installation manual. Optional flue extension available to increase the maximum flue length to 1010mm on manual models and 973mm on Easy Flame models.

2 inch black spacer available on this product. Part no. 1126-1036286B Spacer not suitable with cast iron trims or fascias.



















Fantasy Coal, Signature trim in satin silver & chrome, Daisy fret in satin silver & chrome























standardfires Conventional Flue

Hearth Inset - Open Fronted

# **Fantasy**



The Fantasy features an outstanding coal or pebble fuel effect and beautiful flame picture. This open-fronted fire provides a maximum heat output of 2.7kW and can be installed into most chimney or flues, including precast (BS EN 1858) when fitted with a 3"/75mm rebated surround.

Full range of trims, frets and fascias available. See pages 16-18

# **Specifications**


Description: Mid depth inset gas fire Type of Heat: Radiant

Conventional

001170110101101			
Direct Heat Output	2.7kW		
Fuel type		Natural gas	
Fuel effect	Control type	Model Number	
Coal	Manual	GRDC00MN	
Coal	Slide	GRDC00SN	
Coal	Remote	GRDC00RN2	

This product is not suitable for primary heating purposes Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

# Dimensions





fascia in satin silver



# Fascia options

# Arcadia

The Arcadia is a one-piece cast iron fascia in a combination of black painted with optional colour plated finish. Suitable for all Global hearth inset gas fires. Unsuitable for Easy Flame Control systems.

**Deluxe Contemporary** 

The Deluxe Contemporary is a one-piece fabricated steel fascia with angled form. Suitable for all Global hearth inset gas fires excluding Fantasy BF. Unsuitable for slide



BLACK & GOLD



BLACK & CHROME

# Contemporary

The Contemporary is a onepiece fabricated steel fascia. Suitable for all Global hearth inset gas fires excluding Arana Plus and Fantasy BF. Unsuitable for slide control or Easy Flame Control systems.





SATIN SILVER

# **Embrace**

The Embrace fascia is a one piece cast iron fascia in a combination of black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires. Unsuitable for Easy Flame Control systems.



BRASS



SATIN SILVER



MATT BLACK







**BLACK NICKEL & BLACK** 

# Dalliance

control systems.

The Dalliance is a one-piece fabricated steel fascia.

#### HEARTH INSET

Suitable for all Global hearth inset gas



CHROME



SATIN SILVER





MATT BLACK





WALL INSET Suitable for Delta HE. Unsuitable for slide control systems.

The Delta is a one-piece

fabricated steel fascia.

Delta

CHROME









# Signature

The Signature is a one-piece fabricated steel fascia. Suitable for all Global hearth inset gas fires.

Fantasy BF.







**BRASS & BLACK** 













Fret options

# Blenheim 16"

BRASS





ANTIQUE BRASS



CHROME





ANTIQUE CHROME

MATT BLACK

Daisy 16"



ANTIQUE BRASS









CHROME

Bauhaus 18"

Aviva 16"

BLACK NICKEL

Grace 16"



Aegis 18"

BRASS

BRASS



CHROME

SATIN SILVER



BLACK NICKEL



BLACK











BLACK NICKEL

MATT BLACK



# Trim options

# Signature

The Signature is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires. Brass & Black finish is unsuitable for Fantasy BF model.











& BLACK





The Profiled is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires.









& CHROME

& CHROME

BRASS

SATIN SILVER

Standard

The Standard is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires.













CHROME

SATIN SILVER

# Ultimo

The Ultimo is a cast iron trim with a black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires. Unsuitable for Easy Flame Control systems.







BLACK NICKEL & BLACK

# Curved

The Curved trim is made from a high quality extruded aluminium and is available in a black paint finish. Suitable for all Global hearth inset gas fires. Unsuitable for Slide control models.



BLACK

# Spacer

A black finished 2 inch spacer is available for the following gas fire models. Please note a spacer is unsuitable if the product is to be fitted with a cast iron trim or fascia.

FANTASY HE B-1003890 FANTASY PLUS B-1003890 **FANTASY** 

B-1003890

FANTASY BF

CORDA PLUS 1146-1036278B

1126-1036286B



# Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting & servicing your Global fire.

Use our intelligent search tools to find your perfect gas fire

- Find your nearest approved Global stockist
- Download installation and user manuals
- Register your guarantee
- Interactive updated blogs to keep you informed and intrigued

www.globalgasfires.co.uk





18 19













WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions. DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure. We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyrighted and must not be reproduced in whole or in any part without prior written permission).

