

Gas fires 2024



The fire specialists since 1754

What could be cosier than a burning hearth fire? Whether you prefer a classic or a sleek design, at DRU you will find your ideal gas fire. Thanks to our knowledge and expertise - we have nigh on 270 years' experience when it comes to providing comfortable, sustainable, safe heat in the home - we will always offer the best solution for you. Our innovative craftsmanship is in evidence in each and every model in our series of modern gas fires, all of which satisfy extremely strict requirements in terms of sustainability, efficiency, emissions, safety and ease of use. After all, we keep improving, each and every year. If you want to heat your home in style, choose DRU.





the DRU corporate video



Balance between people and their surroundings



Premium-quality ambition




difference



Continuous development





contents

About DRU

Lifestyle	4
Environment and consumption	6
Interior and wall panels	8
Innovations	10
Gas and sustainability	12
DRU fires	
Maestro fires	74
Metro fires	34
Lugo fires	50
Cosmo fires	54
Paco fires	58
Free-standing and suspended fires	62
DRU Global fires	
Open combustion (CF)	
Global fires	72
Closed combustion (BF)	
Global fires	72
Technical details	
Installation options	84
Frames	86
Control and accessories	88
Line drawings	90
Technical specifications	96



Stylish and warm

Keen to find a new fire to heat your home or is atmosphere your priority? What you are ultimately looking for will decide the first step towards finding your new fire.

Design for all

Do you prefer a classic design or sleek and modern? At DRU, you will find fires for every taste and every space. From built-in to free-standing fires, from front fires to 3-sided fires or even a tunnel model. The choice is yours!




Our range of fires

Space and output

The gas fire's ideal output will depend on the space in which it is to be installed, how well your house is insulated and the fire usage: do you switch it on every day or just during the weekend, for instance? Thus ensuring you always choose the most sustainable solution for your home.

At an authorised DRU dealer in your area you can get tailored advice and take a closer look at our models. This way, you can make a well-considered choice for a fire you'll enjoy for years to come.

Eco Wave



Control over your energy

Our unique Eco Wave technology in the gas fire burners will reduce your gas consumption by up to 50% without affecting the atmosphere in your home, thus enabling you to enjoy a stunning flame picture all year round and have full control over your consumption. Controlling the heat, flames and consumption is very simple using the DRU Fire app or DRU remote control. There is a choice of two different standby modes or you can even develop your own standby mode, making it very sustainable!





100% atmosphere, 0% heat

Prefer to drop the heat and keep the atmosphere?
Then switch to the Eco Glow function. Eco Glow enables you to enjoy a glowing fire thanks to its LED burner bed.
This realistic burner bed does not give off any heat and can be controlled separately. This means you will be able to control the atmosphere in your home using the DRU Fire app or remote control.





Choose your own design

You can choose the internal lining* of pretty much all of our gas fires yourself. 6 different designs are available: black, ceraglass, matt glass, rib cast, classic stone (DRU) and classic stone (DRU Global). Each design does something different to the inside of your fire. Black is sleek and is ideal in a modern living room. Ceraglass has a beautiful mirror effect, creating extra depth in the fire. Rib cast is our most robust internal lining. Last but not least, you can choose from 2 types of classic stone, each with a classic look.



Ceraglass Matt glass Rib cast Classic stone Classic stone (DRU) (DRU Global)

^{*} Available on some models.



with wall panels

You can also choose the look of the exterior of the fire yourself. Our rib cast wall panels* will make your fire interior even better. The wall panels are about 30 cm wide. The height depends on the type of fire and is fully tailored to that.

* Available on some models.





The perfect view of my flames obviously depends on the quality of the glass used. Would you prefer anti-reflective glass or not?

And how should you keep that clean? Fortunately, our manufacturers have thought of everything to enable you to enjoy me unhindered.

Ultra-clear view of the flames

Having a good view of the flames means extra enjoyment of your burning gas fire. Which is why at DRU you can choose Clear View glass*: anti-reflective glass providing an optimum view of the flames. This glass is ideal in rooms with little direct sunlight or in dark-coloured interiors.

 $^{^{\}ast}$ Available on pretty much all models in the range



clean in no time at all

A variety of our gas fires come with a handy drop-down door. Easy to open without force, ideal for quick cleaning of the glass panes and annual maintenance by an engineer.

- Can be opened directly without unscrewing or without tools or force
- · Subtle, concealed door lock
- Invisible frames for more glass surface and unhindered view of the flames
- · Seamless glass-on-glass in 2-sided and 3-sided models
- · Closely sealed: safe, optimum burning







What does it cost to run a DRU gas fire?

Calculating the consumption of a specific fireplace is very simple. You calculate the cost per evening, assuming 3 hours of burning on regular natural gas.

Know the cost within a minute with our gas consumption calculator.





Why should you still go for gas?

Gas has been a much-discussed fuel in recent years. Gas prices have been soaring due to all kinds of international developments.

And fewer and fewer (new-build) properties have any gas connection at all. But did you know that a gas fire is still a very sustainable, future-proof choice? Even if you don't have a gas connection, as is the case in several countries. We will be happy to highlight the benefits of a DRU gas fire.

Sustainable gas: (bio-) propane

Dru gas fires run on various types of gas. Natural gas, of course, but also all kinds of sustainable bottled gas, such as biogas (methane and propane). Biogas is released from waste, residues and plant oils, making it a sustainable type of gas and an environmentally friendly alternative to natural gas. Hence you will be using renewable energy and avoiding fossil fuels. In addition, DRU gas fires have already been prepared for a substantial hydrogen blend percentage.

Highly efficient

A gas fire is a highly efficient source of heat. You will only be heating the room you are in and not lots of other ones. What's more, DRU gas fires burn extremely efficiently. Nigh on all the heat produced (up to 90%) goes straight into the living room, meaning very little heat loss. And you will have full control over this heat. Keen to reduce the heat but keep the atmosphere? Then switch over to the unique functions that our gas fires boast, such as Eco Wave or Eco Glow. Now that's responsible enjoyment!

Ready for the future: hydrogen

You may well have a gas connection now but want to wean yourself off gas in the future. In which case, you can't go wrong with a DRU gas fire. Even after purchasing a fire, you will still have the option of switching over to a different type of gas, such as (bio)propane. Thus giving you control over whether or not you want to continue using natural gas as a source of heat. What's more, DRU gas fires are prepared for a hydrogen blend of up to 20%. If your gas network is ready, so are we!



All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning.

Cuaranteeing you heat and cosiness for many years to come!

This brochure only features images of gas fires that run on natural gas. Flame colour may vary when a fire is running on another type of gas.



i am maestro

I'm the most exclusive model within the DRU gas fire collection.

The fact that I come in various shapes and sizes means I'll suit practically any interior.

And thanks to my unique burner technology, you're always assured the most beautiful

fire with lively flames. What luxury!



3-sided XTU75XTU *Eco Wave*

3-sided

60/3 Eco Wave 60/3 Tall Eco Wave 80/3 Eco Wave 105/3 Eco Wave

2-sided 60/2 Eco Wave 60/2 Tall Eco Wave 80/2 Eco Wave 105/2 Eco Wave

Front
60 Eco Wave
60 Tall Eco Wave
75 Eco Wave
75 Tall Eco Wave
100 Eco Wave



Tunnel75 Tunnel *Eco Wave*75 Tunnel Tall *Eco Wave*





useful to know



Easy release door system

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.



VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.



Direct flue

We will happily give you full freedom to install your fire wherever you want. You could (for example) have the extraction for your fire run through the façade. The extractor will connect straight up to the fire and run with a 90° bend to the exterior.

choose your look

Interior

Choose the internal lining that suits your interior.

Wall nanels

Our rib cast wall panels will complete your fire's look.



Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

Maestro fires include a realistic log set in brown.



Log set browr



Frames

Our fires come with a frame as standard, but are also available with customised frames or frameless.



PowerVent®

PowerVent® is a plug & play concentric extraction system with fan.

The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.

sustainability



Eco Wave

Reduce your gas consumption by up to 50%, without affecting the atmosphere in your home.



Eco Glow

completely and yet keep the atmosphere? Then switch to the illuminated glow bed.



Maestro 75XTU Eco Wave

Characteristics:

- · Luxury, elegant room divider
- · Can also be suspended or built in semi-high

Efficiency **Output range** ECO VBS **1** Natural gas G20 1.2 - 8.8 kW 93.3% Natural gas G25.3 **1.2 - 8.4 kW** • **\$** [+] 1.9 - 9.5 kW Propane G31







Maestro 60/3 Eco Wave

Characteristics:

- · Extremely beautiful with ceraglass interior
- · Also suitable for smaller rooms

Choose your own size:


(see p. 90 for precise dimensions)



60/3 TALL

80/3

105/3







Maestro 60/3 Tall Eco Wave

Characteristics:

- · Modern high glass pane
- · Ample options available for luxury finish

Choose your own size:

(see p. 90 for precise dimensions)

60/3

60/3 TALL

80/3

105/3

Output range

Natural gas G20 Propane G31

1.9 - 7.2 kW

Efficiency









[+]











Maestro 80/3 Eco Wave

Characteristics:

- · Unhindered view of the flames
- · Wide output range

Choose your own size:

(see p. 90 for precise dimensions)

60/3

60/3 TALL

80/3

105/3

Output range

Natural gas G20 Natural gas G25.3 **1.3 - 8.6 kW**

1.4 - 9.0 kW

1.3 - 7.7 kW Propane G31

Efficiency














ECO

#
















Maestro 105/3 Eco Wave

Characteristics:

- · Natural full flames
- · Sleek and can be built in frameless

Choose your own size:

(see p. 90 for precise dimensions)

60/3 TALL 80/3

0/3 105/3

Output range

Natural gas G20 Natural gas G25.3 Propane G31 2.5 - 10.3 kW 2.1 - 9.8 kW 2.6 - 10.5 kW Efficiency

91.2%



\$





VBS



1









000



Maestro 60/2 Eco Wave

Characteristics:

- · Beautiful corner fire for smaller rooms
- · Extremely efficient

Choose your own size:


(see p. 90 for precise dimensions)

60/2

60/2 TALL

80/2

105/2







Maestro 60/2 Tall Eco Wave

Characteristics:

- · Modern high window
- · Also suitable for smaller rooms

Choose your own size:

(see p. 90 for precise dimensions)

60/2 60/2 TALL

80/2

105/2

Output range

Natural gas G20 Natural gas G25.3 **1.6 - 6.8 kW** Propane G31

1.9 - 7.2 kW

Efficiency









[+]

















Maestro 80/2 Eco Wave

Characteristics:

- · Optimum fire experience
- · Sleek and can be built in frameless

Choose your own size:


(see p. 90 for precise dimensions)

60/2

60/2 TALL

80/2

105/2





Maestro 105/2 Eco Wave

Characteristics:

- · Perfect as part of TV furniture
- · Can be suspended

Choose your own size:


(see p. 91 for precise dimensions)

60/2

60/2 TALL

80/2

105/2





Maestro 60 Eco Wave


Characteristics:

- · Perfect for smaller rooms like the kitchen
- $\cdot\;$ Ample view of the flames due to minimal frames

Choose your own size:

(see p. 91 for precise dimensions)

60
60
TALL
75
75 TALL
100







Maestro 60 Tall Eco Wave

Characteristics:

- · Modern vertical appearance
- · Also suitable for smaller rooms

Choose your own size:

(see p. 91 for precise dimensions)

60 TALL 75 60 75 TALL

Output range Efficiency [+] 000 ECO Natural gas G20 1.9 - 7.2 kW Natural gas G25.3 **1.6 - 6.8 kW 1** PV° **#** VBS 1.1 - 7.3 kW Propane G31

100



Maestro 75 Eco Wave


Characteristics:

- · Energy-efficient substitute for an open fire
- · Wide output range

Choose your own size:

(see p. 91 for precise dimensions)

60
60
TALL
75
75 TALL
100





Maestro 75 Tall Eco Wave

Characteristics:

- · Superb view of the flames
- · Can also be installed free-standing

Choose your own size:

(see p. 91 for precise dimensions)


60

60 TALL

75

75 TALL

100





Maestro 100 Eco Wave

Characteristics:

- · Superb fire experience
- · Ample options available for luxury finish

Choose your own size:

(see p. 91 for precise dimensions)

60

60 TALL

75

75 TALL

100

Output range

Propane G31 **2.3 - 10.2 kW**

Efficiency

92.1%







VBS
















Maestro 75 Tunnel Eco Wave


Characteristics:


- · Subtle, elegant tunnel fire
- · Enjoy a beautiful fire from 2 rooms

Choose your own size:

(see p. 91 for precise dimensions)

75 75 TALL







Maestro 75 Tunnel Tall Eco Wave

Characteristics:

- · Room divider with high glass window
- · Optimum fire experience in 2 rooms

Choose your own size:

(see p. 91 for precise dimensions)



Output range Efficiency • 000 [+] Natural gas G20 2.0 - 10.2 kW Natural gas G25.3 **1.7 - 9.5 kW ?** PV⁹ **#** VBS 2.0 - 10.0 kW Propane G31

i am Metro

Keen to have even more atmosphere in your living room? Then pick me! I'm a little wider than the other members of my family and will make your home extra cosy as a result. And did you know that my zigzag burners can create even wider, deeper flames? For maximum enjoyment!



3-sided XTU

100XTU Eco Wave



3-sided XTL 100XTL Eco Wave

130XTL Eco Wave



3-sided 100XT/3 Eco Wave 130XT/3 Eco Wave

2-sided 100XT/2 Eco Wave

130XT/2 Eco Wave

100XT Eco Wave 130XT Eco Wave 150XT Eco Wave

200XT Eco Wave

Front

80XT Eco Wave

Tunnel

80XT Tunnel Eco Wave 100XT Tunnel Eco Wave 130XT Tunnel Eco Wave

150XT Tunnel Eco Wave

200XT Tunnel Eco Wave





useful to know



Easy release door system

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.



PowerVent®

PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.



Direct flue

We will happily give you full freedom to install your fire wherever you want. You could (for example) have the extraction for your fire run through the façade. The extractor will connect straight up to the fire and run with a 90° bend

choose your look

Interior

Black or ceraglass - which would suit your interior best?



Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

Last but not least, choose a suitable burner bed. The Metro collection comes in the following colours: log set brown, log set white, stone white, stone grey or glass anthracite.











Frames

Log set brown Log set white

Stone grey

Stone white anthracite

Our fires come with a frame as standard, but are also available with customised frames or frameless.



[+]

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

sustainability






Metro 100XTU Eco Wave

Characteristics:

- · Interior fully in line with your wishes
- · Can also be suspended or built in semi-high







Metro 100XTL - 130XTL Eco Wave

Characteristics:

- · Elegantly connects multiple rooms
- · Extremely well suited to being used in corners

Choose your own size:

(see p. 91 for precise dimensions)

100XTL

130XTL

Output range 100XTL Output range 130XTL • 000 **H** Natural gas G20 4.3 - 9.6 kW 5.1 - 10.8 kW Natural gas G25.3 **3.3 - 9.0 kW** 4.1 - 10.2 kW PV° VBS W Propane G31 4.1 - 9.1 kW 5.6 - 10.6 kW Efficiency 130XTL **Efficiency 100XTL** 83.3% 89.6%



Metro 100XT/3 Eco Wave

Characteristics:


- · Wide, elegant fire from every angle
- $\boldsymbol{\cdot}$ Extremely well suited to being installed in complete furniture

Choose your own size:

(see p. 92 for precise dimensions)

100XT/3

130XT/3







Metro 130XT/3 Eco Wave

Characteristics:

- · Choose the most beautiful log set or stone set
- · Optional anti-reflective glass

Choose your own size:

(see p. 92 for precise dimensions)

100XT/3

130XT/3

Output range Efficiency • ECO Natural gas G20 5.1 - 10.8 kW 89.6% Natural gas G25.3 4.1 - 10.2 kW PV° **1** W VBS Propane G31 5.6 - 10.6 kW



Metro 100XT/2 Eco Wave

Characteristics:


- · Elegant corner fire
- · Variety of burner beds available

Choose your own size:

(see p. 92 for precise dimensions)

100XT/2

130XT/2





Metro 130XT/2 Eco Wave

Characteristics:


- · Perfect for integrating into media wall
- · Can be built in frameless

Choose your own size:

(see p. 92 for precise dimensions)

100XT/2

130XT/2





Metro 80XT Eco Wave

Characteristics:

- · Ample, playful view of the flames
- · Perfect for smaller rooms

Choose your own size:

(see p. 92 for precise dimensions)

80XT 100XT 130XT 200XT 150XT

Output range

Propane G31

Natural gas G20 3.0 - 5.4 kW **Efficiency**

88.9%









INTERIOR DE

Natural gas G25.3 **2.3 - 5.1 kW**

2.8 - 5.7 kW

















Metro 100XT Eco Wave

Characteristics:

- · Choose modern: glass anthracite burner bed
- · Zigzagging fire over the full width and depth

Choose your own size:

(see p. 92 for precise dimensions)

80XT 100XT 130XT 150XT 200XT

Output range

 Natural gas G20
 4.3 - 9.6 kW

 Natural gas G25.3
 3.3 - 9.0 kW

 Propane G31
 4.1 - 9.1 kW

Efficiency

83.3%

В





















Metro 130XT - 150XT Eco Wave


Characteristics:

- · Fire over the full width and depth
- · Interior fully in line with your wishes

Choose your own size:

(see pp. 92 + 93 for precise dimensions)

80XT 100XT 130XT







Metro 200XT Eco Wave

Characteristics:

- · The largest of its type
- · Log set indistinguishable from real wood

Choose your own size:

(see p. 93 for precise dimensions)

80XT 100XT 130XT

Efficiency Output range PV° [+] ECO Natural gas G20 8.9 - 16.7 kW 90.3% Natural gas G25.3 **7.2 - 15.8 kW** • W **Z ₽** Propane G31 7.3 - 15.4 kW



Metro 80XT Tunnel Eco Wave


Characteristics:

- · Room divider widthways
- · Stunning flames at viewing height

Choose your own size:

(see p. 93 for precise dimensions)

80XT 100XT 130XT 150XT 200XT








Metro 100XT Tunnel Eco Wave

Characteristics:

- · Choose a beautiful log set or white stones
- · Enjoy the fire from two sides

Choose your own size:

(see p. 93 for precise dimensions)



Output range **Efficiency** 000 ECO 83.3% Natural gas G20 4.3 - 9.6 kW Natural gas G25.3 **3.3 - 9.0 kW** PV° • W В Propane G31 4.1 - 9.1 kW



Metro 130XT Tunnel Eco Wave

Characteristics:

- · Impressive fire over the entire width
- · Subtle, elegant room divider

Choose your own size:

(see p. 92 for precise dimensions)

80XT 100XT 130XT 150XT 200XT









Metro 150XT - 200XT Tunnel Eco Wave

Characteristics:

- · Wide, generous tunnel fires
- · Plenty of heat, according to your wishes

Choose your own size:

(see p. 93 for precise dimensions)

80XT 100XT 130XT 150XT 200XT

Output range 150XT Tunnel Output range 200XT Tunnel ^ VBS ECO 8.9 - 16.7 kW Natural gas G20 5.9 - 10.8 kW Natural gas G25.3 **4.9 - 10.3 kW** 7.2 - 15.8 kW PV° W 7.3 - 15.4 kW Propane G31 5.3 - 11.11 kW Efficiency 150XT Tunnel **Efficiency 200XT Tunnel** [+] Frames only for Metro 200XT



The feel of an open log fire... who doesn't want that? My stacked logs will give you the outdoor experience while you're nice and cosy indoors. The fact that I don't feature any ventilation openings means my design is always sleek.

Feel free to complete my design by going for 2-sided or 3-sided glass.



3-sided

70/3 Eco Wave 80/3 Eco Wave



2-sided

70/2 Eco Wave 80/2 Eco Wave





choose your look

Interior

Black or ceraglass - which would suit your interior best?

Lugo fires include a realistic log set in brown.



useful to know



PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.



Our fires come with a frame as standard, but are also available with customised frames or frameless.



All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

sustainability



51



Lugo 70/3 - 80/3 Eco Wave

Characteristics:


- · Simple, playful flames
- · Perfect for smaller rooms

Choose your own size:

(see p. 93 for precise dimensions)

70/3

80/3







Lugo 70/2 - 80/2 Eco Wave

Characteristics:

- $\cdot\;$ Beautiful, two-sided view of the flames and plenty of logs
- · Limited installation depth

Choose your own size:

(see p. 93 for precise dimensions)

Output range 70/2 Output range 80/2 PV° VBS Natural gas G20 3.4 - 6.9 kW 3.4 - 6.9 kW Natural gas G25.3 **2.8 - 6.5 kW** 2.8 - 6.5 kW • [+] W Propane G31 3.2 - 6.3 kW 3.2 - 6.3 kW Efficiency 80/2 Efficiency 70/2 91.0% A 91.0%

i am COSMO


Prefer something spectacular? Then I'm the gas fire for you!

After all, I'm the largest atmospheric fire running on gas, making me the ultimate showpiece for large rooms. Despite my size, I can be built in extremely snugly or combined with a surround.



Front Tunnel

Cosmo Eco Wave Cosmo Tunnel Eco Wave





useful to know



Easy release door system

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.



PowerVent®

PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.



VBS

All DRU gas fires run on various types of gas. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

choose your look

Interior

The Cosmo fire comes with a black internal lining as standard.

Glass window



Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Surround

The Cosmo is also available with a stunning 'Murano' surround with stainless steel casing and limestone hearth.

Burner bed

Cosmo fires include a realistic log set in brown.



Log set brown

sustainability




Eco Wave

Reduce your gas consumption by up to 50%, without affecting the atmosphere in your home.



Cosmo Eco Wave

- Wide output range makes it very well suited to use in hotels, restaurants and cafés
- · Optional stunning 'Murano' surround








Cosmo Tunnel Eco Wave

- · Ultimate eye-catching feature in large rooms
- \cdot Extremely beautiful, robust log set



iam PACO

My compact design makes me ideal for a corner.

Though you can also install me against a flat wall in your living room, of course.

Prefer to install me away from the retaining wall? No problem.

I've got a special extension set for that. Whatever position you choose,

I'll always ensure a beautiful glow effect from every angle.



2-sided

Paco Eco Wave





Ceraglass

choose your look

The Paco is a great basic fire, but with one special detail: the flames are illuminated with a beautiful glow effect.

Burner bed

Paco fires all include a realistic brown log set.



Log set brown

useful to know



PowerVent®

PowerVent® is a plug & play concentric extraction system with fan.

The flexibility of this extraction system makes it possible to install
a gas fire in practically any situation.



VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

sustainability



Eco Wave

Reduce your gas consumption by up to 50%, without affecting the atmosphere in your home.



Characteristics:

- · Versatile fire for corner or flat wall
- · Compact size with low output

Output range

Natural gas G20 **2.6 - 5.4 kW**Natural gas G25.3 **2.1 - 5.0 kW**

Paco Eco Wave

Efficiency

84.8%





free-standing

Flexible is my middle name. For instance, you can configure my interior and exterior entirely yourself. Whether you want to hang me up or install me in the middle of your living room... I go well in any room.

Even if that's exactly what you want to save money on.



3-sided

Diablo Next

Circo

Convexo Eco Wave

Maestro 60/3 Module Eco Wave

Passo Eco Wave

Polo

Trio





control

Controlling your fire is really straightforward with the **remote control** that comes with me as standard

Also use our handy **free DRU Fire app** for full control over your fire.

Easy connection for control via your Home Domotica System



choose your look

Interior

Black or ceraglass - which would suit your interior best?

Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

The free-standing fires include a realistic log set in brown.



Log set brown

useful to know



Easy release door system

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.



VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

sustainability



Eco Wave

Reduce your gas consumption by up to 50%, without affecting the atmosphere in your home.



Eco Glow

Prefer to drop the heat and keep the atmosphere?
Then switch to the illuminated glow bed.




Maestro 60/3 Module Eco Wave

Characteristics:

- · Luxury gas fire with the look of a log fire
- · Available in white or grey aluminium casing

Aluminium cover:

· White or grey







Convexo Eco Wave


Characteristics:

- · Beautifully curved glass window
- $\cdot\;$ Suitable for both natural gas and (bio) propane gas



Passo Eco Wave

- · 180° view of stunning, high flames
- · Available in 6 colours










Polo


- · Elegant in small rooms
- · Very low output





Diablo Next

- · Goes well anywhere, without using up any floor space
- · Choose a black or alu-metallic finish





Circo

- · Robust atmospheric fire for any room
- · Round glass pane providing ample view of the flames







Trio Black Edition

Characteristics:

- · Slender forms with robust look
- · High flame picture from 3 sides

 Output range
 Efficiency

 Natural gas G20
 2.0 - 4.5 kW
 85.4%

 Natural gas G25.3
 1.8 - 4.2 kW

 Propane G31
 1.5 - 4.0 kW
 B

iam global

Small living room? I'm perfect for that. I'm nice and compact and very competitively priced, you see. Install me wherever you want, whether that's in a well-insulated property or one with an existing chimney.

In short, if it's accessibility you want, then go for Global!



3-sided 100 Triple 120 Triple



2-sided60 Corner
100 Corner
120 Corner



Front
55XT BF
55XT BF Cavity
70XT BF
100 BF
120 BF
55XT CF
70XT CF





control

Controlling your fire is really straightforward with the remote control that comes with me as standard



Easy connection for control via your Home Domotica System



useful to know



Direct flue

We will happily give you full freedom to install your fire wherever you want. You could (for example) have the extraction for your fire run through the façade. The extractor will connect straight up to the fire and run with a 90° bend



All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

choose your look

Interior

With our DRU Global fires, you have a choice of 3 types of internal lining.



Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

Last but not least, choose a suitable burner bed. The DRU Global collection comes in the following colours: log set brown, stone white or glass anthracite







Log set brown Stone white

Glass anthracite



Global 100 Triple BF - 120 Triple BF

Characteristics:

- · Panoramic view of the flames
- · Choose your own burner bed (wood/stone/glass)

Choose your own size:

(see p. 94 for precise dimensions)

100 Triple BF

120 Triple BF



Natural gas G20 2.8 - 7.5 kW Natural gas G25.3 **2.6 - 7.1 kW**

Propane G31 3.5 - 7.0 kW

Efficiency 100 Triple BF

94,0%



Output range 120 Triple BF

2.8 - 7.5 kW

2.6 - 7.1 kW

3.5 - 7.0 kW

Efficiency 120 Triple BF

94,0%

















Global 60 Corner BF

Characteristics:

- · Perfect for smaller rooms
- · Stunning 2-sided gas fire

Choose your own size:

(see p. 94 for precise dimensions)

60 Corner BF

100 Corner BF

120 Corner BF

Output range

 Natural gas G20
 2.3 - 6.0 kW

 Natural gas G25.3
 2.1 - 5.4 kW

 Propane G31
 3.0 - 6.2 kW

Efficiency

91.5%





A













Global 100 Corner BF - 120 Corner BF

Characteristics:

- · Ample view of the flames due to minimal frames
- · Extremely efficient

Choose your own size:

(see p. 95 for precise dimensions)

60 Corner BF

100 Corner BF

120 Corner BF

Output range 100 Corner BF

Natural gas G20 2.8 - 7.5 kW Natural gas G25.3 **2.6 - 7.1 kW**

Propane G31 3.5 - 7.0 kW

Efficiency 100 Corner BF 94.0%

Output range 120 Corner BF

2.8 - 7.5 kW 2.6 - 7.1 kW

3.5 - 7.0 kW

Efficiency 120 Corner BF 94.0%














Global 55XT Cavity BF

Characteristics:

- · Suitable for installation in a cavity wall
- · Snorkel flue and convection box included







Global 55XT BF - 70XT BF

Characteristics:

- · Extremely realistic high, dense flames
- · Limited installation depth

Choose your own size:

(see p. 95 for precise dimensions)

55XT BF 70XT BF

120XT BF 100 BF

Output range 55XT BF Output range 70XT BF Natural gas G20 2.6 - 4.6 kW 3.4 - 5.7 kW Natural gas G25.3 **2.4 - 4.3 kW** 3.1 - 5.3 kW BF Propane G31 3.1 - 4.4 kW 3.2 - 5.5 kW Efficiency 55XT BF Efficiency 70XT BF 92.7% 92.6%



Global 100 BF - 120 BF

Characteristics:

- · Ample view of the beautiful flames
- Extremely efficiency and environmentally friendly

Choose your own size:

(see p. 95 for precise dimensions)

55XT BF 70XT BF

100 BF

120 BF

Output range 100 BF

 Natural gas G20
 2.8 - 7.5 kW

 Natural gas G25.3
 2.6 - 7.1 kW

 Propane G31
 3.5 - 7.0 kW

Efficiency 100 BF

94.0%



Output range 120 BF

 Natural gas G20
 2.8 - 7.5 kW

 Natural gas G25.3
 2.6 - 7.1 kW

 Propane G31
 3.5 - 7.0 kW

Efficiency 120 BF

94.0%











Global 120 BF



Global 55XT CF

Characteristics:


- · Extensive choice of interiors
- · Is perfect to connect up to existing chimney

Choose your own size:

(see p. 95 for precise dimensions)



70XT CF







Characteristics:

- · Shallow fire that does not take up much space
- · Perfect for snug fit in an existing chimney

Choose your own size:

(see p. 95 for precise dimensions)

55XT CF

70XT CF

Output range

 Natural gas G20
 3.1 - 4.5 kW

 Natural gas G25.3
 2.7 - 4.4 kW

 Propane G31
 4.0 - 4.6 kW

Efficiency













What is PowerVent®?

Gas fires obviously need extraction.

An existing chimney, an extractor leading out through the roof or the façade, or... our PowerVent®. PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation. Living in an apartment, a terraced house or a property without a flue pipe?

No problem! PowerVent® gives you full freedom to install your fire wherever you want.

Benefits of DRU PowerVent®

- Extraction of up to 100 metres with a variety of bends
- Flue pipe diameter of Ø 10 cm
- · Control unit in control hatch, with built-in pressure gauge
- Compact power box, which can be installed outdoors and indoors
- The perfect solution for terraced houses, apartments, restaurants, hotels, shops and farms



no chimney but still want to install a gas fire?

Existing chimney

Via roo

· flexible pipe in chimney

No chimney



Via roof (flat)

· straight or with bends



Via roof (sloping)
straight or with bends




Via wall / Direct flue
· direct to the fire with a
90° bend to the exterior





· first 1 metre vertical, then a 90° bend



- Up to 100 metres horizontal
- · Many bends possible
- · Through crawl space







Metro 130XT/3

• frames

With or without frames

All our gas fires come with a frame as standard.

Prefer to integrate your gas fire seamlessly into the rest of your interior? You can!

After all, for several of our fires it is possible to remove the bottom of the frame. Thus enabling the fire to be built snugly into a natural stone plateau or (for example) recessed into the floor, directly against the glass window.

Full customisation

Want to personalise your fire a bit more?
For the built-in fires in the overview below, you choose the width of the frame yourself.
Thus ensuring that the fire is the perfect fit in your interior.

	Optiona	l frames	
3-sided fires	2-sided fires	Front fires	Tunnel fires
Lugo 70/3 ¹	Lugo 70/2 1	Metro 200XT ⁶	Metro 200XT Tunnel ⁶
Lugo 80/3 ¹	Lugo 80/2 1	Maestro 60 4	Maestro 75 Tunnel ⁵
Maestro 60/3 ²	Maestro 60/2 ²	Maestro 60 Tall ⁴	Maestro 75 Tunnel Tall ⁵
Maestro 60/3 Tall ²	Maestro 60/2 Tall ²	Maestro 75 5	
Maestro 75XTU ²	Maestro 80/2 ³	Maestro 75 Tall ⁵	
Maestro 80/3 ³	Maestro 105/2 ³	Maestro 100 ⁵	
Maestro 105/3 ³	Metro 100XT/2 1		
Metro 100XT/3 ¹	Metro 130XT/2 1		
Metro 100XTL ¹			
Metro 100XTU ¹			
Metro 130XT/3 1			-

¹ 100 mm, customised 90-200 mm


² 110 mm, customised 100-200 mm

³ 110 mm, customised 90-200 mm

⁴ 110 or 140 mm, customised 70-200 mm

⁵ 100 or 130 mm, customised 70-200 mm

⁶ 105 or 135 mm, customised 65-200 mm



All remote controls feature electronic ignition, thermostat function and clock function.





App and control RCH fireplaces

New: the Bluetooth control system for DRU Eco Wave fireplaces.
This ensures a fast and safe connection via the remote control or via the free downloadable DRU Fire app (IOS/Android). Very few fireplaces still have a WIFI connection, which requires a communication module.



Management module

Specifically for the recreation sector (holiday parks, hotels, etc.), DRU and ICY have developed a module to allow local control of fires and remote control by a reception system.

- Fitted with a motion and light sensor to ensure smart energy consumption
- \cdot Innovative and easy to use
- No separate remote control and no more batteries



Control hatch

When it comes to maintenance and faults, it is important to have access to the gas regulating block at all times. Which is why DRU has developed a special control hatch. This control hatch can be neatly integrated into the fire's set-up.

ventilation elements

Chimney breast ventilation to preserve your installation

Burning the fire generates heat in the chimney breast. In order to prevent cracking, it is important for the chimney breast to be ventilated. DRU has designed a variety of Lux elements for this purpose in ivory white and anthracite. These are integrated into the casing and can be fitted with mood lighting.







Lux Sleeve 1



Lux Omni 🕦



Lux Fino 1 2





Lux Lignum 1




Lux 1


line drawings







line drawings





line drawings





technical specifications

								1255								
DRUGASFIRES		Net output k	M		Efficier	Evela	efficiency	clas	Flue pipe	ndepth App 1p. 88			Remote control			
dru	Page	Natural gas G20	Natural gas G25.3 (NL)	Propane G31	(%) G20	Natural gas G20			(mm)	1	(mm)		bluetooth	R ijji N	CE RC	Н
MAESTRO (closed combustion)							()									
Maestro 75XTU Eco Wave	16	1.2 - 8.8	1.2 - 8.4	1.9 - 9.5	93.3	А	Α	А	200/130	+	545	+	+	-	- +	
Maestro 60/3 Eco Wave	18	1.9 - 7.2	1.6 - 6.8	1.1 - 7.3	94.3	Α	Α	А	200/130	+	495	+	+	-	- +	
Maestro 60/3 Tall Eco Wave	19	1.9 - 7.2	1.6 - 6.8	1.1 - 7.3	96.3	Α	Α	А	200/130	+	495	+	+	-	- +	
Maestro 80/3 Eco Wave	20	1.4 - 9.0	1.3 - 8.6	1.4 - 7.8	93.0	Α	Α	А	200/130	+	492	+	+	-	- +	
Maestro 105/3 Eco Wave	21	2.5 - 10.3	2.1 - 9.8	2.6 - 10.5	91.2	Α	Α	А	200/130	+	495	+	+	-	- +	
Maestro 60/2 Eco Wave	22	1.9 - 7.2	1.6 - 6.8	1.1 - 7.3	94.3	Α	Α	А	200/130	+	495	+	+	-	- +	
Maestro 60/2 Tall Eco Wave	23	1.9 - 7.2	1.6 - 6.8	1.1 - 7.3	96.3	А	Α	А	200/130	+	495	+	+	-	- +	
Maestro 80/2 Eco Wave	24	1.4 - 9.0	1.3 - 8.6	1.4 - 7.8	93.0	Α	Α	А	200/130	+	492	+	+	-	- +	
Maestro 105/2 Eco Wave	25	2.5 - 10.3	2.1 - 9.8	2.6 - 10.5	91.2	Α	Α	А	200/130	+	495	+	+	-	- +	
Maestro 60 Eco Wave	26	1.9 - 7.2	1.6 - 6.8	1.1 - 7.3	94.3	Α	Α	А	200/130	+	472	+	+	-	- +	
Maestro 60 Tall Eco Wave	27	1.9 - 7.2	1.6 - 6.8	1.1 - 7.3	96.3	А	А	А	200/130	+	472	+	+	-	- +	
Maestro 75 Eco Wave	28	1.3 - 9.0	1.2 - 8.6	1.3 - 7.4	89.0	Α	А	А	200/130	+	400	+	+	-	- +	
Maestro 75 Tall Eco Wave	29	1.7 - 9.2	1.5 - 8.7	1.5 - 8.2	91.6	А	Α	А	200/130	+	400	+	+	-	- +	
Maestro 100 Eco Wave	30	2.3 - 10.0	1.9 - 9.3	2.3 - 10.2	92.1	Α	Α	А	200/130	+	400	+	+	-	- +	
Maestro 75 Tunnel Eco Wave	32	1.7 - 9.1	1.5 - 8.5	1.9 - 9.5	93.0	А	А	А	200/130	+	478	+	+	-	- +	
Maestro 75 Tunnel Tall Eco Wave	33	2.0 - 10.2	1.7 - 9.5	2.0 - 10.0	92.0	А	А	А	200/130	+	478	+	+	-	- +	
METRO (closed combustion)																
Metro 100XTU Eco Wave	36	4.3 - 9.6	3.3 - 9.0	4.1 - 9.1	83.3	В	В	В	200/130	+	434	+	-	+	- +	
Metro 100XTL Eco Wave	37	4.3 - 9.6	3.3 - 9.0	4.1 - 9.1	83.3	В	В	В	200/130	+	434	+	-		- +	
Metro 130XTL Eco Wave	37	5.1 - 10.8	4.1 - 10.2	5.6 - 10.6	89.6	Α	А	Α	200/130	+	448	+	-		- +	
Metro 100XT/3 Eco Wave	38	4.3 - 9.6	3.3 - 9.0	4.1 - 9.1	83.3	В	В	В	200/130	+	466	+	-	+	- +	
Metro 130XT/3 Eco Wave	39	5.1 - 10.8	4.1 - 10.2	5.6 - 10.6	89.6	Α	А	А	200/130	-	463	+	-	+	- +	
Metro 100XT/2 Eco Wave	40	4.3 - 9.6	3.3 - 9.0	4.1 - 9.1	83.3	В	В	В	200/130	+	466	+	-		- +	
Metro 130XT/2 Eco Wave	41	5.1 - 10.8	4.1 - 10.2	5.6 - 10.6	89.6	A	A	A	200/130	+	466	+	_		- +	
Metro 80XT Eco Wave	42	3.0 - 5.4	2.3 - 5.1	2.8 - 5.7	88.9	A	В	A	150/100	_	379	+	+		- +	
Metro 100XT Eco Wave	43	4.3 - 9.6	3.3 - 9.0	4.1 - 9.1	83.3	В	В	В	200/130	_	380		r	_		
Metro 130XT Eco Wave	44	5.1 - 10.8	4.1 - 10.2	5.6 - 10.6	89.6	A	A	A	200/130	-	408			_	- +	
Metro 150XT Eco Wave												+	-	+		
	44	5.9 - 10.8	4.9 - 10.3	5.3 - 11.1	87.9	A	A	A	200/130	-	409	+	-		- +	
Metro 200XT Eco Wave	45	8.9 - 16.7	7.2 - 15.8	7.3 - 15.41	90.3	A	A	A	200/130	-	465	+	-		- +	
Metro 80XT Tunnel Eco Wave	46	3.0 - 5.4	2.3 - 5.1	2.8 - 5.7	88.9	A	В	A	150/100	-	434	+	+		- +	
Metro 100XT Tunnel Eco Wave	47	4.3 - 9.6	3.3 - 9.0	4.1 - 9.1	83.3	В	В	В	200/130	+	419	+	-	+	- +	
Metro 130XT Tunnel Eco Wave	48	5.1 - 10.8	4.1 - 10.2	5.6 - 10.6	89.6	A	Α	Α	200/130	-	476	+	-	+	- +	
Metro 150XT Tunnel Eco Wave	49	5.9 - 10.8	4.9 - 10.3	5.3 - 11.1	87.9	A	Α	Α	200/130	-	475	+	-	+	- +	
Metro 200XT Tunnel Eco Wave	49	8.9 - 16.7	7.2 - 15.8	7.3 - 15.41	90.3	Α	Α	А	200/130	-	467	+	-	+	- +	

 $^{^{1]}}$ Propane only in combination with Powervent $^{\circledcirc}$

172	Stones white	Stones grey	Glass anthracite
130 + + + + + + + + + + Dynamic Flame Burner® + Dynamic Flame Burner® + Dynamic Flame Burner® +	- - -		
130 + + + + + + + + + + Dynamic Flame Burner® + Dynamic Flame Burner® + Dynamic Flame Burner® +	- - -		
140 + + + + + - + + + Dynamic Flame Burner® + 116 + + + + + + + + + + + + + Dynamic Flame Burner® + 183 + + + + + + + + + + + + + - + + Dynamic Flame Burner® Dynamic Flame Burner® - Dynamic Flame Burner® Dynamic Flame Burner	-	-	
116 + + - + + + + + - + - + - + Dynamic Flame Burner® + - 1 183 + + + + + + + + + + Dynamic Flame Burner® + 1 130 + + + + + + + + + Dynamic Flame Burner® + Dynamic Flame Burner® + 1 140 + + + + + + + + + + - + - + Dynamic Flame Burner® + 1 116 + + - + + + + + + - + - + Dynamic Flame Burner® + 1 183 + + + + + + + + + + - + - + Dynamic Flame Burner® + - Dynamic Flame Burner® Dynamic Flame Burne	-		-
1183 + + + + + + + + + + + - + - + Dynamic Flame Burner® + - 130 + + + + + + + + + Dynamic Flame Burner® + - 140 + + + + + + + + + - + Dynamic Flame Burner® + - 116 + + - + + + + + + - + - + Dynamic Flame Burner® + - 183 + + + + + + + + + - + - + Dynamic Flame Burner® + - 125 + + + + + + + + + - + - + Dynamic Flame Burner® + - 127	-	-	-
130 + + + + + + + + + Dynamic Flame Burner® + - 140 + + + + + - + + + Dynamic Flame Burner® + - 116 + + - + + + + - + - + - + Dynamic Flame Burner® + - 183 + + + + + + + + + - + - + Dynamic Flame Burner® + - 125 + + + + + + + + + - Dynamic Flame Burner® + - 132 - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Burner® + -		-	-
140 + + + + + + + + + +	_	-	-
116 + + - + + + + + - + - + Dynamic Flame Burner ^a + - 1183 + + + + + + + + + - + - + Dynamic Flame Burner ^a + - 125 + + + + + + + + + + Dynamic Flame Burner ^a + -	1	-	-
110 + + - + + + + - + - + Burner® + - 183 + + + + + + + + + - + - + Dynamic Flame Burner® + - 125 + + + + + + + + + - Dynamic Flame Burner® + - Dynamic Flame Burner® + - Dynamic Flame Dynamic Flame	-	-	-
183 + + + + + + + + + + + - + - + Dynamic Flame Burner® + - 125 + + + + + + + + + - Dynamic Flame Burner® + - 133 Dynamic Flame Dynamic Flame	-	-	-
125 + + + + + + + + + - Dynamic Flame Burner*	-	-	-
122 Dynamic Flame	-	-	-
132 + + + + + + + + Burner® + -	-	-	-
140 + + + + + + + + + + + Dynamic Flame Burner® + -	-	-	_
218 Dynamic Flame	_	_	_
19/4	_	_	_
140 Dynamic Flame	_	_	_
219 Dynamic Flame	-	_	_
ZIO T T T T T T T T T T Burner® T			
139 + + + + + Vario Burner + -	+	-	+
139 + + + + + Vario Burner + -	+	-	+
165 + + + + + Vario Burner + +	+	+	-
126 + + + + + Vario Burner + -	+	-	+
159 + + + + + Vario Burner + +	+	+	-
132 + + + + + Vario Burner + -	+	-	+
163 + + + + + Vario Burner + +	+	+	_
97 + + + + + Vario Burner + -		_	
	+	-	+
163 + - + + + + + Vario Burner + +	+	+	-
161 + - + + + - + Vario Burner + +	+	+	-
265 + - + + + - + Vario Burner + -	+	-	+
96 + + + + Vario Burner + -	+	-	-
136 + - + + + + Vario Burner + -	+	-	+
165 + - + + + + Vario Burner + +	+	+	-
159 + - + + + + Vario Burner + +			
265 + - + + + + Vario Burner + -	+	+	-

technical specifications

							/ ,	1355								
DRUGASFIRES		Net output ki	N,		Efficier	Energ'	y efficiency	Cla	Flue pipe	Direct	p. 881 P. Remote control					
dru	Page	Natural gas G20	Natural gas G25.3 (NL)	Propane G31	(%) G20			Propane G31	(mm)	aaa	(mm)		bluetooth	wifi	RCE	RCH
LUGO (closed combustion)			· · · = ·				(141,		ļ.							
Lugo 70/3 Eco Wave	52	3.4 - 6.9	2.8 - 6.5	3.2 - 6.3	91.0	А	А	Α	150/100	-	400	-	+	-	-	+
Lugo 80/3 Eco Wave	52	3.4 - 6.9	2.8 - 6.5	3.2 - 6.3	91.0	А	А	А	150/100	-	460	-	+	-	-	+
Lugo 70/2 Eco Wave	53	3.4 - 6.9	2.8 - 6.5	3.2 - 6.3	91.0	А	А	А	150/100	-	400	-	+	-	-	+
Lugo 80/2 Eco Wave	53	3.4 - 6.9	2.8 - 6.5	3.2 - 6.3	91.0	А	А	А	150/100	-	460	-	+	-	-	+
COSMO (closed combustion)																
Cosmo Eco Wave	56	6.0 - 16.3	4.9 - 15.7	-	89.3	А	А	-	200/130	-	709	+	+	-	-	+
Cosmo Tunnel Eco Wave	57	6.0 - 16.3	4.9 - 15.7	-	89.3	А	А	-	200/130	-	706	+	+	-	-	+
PACO (closed combustion)																
Paco Eco Wave	60	2.6 - 5.4	2.1 - 5.0	-	84.8	В	С	-	150/100	-	563	+	+	-	-	+
FREE-STANDING (closed combus	stion)															
Maestro 60/3 Module Eco Wave	64	1,9 - 7,2	1,6 - 6,8	1,1 - 7,3	94,3	А	А	А	200/130	+	581	-	+	-	-	+
Convexo Eco Wave	65	2,6 - 5,0	2,1 - 4,7	2,6 - 5,0	92,4	А	А	А	150/100	-	427	-	+	-	-	+
Passo Eco Wave	66	1,2 - 6,4	0,9 - 6,1	-	93,0	А	А	-	150/100	-	452	-	+	-	-	+
Polo	68	1,6 - 4,1	1,5 - 3,8	1,6 - 3,8	92,6	А	А	Α	150/100	-	400	-	-	-	+	-
Diablo Next	69	1,6 - 4,1	1,5 - 3,8	1,6 - 3,8	92,6	А	А	А	150/100	-	372	-	-	-	+	-
Circo	70	2,9 - 7,0	2,7 - 6,0	2,8 - 6,2	92,5	А	А	А	150/100	-	442	-	-	-	+	-
Trio Black Edition	71	2,0 - 4,5	1,8 - 4,2	1,5 - 4,0	85,4	В	В	С	150/100	-	441	-	-	-	+	-
GLOBAL (closed combustion)																
Global 100 Triple BF	75	2.8 - 7.5	2.6 - 7.1	3.5 - 7.0	94.0	А	А	А	150/100	+	386	-	-	-	+	-
Global 120 Triple BF	75	2.8 - 7.5	2.6 - 7.1	3.5 - 7.0	94.0	А	А	Α	150/100	+	386	-	-	-	+	-
Global 60 Corner BF	76	2.3 - 6.0	2.1 - 5.4	3.0 - 6.2	91.5	А	А	А	150/100	+	325	-	-	-	+	-
Global 100 Corner BF	77	2.8 - 7.5	2.6 - 7.1	3.5 - 7.0	94.0	А	А	А	150/100	+	386	-	-	-	+	-
Global 120 Corner BF	77	2.8 - 7.5	2.6 - 7.1	3.5 - 7.0	94.0	А	А	А	150/100	+	386	-	-	-	+	-
Global 55XT Cavity BF (UK only)	78	1.8 - 3.2	-	-	77.4	С	-	-	150/100	-	255	-	-	-	+	-
Global 55XT BF	79	2.6 - 4.6	2.4 - 4.3	3.1 - 4.4	92.6	A	А	А	150/100	+	340	-	-	-	+	-
Global 70XT BF	79	3.4 - 5.7	3.1 - 5.3	3.2 - 5.5	92.7	А	А	А	150/100	+	340	-	-	-	+	-
Global 100 BF	80	2.8 - 7.5	2.6 - 7.1	3.5 - 7.0	94.0	Α	А	Α	150/100	+	360	_	-	-	+	-
Global 120 BF	80	2.8 - 7.5	2.6 - 7.1	3.5 - 7.0	94.0	A	A	A	150/100	+	360	-	-	-	+	-
GLOBAL (open combustion)																
Global 55XT CF	82	2.8 - 3.7	2.6 - 3.5	_	74.4	D	D	_	100	_	345	_		_		
Global 70XT CF	83	3.1 - 4.5	2.7 - 4.4	4.0 - 4.6	77.1	С	D	D		_			-		+	
Global /UXT CF	83	3.1 - 4.5	2.7 - 4.4	4.0 - 4.6	//.1	U	U	D	100		345			-	+	

The flame pictures produced by the fires will differ according to the fuel used.

Weight Eco Wave (p. 7) Power Vent (p. 84) Weight Eco Glow (p. 7) Power Vent (p. 84) Interior Internal (inish (p. 8))												Wall panel (P. 9) Burner bed								
Weight	Eco W	Eco GI	Easy	Powe	Clear	Interio	⁰ L////,				Wall P	Burner	Burner be							
(kg)	ECO	\$	È	PV°	Option	Black	Cera- glass	Matt glass	Rib cast	Classic stone	Rib cast	Туре	Log set brown	Log set white	Stones white	Stones grey	Glass anthracite			
87	+	_	_	+	_	+	+	-	_	_	-	Vario Burner	+	-	-	_	_			
95	+	_	_	+	_	+	+	_	_	_	_	Vario Burner	+	_	_	_	_			
86	+	-	-	+	_	+	+	_	-	-	_	Vario Burner	+	-	-	-	-			
95	+	-	-	+	-	+	+	-	-	-	-	Vario Burner	+	-	-	-	_			
												1		1						
394	+	-	+	+	+	+	-	-	-	-	-	Vario Burner	+	-	-	-	-			
327	+	-	+	+	+	+	-	-	-	-	-	Vario Burner	+	-	-	-	-			
														ı						
72	+	-	-	+	-	-	+	-	-	-	-	Line Burner	+	-	-	-	-			
000												Dynamic Flame								
200	+	+	+	-	+	+	+	-	-	-	-	Burner® Dynamic Flame	+	-	-	-	-			
104 95	+	+	+	-	-	+	+	-	-	-	-	Burner® Dynamic Flame	+	-	-	-	-			
68	+	-	+	-	-	+	+	-	-	-	-	Burner®	+	-	-	-	-			
48	_	_	_	_	_	+	+	_	_	_	_	Line Burner	+	_	_	_	_			
91	_	_	_	_	_	+	_	_	_	_	_	Line Burner	+	_	_	_	_			
81	_	_	_	_	_	-	+	_	_	_	-	Line Burner	+	_	_	-	_			
0,																				
90	_	_	_	-	_	+	+	_	_	_	_	Line Burner	+	_	+	-	+			
95	_	-	_	-	_	+	+	-	-	-	-	Line Burner	+	-	+	-	+			
69	-	-	_	-	-	+	+	_	-	-	-	Line Burner	+	-	-	-	-			
90	-	-	-	-	-	+	+	-	-	-	-	Line Burner	+	-	-	-	-			
95	-	-	-	-	-	+	+	-	-	-	-	Line Burner	+	-	+	-	+			
50	-	-	-	-	+	-	+	-	-	-	-	Truflame Burner®	+	-	-	-	-			
90	-	-	-	-	+	+	+	-	-	+	-	Truflame Burner®	+	-	-	-	-			
103	-	-	-	-	+	+	+	-	-	+	-	Truflame Burner®	+	-	-	-	-			
94	-	-	-	-	-	+	+	-	-	-	-	Line Burner	+	-	+	-	+			
103	-	-	-	-	-	+	+	-	-	-	-	Line Burner	+	-	+	-	+			
70	-	-	-	-	+	+	+	-	-	+	-	Truflame Burner®	+	-	-	-	-			
101	-	-	-	-	+	+	+	-	-	+	-	Truflame Burner®	+	-	-	-	-			



DRU Verwarming B.V. PO Box 1021 | 6920 BA Duiven Ratio 8 | 6921 RW Duiven The Netherlands T. +31 (0)26 - 319 5 319 www.dru.nl

Drugasar Ltd. Deans Road | Swinton Manchester | M27 0JH United Kingdom T. +44 (0)161 - 793 8700 T. +32 (0)3 - 450 7000 www.drufire.co.uk

DRU Belgium Kontichsesteenweg 69/1 2630 Aartselaar Belgium www.drufire.be









DRU: Member of the Spartherm-Group

Subject to changes. The colours, appearance and flame pictures in this brochure may differ from reality. Nothing in this publication may be used without prior written consent from DRU Verwarming B.V.

SOCIAL MEDIA:
For further inspiration and information, please see one of our social media channels or scan the QR code









