



Forging Ahead

Named after the beautiful but enduring Norwegian mountain range, our stoves and fires come from 60 years' experience crafting innovative high performance heating products built for the harshest Arctic winters.



Beautifully Reliable

Each of our stoves begins its life in our foundry. Firing at up to 1500°C, furnaces melt down the raw materials to make high quality cast iron for our products.

Moulded with absolute precision for strength and longevity, the cast iron used in Dovre products has excellent durability and thermal qualities, radiating heat long after the fire has died.

Thanks to its versatile nature, cast iron can be crafted into a huge variety of shapes and textures, bringing beauty and presence to your interior whether traditional or contemporary. Whether you opt for wood or multi-fuel - your cast iron Dovre stove or fireplace will be built to the uncompromising standards you would expect from our Scandinavian heritage.

EXPERT RETAILER NETWORK & WARRANTY

Dovre products are only available from Expert Independent Retailers who will ensure your stove or fire is both appropriate for your home and fitted correctly. Your Dovre retailer will provide you with a Five Year Warranty for your new stove's castings and a Two Year Warranty on steel parts. Stoves purchased outside Dovre's Expert Retailer Network will carry a standard 1 Year non-extendable Warranty, or minimum statutory warranty for your country. For more information, see page 23.





Find your nearest expert retailer by visiting: dovre.co.uk/retailers

SEE OUR STOVES BEING BUILT

Watch our short film to see the typical journey of a Dovre stove, from the molten metal to the finished article: **dovre.co.uk/about**





Cast Iron Performance...

...made in our foundry, our stoves and fires are cast with absolute precision for exceptional heating performance.

ECODESIGN PLUS

All Dovre wood and multi-fuel stoves burn so cleanly, they meet Ecodesign air quality standards. These low emission products produce minimal levels of carbon monoxide (CO), nitrogen oxide (NOx), organic gaseous compounds (OGCs) and particulates (PMs).



EXTERNAL AIR SUPPLY

Many stoves in this brochure can be installed with an external air supply meaning they do not need to draw any air from the room. This potentially negates the need for an additional air vent, therefore minimising draughts.



CLEANBURN & AIRWASH SYSTEMS

Over the decades, Dovre products have been continuously developed to meet the toughest UK & European safety, efficiency, and emission standards. Today, many of our woodburning and multi-fuel stoves, as well as some of our fires, feature our cutting-edge Cleanburn and Airwash systems. This advanced combustion technology minimises environmental impact whilst delivering superb flame visuals with outstanding thermal efficiency.



HIGH EFFICIENCY

All models in this brochure burn wood or multi-fuel with outstanding efficiency, and are rated as either A or A+ energy class appliances according to European energy labelling standards. For more information on individual energy classes, see each appliance's product page.



WOOD AND MULTI-FUEL STOVES

Wood - When wood is burnt the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. Wood is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give up to twice the output of freshly felled timber but help avoid a build-up of tar in your flue. Hardwood logs are better still, as they will have around twice the calorific value of softwoods of equivalent weight.

Solid fuels - Anthracite and manufactured smokeless fuels can be burnt on multi-fuel models which feature a fixed or riddling grate. Please note, however, that bituminous coal or petroleum based fuels must never be used on your stove.

To be certain you are using the correct wood for your Dovre stove, look for the Woodsure Ready to Burn label.



URBAN AREA APPROVED

Our eco-focused approach to stove and fire design means that many models in this brochure are suitable for burning wood in urban areas. Independently tested, 250, Vintage and Sense models are all exempt from DEFRA smoke control restrictions in towns and cities*.



the cost of your product back! by registering your product online for your free extended warranty. See page 22 for details.







250

Multi-Fuel Stove

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Plus
- Approved for Smoke Control Areas*
 Weight: 79kg
- Nominal heat output: 4.9kW
- Heat output range: 2 7kW

- High efficiency: up to 77%
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 33cm
- Efficiency Class: A+















640WD & 760WD

Wood Stoves

- All cast iron construction
- Woodburner
- · Cleanburn and Airwash systems
- Ecodesign Plus
- Additional side door for loading
- Nominal heat output: 640WD: 9kW, 760WD: 11kW
- Heat output range: 640WD: 3 11kW, 760WD: 3.7 - 13kW
- High efficiency: 640WD: up to 80%,

760WD: up to 80.2%

- · External Air Supply
- · Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 640WD: 50cm, 760WD: 60cm
- Weight: 640WD: 158kg, 760WD: 180kg
- Efficiency Class: A+























Astroline 4

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Plus
- · Nominal heat output: 8kW
- Heat output range: 2.5 10kW
- High efficiency: up to 75%

- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 168kg 181kg
- Efficiency Class: A















Vintage 35 & 50

Wood Stoves

- All cast iron construction
- Woodburner
- · Cleanburn and Airwash systems
- Ecodesign Plus
- Approved for Smoke Control Areas* Flue diameter: 150mm
- · Nominal heat output: 35: 7kW, 50: 9kW
- · Heat output range: 35: 2.3-9kW, 50: 3 - 11kW

* When fitted with a Smoke Control Kit

- · High efficiency: 35: up to 83%, **50:** up to 84%
- External Air Supply
- · Top or rear flue exit
- Maximum log length: 35: 35cm, **50:** 50cm
- Weight: **35:** 125kg, **50:** 155kg
- Efficiency Class: A+





































Bold 300 & 400

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Plus
- Nominal heat output: 7kW
- Heat output range: 2.3 9kW
- High efficiency: up to 80%

- External Air Supply
- · Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: **300:** 130kg, **400:** 145kg
- Efficiency Class: A+

















Rock 350 & 500

- All cast iron construction
- Woodburner
- · Cleanburn and Airwash systems
- Ecodesign Plus
- Nominal heat output: **350:** 7kW, **500:** 9kW Maximum log length: **350:** 35cm,
- Heat output range: 350: 2.3 9kW, 500: 3 - 11kW
- Choice of tablet stand and wood box mounting options

- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 350: 35cm, 500: 50cm
- Weight: **350:** 110 125kg, **500:** 130kg
- Efficiency Class: A+























Sense 103 & 203

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Plus
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas*
 Efficiency Class:

- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg 125kg




















Technical Information

250 Multi-Fuel Stove




Product Codes

DV-250 Matt Black multi-fuel with riddling grate and Airwash system

DV250SCKIT Smoke control kit

640WD & 760WD Wood Stoves




Product Codes

Matt Black woodburner with Cleanburn & Airwash

Matt Black woodburner with Cleanburn & Airwash

Astroline 4 Wood Stove






Product Codes

DV-ASTRO4CB/P Matt Black coloured woodburner with pedestal base, Cleanburn and external air connection


Vintage 35 Wood Stove



DV-VIN35 Matt Black woodburner with Cleaburn & Airwash

DV-VINSCKIT Smoke Control Kit

Vintage 50 Wood Stove




Product Codes

DV-VIN50 Matt Black woodburner with Cleaburn & Airwash

DV-VINSCKIT Smoke Control Kit

Bold 300 Wood Stove

PAGE 14 - 15




Product Codes

DV-BOLD300 Bold 300, Matt Black on legs

Bold 400 Wood Stove

PAGE 14 - 15




Product Codes

DV-BOLD400 Bold 400, Matt Black on legs

Rock 350 & 500 Wood Stoves

PAGE 16 - 17




Product Codes

DV-ROCK350TB	Rock 350 with tablet stand, Matt Black
DV-ROCK350WB	Rock 350 with wood box, Matt Black
DV-ROCK500TB	Rock 500 with tablet stand, Matt Black
DV-ROCK500WB	Rock 500 with wood box, Matt Black

Sense 103 Wood Stove

PAGE 18 - 19




Product Codes

DV-SENSE103	Sense 103 with side windows, legs, Cleanburn & Airwash, Matt Black
DV-SNSESZKIT	Smoke Control Area Kit
DV-HS-SENSE	Heat Shield Kit

Sense 203 Wood Stove

PAGE 18 - 19



Product Codes

DV-SENSE203	Sense 203 box mounted, with side windows, Cleanburn & Airwash, Matt Black
DV-SNSESZKIT	Smoke Control Area Kit
DV-HS-SENSE	Heat Shield Kit

Correct Installation

An approved competent person of solid fuel installations should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at www.dovre.co.uk



Heat Shields

SENSE HEAT SHIFLDS

Dovre also offer a range of highly effective Heat Shields for Sense stoves. These fantastic additions reduce the distance to combustible materials at the rear and side of the stoves.

The Dovre Heat Shields not only maximise the available space within the room, but they also enable you to accommodate a wider range of materials in your interior design. For further information please speak to your local Dovre retailer.

Distances to combustible materials when fitted with Dovre Heat Shield:

Stove	Distance from Rear	Distance from Sides
Sense 103	100mm	500mm
Sense 203	100mm	500mm



Professional XQ Chimney Systems

Stovax (Dovre's distributor in the UK and Republic of Ireland) also offers a comprehensive range of stove and fireplace chimney systems, the Stovax Professional XQ™ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ™ range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind.

For further information or to request a brochure, contact your local retailer or visit

the cost of your product back!*

For further home inspiration you can view real life installations at our Customer Showcase page and share your thoughts and photos of your new stove or fire installation to enter our draw!

- · We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- · Gain a second entry by registering your product online for your free extended warranty at stovax.com/registration



"We are still over the moon that we won the competition"

View real life installations and submit your review at

stovax.com/customershowcase

* Terms and conditions apply. See online for details

Further Information

EXPERT RETAILER NETWORK

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

WARRANTY INFORMATION

Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts. The continuation of the warranty is dependent on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at www.dovre.co.uk. Fires purchased outside Dovre's Expert Retailer

Network will carry a standard 1 Year non-extendable Warranty, or minimum statutory warranty for your country.





PRODUCT IMPROVEMENT & SAFETY INFORMATION

Dovre reserves the right to amend any specifications herein or to make any product design changes.

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423 (latest edition) is used in the presence of young children, the elderly or infirm. Furthermore, by law all installations also require a Carbon Monoxide Monitor be supplied and fitted.

PHOTOGRAPHY & INSTALLATION

Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of stove finishes may vary from actual product. Please consult your Dovre retailer for more accurate colours.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with an approved competent person of solid fuel installations before proceeding. Certain settings in this brochure are dependent on the use of heat shields to reduce the required separation from combustible material. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.







DOVRE.CO.UK

UNITED KINGDOM & REPUBLIC OF IRELAND DISTRIBUTORS FOR DOVRE:

Stovax Limited, Spitfire Avenue, Skypark, Clyst Honiton, Exeter, Devon, EX5 2FR

Trade Sales Tel: 01392 474000 Email: dovre@stovax.com Export Sales Tel: +44 1392 261990
Email: exportsales@stovax.com

Find your retailer

Find your nearest expert retailer by visiting: www.dovre.co.uk/find-a-retailer



To view the complete range of brochures within the Stovax group, simply scan this code or visit www.stovax.com

can this

 Your local Dovre retailer:



DOVRE0224