

WOODBURNING & MULTI-FUEL STOVES



Our burning passion for creating beautiful stoves epitomises the fine craftsmanship and flair for design, which runs throughout our Danish heritage.

We focus on using quality construction and materials to bring both comforting warmth and an inviting atmosphere into your home.

VARDE stoves stand proudly at the forefront of contemporary stove design, employing the latest combustion technology to ensure breath-taking flame visuals, comforting warmth and complete ease of use.





Expert Retailer Network

We take great care to ensure that our stoves are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find VARDE products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future. Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a decision to purchase your VARDE Stove. Please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

5 Year Extended Warranty

VARDE Stoves purchased from within our Expert Retailer Network will have a Five Year Extended Warranty provided your stove is registered with VARDE. Further details of this warranty are on page 18.



What you get with a VARDE stove



Convection System

All VARDE stoves are based on a convection system that introduces cold air at the bottom of the stove and then releases heated air at the top. This special system promotes good air circulation and increases heat delivery to the room.



Cleanburn System

VARDE stoves feature a Cleanburn system that introduces pre-heated combustion air into the top of the firebox, increasing heat output and reducing the amount of soot particles.

Airwash System

By cleverly controlling the airflow within the stove, the glass is kept clear from soot, thus allowing an uninterrupted view of the beautiful rolling flame visuals.



External Air

Selected VARDE stoves feature a superb external air combustion facility. Taking combustion air from outside the building reduces draughts and greatly increases fuel economy to give you extra comfort in your home.



Smoke Control Area Approved

All VARDE Stoves, when fitted with the appropriate kit, have been approved for the burning of wood in DEFRA smoke control areas meaning that even the most urban of homes can benefit from this environmentally friendly fuel source.

UK

Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing the UKCA and CF marks.



<mark>Ecodesign</mark> Plus

The future has arrived. The stoves of tomorrow are here today.

Our eco-conscious approach to stove design means that all of our products are engineered to burn extremely cleanly in accordance with tough Ecodesign air quality standards.

Each model provides high efficiency, low emission heating thanks to our next generation combustion technology, which minimises carbon monoxide (CO), nitrogen oxide (NOx) organic gaseous

compounds (OGCs) and particulates (PMs) present in smoke. These Ecodesign Plus stoves represent the future of solid fuel home heating.

VARDE stoves are exempt from DEFRA smoke control areas (when fitted with the appropriate kit), providing a modern solution that is suitable for urban and rural homes alike.

All woodburning and multi-fuel stoves in this brochure burn with high thermal efficiency. Each stove in the range is subject to European energy labelling standards and are rated as A+ energy class appliances. For more information, see individual product pages.



A+





Aura Stoves



A welcoming warmth with superb flame visuals

The Aura range features high-quality cast iron doors, top plate, grate and base, alongside an integrated log store and options for both top and rear exit.







Large capacity ash pan



Ergonomically designed handles





Aura Stove Range



Aura 1 (pages 7 & 17)



Aura 1 has a large fire chamber with ample fuel storage space beneath the innovative door which opens when pressed gently.

See additional image on front cover

Dimensions: (H x W X D)	1000 x 500 x 420mm		
Woodburning:	\checkmark		
Multi-fuel:	X		
Weight:	104kg		
Heat Output:	5.0kW (3-7kW)		
Efficiency:	81%		
Energy Efficiency Class:	A+		

Aura 3 (pages 3 & 6)



At only 870mm high, the Aura 3 is the smallest stove in the Aura range, making it perfectly suited to more compact living spaces.

Dimensions: (H x W X D)	870 x 480 x 430mm		
Woodburning:	\checkmark		
Multi-fuel:	X		
Weight:	106kg		
Heat Output:	5.0kW (3-7kW)		
Efficiency:	81%		
Energy Efficiency Class:	A+		

Aura 11 (pages 4 & 9)



Though the largest in the range at 1100mm high, the Aura 11 has an elegant plinth for a light and contemporary look.

Dimensions: (H x W X D)	1100 x 500 x 420mm			
Woodburning:	\checkmark			
Multi-fuel:	X			
Weight:	113kg			
Heat Output:	5.0kW (3-7kW)			
Efficiency:	81%			
Energy Efficiency Class:	A+			







Shape 2 Stoves



Versatile heating options

The Shape 2 is offered as either a dedicated woodburning or multi-fuel model, and features a tall firebox with a curved window for a breathtaking flame view. These versatile stoves are available in either top or rear flue options and feature VARDE's AirBox system for an external air supply if required.




CLEANBURN A SYSTEM CLE

AIRWASH CLEAR GLASS

CONTROL



Dimensions:
(H x W X D)1020 x 520 x 410mmWoodburning:✓Multi-fuel:✓Weight:119kgHeat Output:5.0kW (3.5-6kW)Efficiency:82%Energy Efficiency Class:A+



Cast iron disc grate in base for easy ash removal

Please note, the blanking plate for VARDE Shape 2, VD-100473, is available as an optional extra.





Samso Stoves

Stylish aesthetics with innovative features

Available in both woodburning and multi-fuel models, Samso stoves present a stylish, flexible heating option. Combining clever engineering with contemporary aesthetics, these advanced stoves create an eye-catching centrepiece whilst providing exceptional performance. Both woodburning and multi-fuel models offer a superb view of the soaring flames, thanks to their expansive ceramic glass window and powerful Airwash system for uninterrupted visuals.









Dimensions: (H x W X D)	1000 x 490 x 350mm
Woodburning:	\checkmark
Multi-fuel:	\checkmark
Weight:	80kg
Heat Output:	5.0kW (3-7kW)
Efficiency:	Up to 83%
Energy Efficiency Class:	A+



Bornholm Stove



A welcoming warmth with superb flame visuals

Providing a panoramic view of the stunning flames, the Bornholm's burn chamber creates soaring visuals with Cleanburn and Airwash systems ensuring a high efficiency 5.5kW heat output.

This innovative stove features a door to the useful storage area in the stove's base section, allowing logs and accessories to be hidden out of sight.





Dimensions: (H x W X D)	1000 x 460 x 350mm
Woodburning:	\checkmark
Multi-fuel:	X
Weight:	85kg
Heat Output:	5.5kW (3-7kW)
Efficiency:	80%
Energy Efficiency Class:	A+




Side windows provide panoramic flame views





Technical Information



An approved competent person of solid fuel installations should undertake a site survey prior to purchase and must install any VARDE Stove for you. Your VARDE retailer will be able to advise and assist. You may view/download complete installation instructions at our website - www.VARDEstoves.com. These diagrams/dimensions cover some of the basic requirements. All stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation

in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting.



Optional External Air Connection - 80mm

External dimensions A x B x C (mm)	Centre of rear flue to bottom D (mm)	Rear edge to centre of flue E (mm)	Flue diameter Ø (mm)	Fitting height, top F (mm)	Weight (kg)
1000 x 500 x 420	830	150	150	970	104
870 x 480 x 430	710	170	150	870	106
1100 x 500 x 420	925	152	150	1100	113
1000 x 460 x 350	855	115	150	990	85
1000 x 490 x 350	855	115	150	990	80
1020 x 520 x 410	870	160	150	960	119
	dimensions A x B x C (mm) 1000 x 500 x 420 870 x 480 x 430 1100 x 500 x 420 1000 x 460 x 350 1000 x 490 x 350	dimensions A x B x C (mm) flue to bottom D (mm) 1000 x 500 x 420 830 870 x 480 x 430 710 1100 x 500 x 420 925 1000 x 460 x 350 855 1000 x 490 x 350 855	dimensions A x B x C (mm) flue to bottom D (mm) centre of flue E (mm) 1000 x 500 x 420 830 150 870 x 480 x 430 710 170 1100 x 500 x 420 925 152 1000 x 460 x 350 855 115 1000 x 490 x 350 855 115	dimensions A x B x C (mm) flue to bottom D (mm) centre of flue E (mm) diameter Ø (mm) 1000 x 500 x 420 830 150 150 870 x 480 x 430 710 170 150 1100 x 500 x 420 925 152 150 1000 x 460 x 350 855 115 150 1000 x 490 x 350 855 115 150	dimensions A x B x C (mm) flue to bottom D (mm) centre of flue E (mm) diameter Ø (mm) height, top F (mm) 1000 x 500 x 420 830 150 150 970 870 x 480 x 430 710 170 150 870 1100 x 500 x 420 925 152 150 1100 1000 x 460 x 350 855 115 150 990

Minimum rear distance to combustibles (mm)	Minimum side distance to combustibles (mm)	Minimum front distance to combustibles (mm)	Nominal Heat Output & Range (kW)	Efficiency (%)	Energy Efficiency Class
125	300	850	5.0 (3.0 - 7.0)	81	A+
125	300	850	5.0 (3.0 - 7.0)	81	A+
125	300	850	5.0 (3.0 - 7.0)	81	A+
300	450	1100	5.5 (3.0 - 7.0)	80	A+
WB: 200 / MF: 500	300	800	5.0 (3.0 - 7.0)	WB: 81 / MF: 83	A+
WB: 200 / MF: 250	WB: 250 / MF: 300	800	5.0 (3.5 - 6.0)	WB: 79 / MF: 82	A+
	distance to combustibles (mm) 125 125 125 300 WB: 200 / MF: 500	distance to combustibles (mm)distance to combustibles (mm)125300125300125300300450WB: 200 / MF: 500300	distance to combustibles (mm)distance to combustibles (mm)distance to combustibles (mm)1253008501253008501253008503004501100WB: 200 / MF: 500300800	distance to combustibles (mm) distance to combustibles (mm) Output & Range (kW) 125 300 850 5.0 (3.0 - 7.0) 125 300 850 5.0 (3.0 - 7.0) 125 300 850 5.0 (3.0 - 7.0) 125 300 850 5.0 (3.0 - 7.0) 125 300 850 5.0 (3.0 - 7.0) 300 450 1100 5.5 (3.0 - 7.0) WB: 200 / MF: 500 300 800 5.0 (3.0 - 7.0)	distance to combustibles (mm) distance to combustibles (mm) distance to combustibles (mm) Output & Range (kW) Efficiency (%) 125 300 850 5.0 (3.0 - 7.0) 81 125 300 850 5.0 (3.0 - 7.0) 81 125 300 850 5.0 (3.0 - 7.0) 81 125 300 850 5.0 (3.0 - 7.0) 81 300 450 1100 5.5 (3.0 - 7.0) 80 WB: 200 / MF: 500 300 800 5.0 (3.0 - 7.0) WB: 81 / MF: 83

WB: Woodburning model. MF: Multi-fuel model.

Important Information & Warranty

Please note that all parts of these stoves, particularly the glass panels in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all stove installations also require a Carbon Monoxide monitor.

VARDE reserves the right to amend any specifications herein or to make any product design changes. Please note that, due to studio lighting and the limitations of the printing process, colour reproduction may vary from actual product. Please consult your VARDE retailer for more accurate colours.

Given that building regulations are subject to change, some of the photography in the brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your approved installer before proceeding. When designing your own installation, please also observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

5 Year Extended Warranty

When you purchase your new stove from a VARDE Expert retailer they will provide you with a Five Year Extended Warranty provided your stove is registered with VARDE. Please note, these warranties exclude certain consumable parts. Stoves purchased outside VARDE's Expert Retailer Network will carry a standard 12 month non-extendable warranty. Full warranty terms and conditions are available to view at **www.vardestoves.com**



Additional Information

FOR HOMES WITHOUT A CHIMNEY!



Professional XQ[™] Chimney Systems

VARDE recommends the Stovax comprehensive range of stove & fireplace chimney systems, the Stovax Professional XQ™ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ[™] range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind.





HILLE FECHNVICAL COMPONENTS.





WALL BRACKETS



STRUCTURAL LOCKING BANDS



135° TEES



ADJUSTABLE WALL SLEEVES



WALL SUPPORT & SPIGOT ASSEMBLY



SINGLE TO TWIN ADAPTOR

the cost of your product back!*

For further home inspiration you can view real life installations on the Stovax Customer Showcase page (VARDE's distributor in the UK and Republic of Ireland), and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on the Stovax Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- Gain a second entry by registering your product online for your free extended warranty at stovax.com/registration

View real life installations and submit your review at stovax.com/customershowcase



'We are still over the moon that we won the competition"

"It looks fantastic"

* Terms and conditions apply. See online for details

18







United Kingdom & Republic of Ireland distributors for VARDE:

Stovax Limited Spitfire Avenue, Skypark, Clyst Honiton, Exeter, Devon, England EX5 2FR

UK Trade Sales Tel: 01392 474000 Export Trade Sales Tel: 00 44 1392 261990 Email: VARDE@stovax.com

vardestoves.com

Paper sourced from sustainable forests and printed using vegetable based inks © All material Stovax Limited 2024 E&OE

Find Your Local Expert Retailer



Find your nearest retailer by visiting: vardestoves.com/retailers

Your VARDE Retailer:

