




High quality and innovative electric fires

GO GREEN - GO eferno



**eferno**  
High quality and innovative electric fires  
GO GREEN - GO eferno

BRITISH INNOVATION



4	Outstanding <b>eferno</b> standard features
5	<b>eferno</b> controls
6	Hand crafted genuine hardwood log sets as standard
7	<b>eferno</b> control options
8-9	<b>eferno</b> 15 pre-set fire scenes
10	<b>eferno</b> Mood lighting
11	<b>eferno</b> Option of 1, 2 or 3 glass panel viewing
<hr/>	
12-13	<b>eferno</b> Azar FD Range
14-15	<b>eferno</b> Azar 750-FD
16-17	<b>eferno</b> Azar 750-FD
18-19	<b>eferno</b> Azar 750-FD
20-21	<b>eferno</b> Azar 1000-FD
22-23	<b>eferno</b> Azar 1000-FD
24-25	<b>eferno</b> Azar 1250-FD
26-27	<b>eferno</b> Azar 1250-FD
28-29	<b>eferno</b> Azar 1500-FD
30-31	<b>eferno</b> Azar 1500-FD
32-33	<b>eferno</b> Azar 1500-FD
34-35	<b>eferno</b> Azar 1800-FD
<hr/>	
36-37	<b>eferno</b> Egan SL Range
38-39	<b>eferno</b> Egan 570-SL
40-41	<b>eferno</b> Egan 645-SL
42-43	<b>eferno</b> Egan 750-SL-L
44-45	<b>eferno</b> Egan 750-SL-T
<hr/>	
46-47	<b>eferno</b> Alinta Range
48-49	<b>eferno</b> Alinta 16 Series
<hr/>	
50-51	<b>eferno</b> Phoenix Range
52-53	<b>eferno</b> Phoenix 555-T stove
<hr/>	
54-55	Important Information



# Welcome to **eferno**














A new range of high-quality and innovative electric fires carefully designed to give probably the most realistic looking fire of its type available today, with superb and versatile controllability using either manual control, handheld remote control, or specially developed **eferno** Smart Control APP control with an extensive range of special features offered as standard.

The **eferno** range has been designed to offer many configurations and sizes, enabling a stunning focal point to almost any room, including a range of complimentary fireplace suites that can be simply installed onto a flat wall. With Global warming and ever-present pollution, there has never been a more urgent time to consider an **eferno** electric fire as a more environmentally friendly solution and making it a perfect choice for a high quality and extremely realistic fire that can be enjoyed for many years to come.

BRITISH INNOVATION



## Advantages of **eferno** electric fires:

-  No requirement for a chimney
-  Zero heat loss through the chimney as not required
-  Economical installation costs when compared to gas and solid fuel appliances
-  More environmentally friendly as zero combustion from the appliance
-  Healthier internal and external environment when compared to solid fuel stoves
-  Lower maintenance and service costs compared to gas and solid fuel appliances
-  More versatility to the installation position, all that is needed is a suitable and serviceable mains power socket nearby and a suitable flat wall
-  Realistic flame and log effect
-  Versatile control
-  Very low running costs to the flame and log effect
-  High efficiency

To view all **eferno** fires  
scan the QR Code.



## Outstanding eferno standard features



eferno all in 1 design with the option of 1, 2 or 3 viewing windows to most models depending on the configuration required.



eferno Energy efficient LED'S used for the flame, ember bed, shimmer lights and log down lights with very low running costs.



eferno innovative, highly realistic, and high-definition flame technology.



eferno High Tech PTC fan heater with the benefit of improved safety and efficiency. (Supplied as standard to the Azar, Egan & Phoenix range).



eferno flame synthesis technology.  
Allows flame colour mixing with brightness control.  
Ultimate realism creating probably the most realistic fires on the market today.



eferno range of 15 flame colours with brightness control.  
15 ember colours with brightness control.  
15 downlight colours with brightness control.  
Flickering fuel bed for ultimate realism.



eferno Shimmer light technology creating the illusion of various front logs to glow orange and then fade at preset intervals emulating a shimmering natural log burning fire, all automatically controlled.



eferno Premium hand-crafted genuine kiln dried hard wood logs for ultimate realism, with a choice of either Woodland Oak or Forest Ash log sets.  
Mixture of ember bed crystals and bark chippings.

## eferno controls

Each fire has the option of being controlled by either using the manual controls, handheld remote control, or eferno App control.



### eferno Manual control features:

- On / Off switch.
- Standby key.
- Mode key. Scrolls through a selection of pre-programmed fire scene effects.
- Brightness Key: Simultaneously controls the brightness to the flame, ember bed and log down lights.
- Heat Key: Switches on the fan heater with a choice of low or high setting.



### eferno Remote control features:

- 15 Independent colour settings to the flame, ember bed and log down lights.
- Simultaneous brightness control.
- Selection of 4 Flame speeds.
- Automatic front log shimmer control on / off.
- Selection of 6 crackling sounds.
- Crackling sound volume control.
- Selection of 15 pre-programmed fire scenes.
- Demo function automatically scrolls through different fire scenes.
- High and low heat settings.
- Temperature control.
- Adaptive control.



### eferno App control Features in addition to the hand - held remote features:

- eferno Smart Control App. Easy to use iOS and Android App with advanced features giving the ultimate control. (Download required). Amazon Alexa compatible.
- eferno App technology enables ultimate control to the flame, log and ember bed enabling colour changes through an easy-to-use colour spectrum wheel giving extensive colour possibilities depending on the user's preference.
- eferno App independent control of brightness to the flame, ember bed and log down lights.
- eferno App flame synthesis technology. Enables various colours to be mixed with the default orange colour flame allowing the user to create extensive exciting flame colours. Both can be independently controlled for brightness.
- eferno App 7-day programmable control.
- eferno App Sync control synchronises the colour of the flame, ember bed and log down lights.



### eferno Optional extras:

- eferno LED mood lighting kit, with the option of hand-held remote or App controlled. (Exception Alinta Models).
- Anti reflective glass.
- Simulated flue pipe to the Phoenix stove range.



### Peace of mind:

- Safety tested to the latest CE, UK/CA standards.
- UK/CA approved.
- The glass used to manufacture the front and side panels independently tested to British Standards.
- 3 Year guarantee \* Subject to terms and conditions. (Go to our website [www.newmanfireplaces.co.uk](http://www.newmanfireplaces.co.uk) for full details).



Hand crafted genuine hardwood log sets as standard



Premium **eferno** hand-crafted Woodland Oak logs



Premium **eferno** hand-crafted Forest Ash logs



## eferno control options

All **eferno** fires are supplied with manual controls, a hand-held remote control plus the ability to use the highly controllable **eferno** Smart Control App (Download required).

Manual control



Handheld remote-control



**eferno** APP



# eferno 15 pre-set fire scenes



All **eferno** fires have the facility to select from 15 preset fire scenes, in conjunction with the pre-set scene the Shimmer lights can also be selected giving potentially a staggering 30 scene options, examples of the 15 fire scenes and examples with the Shimmer lights selected shown below.



To view all **eferno** flame colours scan the QR Code.



MO-1 Orion with Shimmer lights selected



MO-2 Rigel



MO-3 Triton with Shimmer lights selected



MO-7 Callisto with Shimmer lights selected



MO-8 Andromeda with Shimmer lights selected



MO-9 Thalassa with Shimmer lights selected



MO-4 Proteus



MO-4 Proteus with Shimmer lights selected



MO-5 Vela



MO-10 Cosmos



MO-11 Antlia with Shimmer lights selected



MO-12 Markarian with Shimmer lights selected



MO-5 Vela with Shimmer lights selected



MO-6 Tucana



MO-7 Callisto



MO-13 Centaurus with Shimmer lights selected



MO-14 Malin with Shimmer lights selected



MO-15 Sagitta with Shimmer lights selected



The eferno Azar EL-FD range, Egan EL-SL range and Phoenix stove range are available with an LED mood lighting kit as an optional extra, powered direct from the appliance. Easily controlled by an independent hand-held remote control or App giving versatility of thousands of mood lighting configurations. Ideal if you wish to create ambient mood lighting to media walls, fireplaces, and other suitable structures.

Examples of how LED mood lighting can be used

Fireplace lower hearth mood lighting



Fireplace shelf mood lighting



Media wall mood lighting surrounding TV



Chamber mood lighting



Most of the eferno electric fire range is supplied as standard with a versatile interchangeable glass viewing area allowing a 1-sided, 2-sided, or 3-sided glass viewing window configuration to cater for many installation options.\*

1-Sided



2-Sided



3-Sided



\* Exception: Egan 570-SL, front viewing only. Alinta inset models front viewing only. Phoenix 555-T stove supplied with 3-sided viewing windows as standard.



love my fire ...

## eferno Azar FD Range

- Full depth fires offered in a range of sizes to suit almost any room.
- Ideal for installation into a suitable false media wall or chimney breast.
- Possibility to install into a suitable conventional chimney subject to dimensions.
- Each appliance is supplied with a manual control, hand-held remote control, and facility for App control.
- eferno 1, 2 or 3 viewing windows depending on the configuration required all from 1 fire.
- eferno Complete range of outstanding standard features. (See pages 4 - 5)
- eferno High Tech PTC fan heater with the benefit of improved safety and efficiency. (1000 – 2000)w.
- eferno Genuine hand-crafted wood logs option of: Woodland Oak or Forest Ash.
- eferno Outstanding realism to the flame effect.
- eferno Outstanding Shimmer light technology brings the fire ALIVE creating the illusion of various front logs to gradually glow orange and then fade at preset intervals emulating a shimmering natural log burning fire, all automatically controlled.
- Running costs approximately from only 1.3 pence per hour depending on the eferno model. \*
- CE, UK/CA approved.
- eferno Azar FD models are available separately.
- Fireplace suites compatible with various Azar FD models for FLAT WALL FIX are available as shown within this brochure.

View our full range of fireplaces in our Newman Fireplace Designer Collection brochure or go to [www.newmanfireplaces.co.uk](http://www.newmanfireplaces.co.uk) many designs can be adapted by our stone masons to accommodate many of the Azar-FD electric fires.

\*Refer to page 54.

### Optional extras:

- eferno LED mood lights powered direct from the appliance.



Option of 1, 2 or 3 viewing windows



eferno energy efficient LED'S



eferno high-definition flame technology.



eferno High Tech PTC fan heater



eferno flame synthesis technology



eferno range of 15 flame colours with brightness control.



eferno shimmer light technology



eferno premium hand-crafted genuine kiln dried hard wood logs



eferno manual controls



eferno remote controls



eferno App controls



eferno peace of mind CE, UK/CA approved






# eferno Azar 750-FD

1-sided glass configuration shown installed into a false chimney breast.

## Dimensions Azar 750-FD



Model	A	B	C	D	E	F	G	H
Azar 750-FD	750	650	180	865	754	320	100	115

Running costs from 1.3 pence / hr.\* (Refer to page 54)








# eferno Azar 750-FD

Example shown installed into the Cotswold 1372 and a conventional chimney.


## Dimensions Azar 750-FD



Model	A	B	C	D	E	F	G	H
Azar 750-FD	750	650	180	865	754	320	100	115

Running costs from 1.3 pence / hr.\* (Refer to page 54)

## Dimensions Cotswolds



Model	A	B	C	D	E	F	G	H	J
Cotswold 1372	1372	256	1372	400	1182	835	800	1250	25
Cotswold 1524	1524	256	1424	400	1182	835	952	1402	25

## Cotswold - fireplace features

- Manufactured in Bella Crème natural limestone.
- High quality seamless construction. \*(Refer to page 54)
- Hearth and slips available in matching Bella Crème or Granite.






# eferno Azar 750-FD

Example shown with our Dartmoor 1524mm (60)" wide Inglebeam.  
Go to [www.newmanfireplaces.co.uk](http://www.newmanfireplaces.co.uk) to see our full range of Inglebeams available in various styles, sizes, and colours.

## Dimensions Azar 750-FD



Model	A	B	C	D	E	F	G	H
Azar 750-FD	750	650	180	865	754	320	100	115

Running costs from 1.3 pence / hr.\* (Refer to page 54)






# eferno Azar 1000-FD

3-sided glass configuration shown installed into the Stylist 1372 FLAT WALL FIX.


## Dimensions Azar 1000-FD



Model	A	B	C	D	E	F	G	H
Azar 1000-FD	1000	445	180	692	1004	321	110	147

Running costs from 1.4 pence / hr.\* (Refer to page 54)

## Dimensions Stylist 1372



Model	A	B	C	D	E	F	G
Stylist 1372	1372	390	460	1372	895	1015	455

## Stylist 1372 - fireplace features

- Flat wall fix, no chimney recess required.
- Manufactured in Polar White micro marble.
- High quality seamless construction. \*(Refer to page 54)






# eferno Azar 1000-FD

3-sided glass configuration shown installed into a purpose-built false chimney breast.

## Dimensions Azar 1000-FD



Model	A	B	C	D	E	F	G	H
Azar 1000-FD	1000	445	180	692	1004	321	110	147

Running costs from 1.4 pence / hr.\* (Refer to page 54)






# eferno Azar 1250-FD

3-sided glass configuration shown installed into a purpose made false chimney breast and hearth.

## Dimensions Azar 1250-FD



Model	A	B	C	D	E	F	G	H
Azar 1250-FD	1250	449	180	704	1252	320	110	145

Running costs from 1.5 pence / hr.\* (Refer to page 54)






# eferno Azar 1250-FD

2-sided glass configuration shown installed into a purpose made false chimney breast and hearth.

## Dimensions Azar 1250-FD



Model	A	B	C	D	E	F	G	H
Azar 1250-FD	1250	449	180	704	1252	320	110	145

Running costs from 1.5 pence / hr.\* (Refer to page 54)






# eferno Azar 1500-FD

3-sided glass configuration shown installed into a purpose made media wall.

## Dimensions Azar 1500-FD



Model	A	B	C	D	E	F	G	H
Azar 1500-FD	1498	445	180	701	1502	321	110	147

Running costs from 1.8 pence / hr.\* (Refer to page 54)

Image shown with the eferno LED mood lights (available as an optional extra) installed around the TV.






# eferno Azar 1500-FD

3-sided glass configuration shown installed into the Stylist 1950 FLAT WALL FIX.


## Dimensions Azar 1500-FD



Model	A	B	C	D	E	F	G	H
EL 1500-FD	1498	445	180	701	1502	321	110	147

Running costs from 1.8 pence / hr.\* (Refer to page 54)

## Dimensions Stylist 1950



Model	A	B	C	D	E	F	G
Stylist 1950	1950	390	460	1950	940	1508	455

## Stylist 1950 - fireplace features

- Flat wall fix, no chimney recess required.
- Manufactured in Polar White micro marble.
- High quality seamless construction. \*(Refer to page 54)
- Image shown with the optional extra eferno LED mood lights to the hearth recess.







## eferno Azar 1500-FD

3-sided glass configuration and the Stylist 1950 FLAT WALL FIX in a modern room setting.  
for measurements please see page 30






# eferno Azar 1800-FD

3-sided glass configuration shown installed into a false chimney breast.

## Dimensions Azar 1800-FD



Model	A	B	C	D	E	F	G	H
Azar 1800-FD	1800	445	180	704	1802	328	110	150

Running costs from 2 pence / hr.\* (Refer to page 54)





## eferno Egan SL Range



- Slimline fires available in a range of sizes.
- Ideal for flat wall installation using one of our purpose-built fireplaces.
- Ideal for installation into a suitable false media wall or chimney breast.
- Ideal for installation into a suitable conventional chimney.
- Each appliance is supplied with manual control, hand-held remote control, and facility for App control.
- eferno 1, 2 or 3 viewing windows depending on the configuration required all from 1 fire. (Exception Egan 570-SL front viewing window only).
- eferno Complete range of outstanding standard features. (See pages 4 - 5) Exception note above.
- eferno High Tech PTC fan heater with the benefit of improved safety and efficiency. (650 – 1300) w.
- eferno Genuine hand-crafted wood logs option of: Woodland Oak or Forest Ash.
- eferno Outstanding realism to the flame effect.
- eferno Outstanding Shimmer light technology brings the fire ALIVE creating the illusion of various front logs to gradually glow orange and then fade at preset intervals emulating a shimmering natural log burning fire, all automatically controlled.
- Running costs from approximately only 1.0 pence per hour depending on the eferno model. \*
- CE, UK/CA approved.
- eferno Egan SL models are available separately.
- Fireplace suites compatible with various Egan-SL models for FLAT WALL FIX are available as shown within this brochure.

View our full range of fireplaces in our Newman Fireplace Designer Collection brochure or go to [www.newmanfireplaces.co.uk](http://www.newmanfireplaces.co.uk) many designs can be adapted by our stone masons to accommodate many of the Egan SL electric fires.

\*Refer to page 54.

### Optional extras:

- eferno LED mood lights powered direct from the appliance.



Option of 1, 2 or 3 viewing windows  
Exception Egan 570-SL



eferno energy efficient LED'S



eferno high-definition flame technology.



eferno High Tech PTC fan heater



eferno flame synthesis technology



eferno range of 15 flame colours with brightness control.



eferno shimmer light technology



eferno premium hand-crafted genuine kiln dried hard wood logs



eferno manual controls



eferno remote controls



eferno App controls



eferno peace of mind CE, UK/CA approved



love my fire ...




# eferno Egan 570-SL

**Slim depth ideal for suitable flat wall fix fireplaces.**

Example shown installed into the Alcludia 1220 FLAT WALL FIX.


## Dimensions Egan 570-SL



Model	A	B	C	D	E	F	G	H
Egan 570-SL	570	570	90	753	572	160	102	79.5

Running costs from 1.0 pence / hr.\* (Refer to page 54)

## Dimensions Alcludia



Model	A	B	C	D	E	F	G	H	J
Alcludia 1220	1220	295	1220	410	1085	815	775	1115	190
Alcludia 1372	1372	305	1372	410	1160	835	842	1252	190

## Alcludia - fireplace features

- Manufactured in Bella Crème natural limestone.
- High quality seamless construction. \*(Refer to page 54)
- Available in 1220 and 1372mm wide options.
- Hearth and slips available in matching Bella Crème or Granite.






# eferno Egan 645-SL

**Slim depth ideal for suitable flat wall fix fireplaces.**

Example shown installed into the Hurricane 1372.


## Dimensions Egan 645-SL



Model	A	B	C	D	E	F	G	H
Egan 645-SL	645	645	90	828	647	160	102	79.5

Running costs from 1.1 pence / hr.\* (Refer to page 54)

## Dimensions Hurricane 1372



Model	A	B	C	D	E	F	G	H	J
Hurricane 1372	1372	220	1372	410	1100	800	802	1232	25

## Hurricane 1372 - fireplace features

- Manufactured in Polar White micro marble.
- High quality seamless construction. \*(Refer to page 54)






# eferno Egan 750-SL-L

**Slim depth ideal for suitable flat wall fix fireplaces.**

Example shown installed into a 1220 Zonda fireplace.


## Dimensions Egan 750-SL-L



Model	A	B	C	D	E	F	G	H
Egan 750-SL-L	745	410	90	652	747	160	92	149

Running costs from 1.2 pence / hr.\* (Refer to page 54)

## Dimensions Zonda



Model	A	B	C	D	E	F	G	H
Zonda 1220	1120	130	1220	300	860	520	860	25
Zonda 1372	1272	130	1372	300	895	515	972	25

## Zonda - fireplace features

- Available in 1220 and 1372 wide versions.
- High quality seamless construction. \*(Refer to page 54)
- Compact fireplace ideal for smaller rooms.






# eferno Egan 750-SL-T

**Slim depth ideal for suitable flat wall fix fireplaces.**

Example shown installed into the Burrington 1270 FLAT WALL FIX fireplace.


## Dimensions Egan 750-SL-T



Model	A	B	C	D	E	F	G	H
Egan 750-SL-T	750	705	90	888	752	160	102	79.5

Running costs from 1.2 pence / hr.\* (Refer to page 54)

## Dimensions Burrington 1270



Model	A	B	C	D	E	F	G	H	J
Burrington 1270	1270	290	1270	280/460	1091	824	803	1123	186

## Burrington 1270 - fireplace features

- Flat wall fix, no chimney recess required.
- Manufactured in Polar White micro marble.
- High quality seamless construction. \*(Refer to page 54)
- Image shown with the eferno LED mood lights installed to the fireplace shelf.



## eferno Alinta Range

- Alinta 16-W suitable for fireplaces with a minimum 85mm rebate.
- Alinta 16-ST suitable for fireplaces with a minimum 80mm rebate.
- Ideal for FLAT WALL fixing when used in conjunction with a suitable fireplace.
- Alinta available in our standard size or an extra wide version.
- Both Alinta models compatible with a standard 16" x 22" fireplace fire opening.
- Ideal for installation into a suitable false media wall or chimney breast.
- Ideal for installation into a suitable conventional chimney.
- **eferno** Full range of outstanding standard features with exception to 1-sided front viewing configuration only and a thermal cut out safety system to the 750 – 1500 w fan heater. (See pages 4 - 5).
- **eferno** The appliance is supplied with manual control, hand-held remote control, and facility for App control.
- **eferno** Genuine hand-crafted wood logs, option of: Woodland Oak or Forest Ash.
- **eferno** Outstanding realism to the flame effect.
- **eferno** Outstanding Shimmer light technology brings the fire ALIVE creating the illusion of various front logs to gradually glow orange and then fade at preset intervals emulating a shimmering natural log burning fire, all automatically controlled.
- Running costs from approximately only 0.9 pence per hour depending on the **eferno** model. \*
- All **eferno** Alinta models are available separately.
- CE, UK/CA approved.

View our full range of fireplaces in our Newman Fireplace Designer Collection brochure or go to [www.newmanfireplaces.co.uk](http://www.newmanfireplaces.co.uk) many designs can be adapted by our stone masons to accommodate the Alinta range of electric fires.

\*Refer to page 54.

### Optional extras:

- Trim and fire front fascia finish in either: Titanium, Stainless Steel or Brass.



**eferno** energy efficient LED'S



**eferno** high-definition flame technology.



**eferno** thermal safety fan heater



**eferno** flame synthesis technology



**eferno** range of 15 flame colours with brightness control.



**eferno** shimmer light technology



**eferno** premium hand-crafted genuine kiln dried hard wood logs



**eferno** manual controls



**eferno** remote controls



**eferno** App controls



**eferno** peace of mind CE, UK/CA approved



*love my fire ...*






# eferno Alinta 16 series

**Slim depth ideal for suitable flat wall fix fireplaces.**

Example shown with the Alinta 16-W installed into the Tudor 1372 fireplace.

## Dimensions Alinta 16-ST and 16-W




Model	A	B	C	D	E	F
ALINTA 16-ST	495	602	70	121	545	391
ALINTA 16-W	645	605	75	126	545	391

Running cost Alinta 16-ST from 0.9 pence / hr.\* (Refer to page 54)

Running cost Alinta 16-W from 1 pence / hr.\* (Refer to page 54)

## Dimensions Tudor



Model	A	B	C	D	E	F	G	H	J	K
Tudor 1220	1220	215	1220	400	1085	735	748	1108	25	785
Tudor 1372	1372	215	1372	400	1185	795	830	1252	25	855

## Tudor - fireplace features

- Manufactured from natural Bella Crème limestone.
- Available in 1220 and 1372 wide versions.
- High quality seamless construction. \*(Refer to page 54)
- Hearth and slips available in matching Bella Crème or Granite.



# eferno Phoenix Range



- Premium stove with panoramic front and side viewing windows.
- Designed with an integral fan-heater achieving superb realism and cleaner lines compared to many stoves on the market that have an exposed fan heater mounted below the stove.
- Ideal for installation within suitable conventional chimneys and fireplaces.
- Ideal for installation into a suitable false media wall or chimney breast.
- eferno Complete range of outstanding standard features. (See pages 4 - 5).
- eferno The appliance is supplied with manual control, hand-held remote control, and facility for App control.
- eferno High Tech PTC fan heater with the benefit of improved safety and efficiency. (750 – 1500) w.
- eferno Genuine hand-crafted wood logs, option of: Woodland Oak or Forest Birch.
- eferno Outstanding realism to the flame effect.
- eferno Outstanding Shimmer light technology brings the fire ALIVE creating the illusion of various front logs to gradually glow orange and then fade at preset intervals emulating a shimmering natural log burning fire, all automatically controlled.
- Running costs from approximately only 0.9 pence per hour depending on the eferno model. \*
- eferno Phoenix 555-T stove is available separately.
- CE, UK/CA approved.

View our full range of fireplaces in our Newman Fireplace Designer Collection brochure or go to [www.newmanfireplaces.co.uk](http://www.newmanfireplaces.co.uk) many designs can be adapted by our stone masons to accommodate many of the Phoenix electric fires.

\*Refer to page 54.

### Optional extras:

- eferno LED mood lights powered direct from the appliance.



love my fire ...



3 viewing windows



eferno energy efficient LED'S



eferno high-definition flame technology.



eferno High Tech PTC fan heater



eferno flame synthesis technology



eferno range of 15 flame colours with brightness control.



eferno shimmer light technology



eferno premium hand-crafted genuine kiln dried hard wood logs



eferno manual controls



eferno remote controls



eferno App controls




eferno peace of mind CE, UK/CA approved



# eferno Phoenix 555-T stove

Example shown installed into the Catalonia 1372 fireplace with optional extra mood lights to the chamber.


## Dimensions Phoenix 555-T



Model	A	B	C	D	E
PHOENIX 555 -T	555	307	575	600	26

Running costs from 0.9 pence / hr.\* (Refer to page 54)

## Dimensions Catalonia



Model	A	B	C	D	E	F	G	H	J
Catalonia 1372	1372	203-173	1372	406	1235	915	915	1266	45

## Catalonia - fireplace features

- Manufactured from natural Bella Crème limestone.
- High quality seamless construction. \*(Refer to page 54)
- Hearth and slips available in matching Bella Crème or Granite.
- Genuine marble mosaic chamber panels. (Option of other chamber designs).





# Important Information

- All **eferno** electric fires and mood lights must be installed by a suitably qualified and competent electrician to all relevant and current Building Regulations, any Rules in Force, and the manufacturer's instructions.
- All products are either protected by patents, registered design, copyrights, and intellectual property rights. Newman Fireplaces Ltd will protect these rights.
- All specifications are subject to change without prior notice.
- All goods should be inspected for quality and damage before installation, no refunds will be given regarding this after the product is installed.
- The **eferno** electric fires shown in this brochure have been designed to offer an outstanding simulated log effect that can be enjoyed all year round, the built in fan heaters are not suitable as a primary heat source, although they may provide a secondary heat source to the room the fire is installed, this can vary widely depending on the size of room and how well the room is insulated therefore no guarantees can be made to the effectiveness to the room temperature when the fan heater is used.
- We pride ourselves with detailed inspection and selection of each and every raw stone block we use for fireplace manufacture and every process thereafter, however stone is a natural material and variation will occur, this will include shading, veining, fossils, and crystal markings etc. This is the beauty of natural stone and sets it apart from a man-made counterpart.
- Every effort has been made to show correct colour representation, although no guarantees can be given due to the printing process. Customers are advised to view all products and samples at their fireplace retailer.
- The flame, ember bed and log picture to any **eferno** appliance will always be more vibrant in a darker room the same as any real wood burning fire.
- It is strongly recommended that your selected retailer surveys your intended installation site and all relevant items before purchasing any of our products.
- All of our Fireplace products must be installed by a suitably qualified, competent, and experienced installer complying with all relevant and current Building Regulations, any Rules in Force, and the manufacturer's instructions.
- Any description used to any product or within this brochure is in the view of the editor only and must not be used as a factual statement.
- All dimensions are in millimetres and are approximate.
- Any ancillary item shown in this brochure including ornaments and furnishing etc are not available and is not part of any electrical appliance or fireplace sale.
- We supply only to a selected network of fireplace and electric fire retail specialists within the UK. This has the advantage of viewing some of our products usually within close proximity to where you live. Also, the dealer can offer professional advice and surveys for your chosen product giving you total piece of mind, a very important part of any electric fire and fireplace purchase.
- Newman Fireplaces Ltd always strive for continued improvement, therefore, designs and products are occasionally altered or discontinued without prior notice (a reserved right). It is advised that you contact your fireplace / electric fire retailer for advice on any known changes before commencing, planning, or carrying out any associated works for your intended purchase.
- It is advised that when any natural stone fireplace has fully dried after installation, that all surfaces are sealed with a suitable stone sealer. Ask your fireplace dealer for advice.

\*The running cost quoted within this brochure are calculated using the value of 27.93p/kwh, this is the current rate set by most energy suppliers at the time this brochure went to print, (please check your energy bill to confirm), however this is subject to change by the Energy companies at any time with or without prior notice, if using a slot meter supply or anything other than a standard billed meter reading the running costs will be significantly different to those quoted depending on the tariff you have been given, we suggest that you check this tariff before purchasing any **eferno** appliance. The running cost has been calculated with the flame and effect functions switched on excluding the fan heater and any optional extra mood lighting to each appliance.

E&OA. © 2024 Newman Fireplaces Ltd.



*love my fire ...*