

The background of the entire page is a dynamic, abstract image of flames in shades of orange, yellow, and red, with wispy smoke-like patterns.

FLAVEL

At the heart of your home

Gas Fires
2025



BRITISH MANUFACTURING





At the heart of your home

Welcome to Flavel



BFM Europe
BRITISH FIRE MANUFACTURERS

Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Flavel branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



At Flavel, we understand the importance of creating a stylish and relaxing living space. That's why we've designed this affordable collection of gas fires to suit all tastes and lifestyles. Our success comes from combining innovative design, advanced technology, and top-quality manufacturing standards. With this confidence, all Flavel gas fires come with a 5-year warranty, reflecting our commitment to quality and durability.

This brochure has been designed to make the purchase of your new Flavel gas fire as simple as possible. I hope you will find it both informative and inspiring.



Flavel gas fires carry a 5 year warranty, subject to terms and conditions.



Flavel products are fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.

bsi. Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.



Tested & Approved
Conforms to GB legislation

Guide to efficiencies and fire types..... 6-7

Before you Begin - guide to icons 8-9

high efficiency

Conventional Flue

Fireplace Suites – Glass Fronted

Sophia Suite 10

Wall Inset – Glass Fronted

Rocco HE 12

Jazz HE 13

Diamond HE 14-15

Windsor Contemporary HE..... 16

Wall Inset – Open Fronted

Windsor Contemporary Plus 17

Hearth Inset – Glass Fronted

Romance.....18-19

Caress HE.....20

Decadence HE21

Kenilworth HE 22

Linear HE 23

Windsor Contemporary HE..... 24

Windsor Traditional HE 25

Hearth Inset – Open Fronted

Richmond Plus & Richmond..... 26

Caress Plus 27

Calypso Plus 28

Rhapsody Plus 29

Decadence Plus 30

Linear Plus 31

Kenilworth Plus 32

Expression Plus 33

Windsor Contemporary Plus 34

Windsor Traditional Plus..... 35



Rocco HE

Hearth Outset – Glass Fronted

Emberglow 36

Renoir 37

Hearth Outset – Open Fronted

Strata..... 38

Misermatic..... 39

Renaissance..... 40

Firenza 41

Regent 42

Balanced Flue

Fireplace Suites – Glass Fronted

Sophia Slimline BF Suite..... 11

Wall Inset – Glass Fronted

Rocco BF 12

Jazz BF 13

Hearth Outset – Glass Fronted

Emberglow BF 32

Hearth Inset – Glass Fronted

Orchestra BF 43

Calibre BF 44



Calibre BF

standard fires

Conventional Flue

Wall Inset – Open Fronted

Windsor Contemporary 45

Hearth Outset – Open Fronted

Regent LFE..... 49

Hearth Inset – Open Fronted

Caress Slimline 46

Waverley 47

Windsor Contemporary,
& Traditional 48

Builders’ Opening Sizes.....50

Online inspiration.....51



Waverley

high efficiency

Get up to 93.5% energy efficiency from your gas fire...

Flavel is a British manufacturer with a reputation for excellent quality gas fires. Our R&D team continue to invest in developing new technology to produce gas fires that save energy and as a result, help to keep costs down.

The Flavel high efficiency range combines exceptional heat output with lower running costs compared to standard gas fires.

Conventional Flue

Glass Fronted



Caress HE 86% – page 20

Our glass fronted high efficiency conventional flue fires have an energy efficiency of up to 86.3%. The glass panel across the front which concentrates radiant heat generated from the fuel bed and forces it directly into the room with less heat lost through the chimney. Convected heat is also produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making these the most efficient conventional flue fires available.

Open Fronted



Linear Plus 68.3% – page 31

Our open fronted high efficiency conventional flue fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air through the gap above the canopy.

Balanced Flue

Glass Fronted



Calibre BF 93.5% – page 44

Our glass fronted high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home, a balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.

Fires for every home

What type of Flavel fire will suit your home best?

From traditional to contemporary, slimline to full depth, we have models to suit all types of situation and installation. There is a Flavel fire to make anywhere feel like home.

Browse through the fire options below, then use the guide on page 8 to help you identify which type of chimney or flue you have. Every product page displays icons to identify flue suitability, fuel type, control options, and more.

Wall Inset



Rocco HE – page 12

To complement a contemporary home choose a wall inset product, otherwise known as a hole-in-the-wall fire. We have models available for all chimney and flue types.

Hearth Inset



Caress Slimline- page 48

A hearth inset fire saves space as it is recessed into the chimney breast or flue. Available in a choice of slimline or full depth fuel beds, with balanced flue options for homes without a chimney or flue.

Fireplace Suite



Sophia Fireplace Suite – page 10

A Suite really makes a statement in a room and comes complete with the surround and gas fire suitable for balanced flues.

Hearth Outset



Emberglow – page 36

Set onto a hearth this type of fire takes a more prominent position in a room with some models offering the option of side windows so that the flame pattern can be seen from wider angles.

standard fires



Finesse – page 47



Windsor range – page 50-51

Standard fires can achieve a direct heat output of up to 3.1kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

Before you begin

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. If you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney - Class 1 Flues

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue - Class 2 Flues

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.




Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described on the left, then you will require a Balanced Flue.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Gas Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas.



LPG

LPG is the most popular alternative to natural gas.

Controls




Manual Control

A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right side on outsets.



Semi Remote Control

Light the fire using the manual control system then use the remote control handset to adjust the flame height and heat output.



Slide Control

Convenient control that eliminates the necessity of bending down.



Electronic Flame Control

Discreet easy access buttons are used to ignite the fire and adjust heat and flame height.



Top Control

A push down and twist ignition and control located on the top of outset fires means you don't have to bend down to light the fire.




Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. Thermostatic control function can also regulate room temperature.



Remote Control

The remote control handset is used to light the fire as well as adjust the flame height and heat output.




Electronic Top or Side Control System

Both ignition and heat are controlled by a single rotary motion to light the fire. These easy to use controls are now available on our best selling radiant outsets. Requires an AA battery.



Coal



Pebble



Logs



Plain Black



Glossy Black Enamel



Ribbed Black

Sophia Suite

The Sophia suite features a large high efficiency gas fire, and is framed with a beautifully designed Royal Botticino marble surround. This suite benefits from a non-reflective glass front, that delivers an uninterrupted view of the log fuel effect.

This suite is available in a conventional flue or slimline balanced flue version, and is operated by a multifunctional remote control handset. The remote control system includes a thermostatic operation that automatically adjusts the heat output up or down to maintain your desired pre-set temperature. There is also a wake/sleep timer function which lets you specify when the fire will automatically turn on and turn off.

For optimum efficiency the Sophia conventional flue model comes with a built in electronic fan that is used to circulate convected heat around the room.



Sophia Slimline
balanced flue

Specifications

Description: Full depth fireplace suite Type of Heat: Radiant & Convected

	Conventional	Balanced
Useful energy efficiency	82%	87.2%
Energy efficiency class	D	C
Fuel type	Natural gas	Natural gas
Direct heat output	5.6kW	4.3kW

Control type	Model Number	
Remote	FDCLRBRN2+B-163230	FSBLBTRN+B-179830

Safety: Flame Supervision Device & Airwatch System
(not applicable to balanced flue models)

Air vent required: Not normally




Video BF



Video CF


Dimensions



Balanced Flue		
A	1232mm	E 154mm
B	1450mm	F 410mm
C	200mm	G 746mm
D	1020mm	H 550mm
I	694mm	J 960mm
K	1450mm	L 727mm



Sophia Suite conventional flue



Conventional Flue		
A	1233mm	E 1450mm
B	1480mm	F 793mm
C	739mm	G 921mm
D	185mm	H 352mm
I	200mm	J 410mm
K	727mm	L 727mm



Rocco HE in chrome



Jazz HE in black

high efficiency Conventional & Balanced Flue – Wall Inset – Glass Fronted



Rocco HE

This stunning glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a choice of chrome or black trim options.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected			
	Conventional	Balanced	
Useful energy efficiency	73.9%	80.8%	
Energy efficiency class	E	E	
Fuel type	Natural gas	Natural gas	
Direct heat output	3.6kW	5.5kW	
Control type	Colour	Model Number	
Remote	Chrome	FPHL21RN2	
	Black	FPHL22RN2	FBFL22RN3

Safety: Flame Supervision Device & Airwatch System
(not applicable to balanced flue models)
Air vent required: Not normally




Video CF




Video BF



Rocco BF with black trim



Dimensions * Semi remote control, balanced flue model only.



Rocco HE
A 621mm
B 921mm
C 516mm
D 306mm
E 728mm

Rocco BF
A 613mm
B 910mm
C 515mm
D 350mm
E 725mm

high efficiency Conventional & Balanced Flue – Wall Inset – Glass Fronted



Jazz HE

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. Both the Jazz HE and balanced flue models feature a black enamel back and high quality trims.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected			
	Conventional	Balanced	
Useful energy efficiency	81.4%	83.9%	
Energy efficiency class	D	D	
Fuel type	Natural gas	Natural gas	
Direct heat output	3.2kW	4.2kW	
Control type	Colour	Model Number	
Remote	Chrome	FHCL21RN	FJBL21RN
	Black	FHCL22RN	

Safety: Flame Supervision Device & Airwatch System
(not applicable to balanced flue models)
Air vent required: Not normally



Video CF




Video BF



Jazz HE with chrome trim



Dimensions * Semi remote control, balanced flue model only.



Jazz HE
A 549mm
B 810mm
C 460mm
D 315mm
E 631mm

Jazz BF
A 549mm
B 810mm
C 460mm
D 295mm
E 631mm

Diamond HE

As Flavel’s debut high efficiency hole-in-the-wall fire, the Diamond HE is a contemporary and economical heating solution with an energy efficiency of 84.3%. This glass fronted fire features the stunning chrome and black ‘Diamond’ fascia design and is available with a choice of coal or pebble fuel effect.



Diamond HE
with pebble fuel effect

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	84.3%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.4kW

Fuel effect	Control type	Model Number
Coal	Remote	FHDC00RN3
Pebble		FHDP00RN3

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions



Diamond HE Coal fuel effect



Video
Pebble



Video
Coal





Windsor Contemporary HE with pebble fuel effect



Windsor Contemporary Plus with coal fuel effect

Windsor Contemporary HE

The Windsor Contemporary glass fronted high efficiency wall inset gas fire comes with the option of a coal or pebble fuel bed and features a large viewing window and chrome fascia. This extremely versatile fire will fit into almost any chimney or flue.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected	
Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Fuel effect	Control type	Model Number
Coal	Manual	FSHCHWMN
Pebble		FSHPHWMN

Safety: Flame Supervision Device & Airwatch System
 Air vent required: Not normally



Video
Pebble




Video
Coal



Windsor Contemporary HE
with coal fuel effect



Dimensions



Windsor Contemporary Plus

The Windsor Contemporary wall inset gas fire is also available as an open fronted model featuring a large viewing window and chrome fascia. There is a choice of a coal or pebble fuel bed and this very versatile fire will fit into almost any chimney or flue.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected	
Useful energy efficiency	66.8%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.0kW

Fuel effect	Control type	Model Number
Coal	Manual	FSPCHWMN
Pebble		FSPPHWMN

Safety: Flame Supervision Device & Airwatch System
 Air vent required: Not normally



Video
Pebble




Video
Coal



Windsor Contemporary Plus
with pebble fuel effect



Dimensions





Romance

Romance is an exceptionally stylish and impressive natural log fuel effect gas fire. This glass fronted fire is available in two control options, remote, or manual, both delivering an exceptional heat output of 4.0kW, with a high efficiency rating upto 82.6%. The Romance is designed with a large clear glass window to provide wide-angle views of the lively full depth log burning fuel effect.

This stunning gas fire is further complemented with a choice of uniquely designed fascias, and are available in Black Nickel & Black, Black Nickel & Chrome, and Satin Silver & Chrome.



Romance
Black Nickel & Chrome



Romance
Satin Silver & Chrome


Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

	Remote	Manual
Useful energy efficiency	82.6%	82.3%
Energy efficiency class	C	D
Fuel type	Natural gas	
Direct heat output	4.0kW	
Colour	Model Number	Model Number
Black Nickel & Chrome	FLBLBCRN	FLBLBCMN
Black Nickel & Black	FLBLNBRN	FLBLNBMN
Satin Silver & Chrome	FLBLSCRN	FLBLSCMN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Dimensions




2 inch black spacer available on this product. Part no. I200-I01768IP



Black Nickel & Black



Video





Caress HE Traditional in brass



Decadence HE in chrome

Caress HE

The Caress HE glass fronted gas fire features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. It features a heat output of up to 4kW and an energy efficiency of up to 86.3%.

LPG model available for homes without a natural gas supply.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	86%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.9kW

Control type	Colour	Contemporary	Traditional
		Model Number	
Slide	Brass		FHEC41SN
	Chrome	FHEC6RSN	
Remote	Brass		FHEC11RN2
	Chrome	FHEC3RRN2	


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video
Traditional




Video
Contemporary



Dimensions

- A 615mm
- B 510mm
- C 550mm
- D 230mm
- E 400mm



Caress HE Contemporary
in chrome

Decadence HE

The Decadence HE high efficiency glass fronted gas fire with an energy efficiency of 84.3%. It is available in a choice three beautiful high quality cast iron fascias - gold, chrome or black nickel plated finishes.

Specifications

Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

	Remote
Useful energy efficiency	84.3%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.4kW

Gold	FHKCDBRN3
Chrome	FHKDCRN3
Black Nickel	FHKCDNRN3

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally




Video



Dimensions

- HE
- A 631mm
- B 529mm
- C 550mm
- D 180mm
- E 365mm



Gold



Black nickel



Kenilworth HE in black



Kenilworth HE

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

	Manual	Remote
Useful energy efficiency	84.3%	84.3%
Energy efficiency class	D	C
Fuel type	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW

Colour	Model Number	
Brass	FHKC14MN2	FHKC14RN3
Black	FHKC26MN2	FHKC26RN3
Chrome	FHKC37MN2	FHKC37RN3

Safety: Flame Supervision Device & Airwatch System


Air vent required: Not normally



Web Link



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Kenilworth HE
in brass



Kenilworth HE
in chrome

Linear HE

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	84.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	3.4kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FHLCX0MN2

Safety: Flame Supervision Device & Airwatch System


Air vent required: Not normally



Web Link



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Windsor Contemporary HE in chrome with Coal fuel effect



Windsor Traditional HE in brass

high efficiency Conventional Flue — Hearth Inset — Glass Fronted



Windsor Contemporary HE

Stunning styling makes the Windsor Contemporary glass fronted high efficiency gas fire the centrepiece of your room. This slimline model will fit almost any chimney or flue, including pre-cast (BS EN 1858), and comes with a smart chrome fascia.

Specifications

Description: Slimline inset gas fire	Type of Heat: Radiant & Convected
Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSHCUOMN
Pebble		Chrome	FSHPUOMN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally




Video
Pebble



Video
Coal



Dimensions



Windsor Contemporary HE
in Chrome Pebble

high efficiency Conventional Flue — Hearth Inset — Glass Fronted



Windsor Traditional HE

The Windsor Traditional HE glass fronted gas fire offers exceptional heat output of 2.9kW with an energy efficiency of 81.3% and is available in manual or slide control.

Specifications

Description: Slimline inset gas fire	Type of Heat: Radiant & Convected
Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Control type	Colour	Model Number
Manual	Brass	FSHC11MN
	Chrome	FSHC3JMN
Slide	Brass	FSHC11SN2
	Chrome	FSHC3JSN2


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



Windsor Traditional HE
in Chrome



Richmond Plus in brass



Richmond in brass



Caress Plus Contemporary in chrome

high efficiency Conventional Flue — Hearth Inset — Open Fronted



Richmond Plus & Richmond

You can now achieve the look of a real open coal fire, combined with the convenience of gas fuel. The Richmond full depth convector fire combines a brilliant flame effect with high efficiency and outstanding warmth. The Richmond features a Standard trim and Dallas fret and is available in black, chrome or brass finishes.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Richmond Plus

Useful energy efficiency	66.7%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.1kW

Colour	Model Number		
	Manual	Slide	Remote
Brass	FOPC12MN	FOPC12SN	FOPC12RN2
Black	FOPC23MN	FOPC23SN	FOPC23RN2
Chrome	FOPC37MN	FOPC37SN	FOPC37RN2

Richmond

Useful energy efficiency	60%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	3.7kW

Colour	Model Number
	Slide
Brass	FICC42SN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Dimensions



Richmond Plus in chrome

Richmond Plus in black

high efficiency Conventional Flue — Hearth Inset — Open Fronted



Caress Plus

The Caress Plus features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. The Caress Plus open-fronted model has been designed to provide an energy efficiency of 68.3% and a heat output at 4.2kW. Each model is available in a range of control options.

Specifications

Description: Mid and full depth inset gas fire Type of Heat: Radiant & Convected

Caress Plus

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Control	Colour	Contemporary	Traditional
		Model Number	
Manual	Brass	FKPC11MN	
	Chrome	FKPC3RMN	
Slide	Brass	FKPC45SN	
	Chrome	FKPC6JSN	
Remote	Brass	FKPC11RN2	
	Chrome	FKPC3RRN2	

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally




Video Contemporary




Video Traditional



Caress Plus Traditional in brass



Dimensions





Rhapsody Plus in chrome

high efficiency Conventional Flue — Hearth Inset — Open Fronted



Calypso Plus

The Calypso Plus successfully combines exceptional fire design with today’s necessity for convenience in the form of a user friendly dual directional slide control. This fire will be equally at home in a contemporary or traditional fire surround and room setting.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	68.3%	67%
Energy efficiency class	F	F
Fuel type	Natural gas	LPG
Direct heat output	4.2kW	4.2kW

Control	Colour	Model Number	
Slide	Chome	FKPCCCSN	FKPCCSP

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



high efficiency Conventional Flue — Hearth Inset — Open Fronted



Rhapsody Plus

The classic Rhapsody Plus open fronted fire has a very realistic deep fuel effect and beautiful flame picture making it indisguisable from a real coal fire. With an elegant arched trim and striking fret they are a timeless classic.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	68.3%	67%
Energy efficiency class	F	F
Fuel type	Natural gas	LPG
Direct heat output	4.2kW	4.2kW

Control	Colour	Model Number	
Slide	Black	FKPCBLSN	FKPCBLSP
	Chrome	FKPCSLSN	FKPCSLSP

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Black



Decadence Plus in black nickel



Decadence Plus

The Decadence Plus is a striking open fronted coal effect gas fire which features a choice of three beautiful high quality cast iron fascias available in a choice of gold, chrome or black nickel plated finishes.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Control type	Colour	Model Number
Slide	Gold	FKPCDBSN
	Chrome	FKPCDCSN
	Black Nickel	FKPCDNSN
Remote	Gold	FKPCDBRN2
	Chrome	FKPCDCRN2
	Black Nickel	FKPCDNRN2


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



Decadence Plus in gold



Decadence Plus in chrome

Linear Plus

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This deep fuelbed gas fire delivers a wonderful flame effect and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Fuel Effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FKPCU0MN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



2 inch black spacer available on this product. Part no. B-1003890
Spacer not suitable with cast iron trims or fascias.



Kenilworth Plus in brass with Blenheim fret



Kenilworth Plus

The Kenilworth gas fire features a welcoming deep coal fuel effect that will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Control type	Colour	Model Number
Manual	Brass	FKPC14MN
	Chrome (Grace)	FKPC37MN
	Black	FKPC26MN
Slide	Brass	FKPC14SN
	Chrome (Grace)	FKPC37SN
	Black	FKPC26SN
Remote	Brass	FKPC14RN2
	Chrome (Grace)	FKPC37RN2
	Black	FKPC26RN2


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Kenilworth Plus
in black with Blenheim fret



Kenilworth Plus
in chrome with Grace fret

Expression Plus

The Flavel Expression Plus high efficiency gas fire boasts an impressive 68.3% Energy efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a coal fuel effect and comes with a contemporary chrome one-piece fascia. This fire is available with manual control, slide control, or fully automatic remote control.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Control type	Colour	Model Number
Slide	Chrome	FKPCEPSN
Remote	Chrome	FKPCEPRN2


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Windsor Contemporary Plus in chrome with coal fuel effect



high efficiency Conventional Flue — Hearth Inset — Open Fronted



Windsor Contemporary Plus

Stunning styling makes the Windsor Contemporary Plus the centrepiece of your room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858) and achieves an impressive 66.8% energy efficiency with a 4.0kW heat output.

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	66.8%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.0kW

Fuel Effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSPCU0MN
Pebble		Chrome	FSPPU0MN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video
Pebble




Video
Coal



Windsor Contemporary Plus
Pebble fuel effect



Dimensions



high efficiency Conventional Flue — Hearth Inset — Open Fronted



Windsor Traditional Plus

The Windsor Traditional Plus is an open fronted high efficiency gas fire combining an exceptional heat output of 4.0kW and an energy efficiency of 66.8%. This fire is perfect for homes where a more traditional styling is needed to complement the décor.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	66.8%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.0kW

Control type	Colour	Model Number
Manual	Brass	FSPC11MN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video
Coal



Dimensions





high efficiency

Conventional & Balanced Flue — Hearth Outset — Glass Fronted



Emberglow

The Emberglow high efficiency gas fire features an elegant design with high quality cast iron canopy and fire front. Front and side windows allow the flames can be seen from all angles. The main image represents the natural gas model. The flame picture may differ on LPG model.


Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

	ES	Remote	ES	Manual
	Conventional		Balanced	
Useful energy efficiency	78.7%	81.6%	82.2%	86.9%
Energy efficiency class	E	D	D	C
Fuel type	Natural gas		LPG	Natural gas
Direct heat output	4.2kW	4.4kW	4.2kW	4.3kW
Model Number				
	FEMC00EN	FEMC00RN2	FEMC00EP	FEB000MN

Safety: Flame Supervision Device & Airwatch System
(not applicable to balanced flue model)

Air vent required: Not normally



Dimensions

* Manual control Balanced Flue model.



Emberglow Balanced Flue

high efficiency

Conventional Flue — Hearth Outset — Glass Fronted



Renoir

The Renoir outset living flame effect gas fire features a beautiful flickering flame effect and is operated by an electronic side control system to make it much easier to ignite the fire. This classically designed fire has an impressive heat output of up to 4.4kW and energy efficiency of up to 81.6%.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

	ES	Remote
Useful energy efficiency	78.7%	81.6%
Energy efficiency class	E	D
Fuel type	Natural gas	Natural gas
Direct heat output	4.2kW	4.4kW

Colour	Model Number	
Black	FRECNOEN	FRECNOEN2
Bronze	FRECROEN	FRECROEN2

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally



Dimensions



Renoir in bronze



Video CF



Video BF



Web Link



Strata in brown



Misermatic in light oak

high efficiency Conventional Flue — Hearth Outset — Open Fronted



Strata

The Strata offers an incredible energy efficiency of 82% and 5.2kW heat output. It has a stylish contemporary look with soft, curved lines and is available in a choice of three colour options. Can be wall mounted.


Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected		
Useful energy efficiency	82%	
Energy efficiency class	D	
Fuel type	Natural gas	
Direct heat output	5.2kW	
Control type	Colour	Model Number
Electronic Top	Black	FORSBLEN
	Brown	FORSBOEN
	Cream	FORSOEN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



Strata in black

Strata in cream

high efficiency Conventional Flue — Hearth Outset — Open Fronted



Misermatic

Incredible 82% energy efficiency and adaptability; the Misermatic has them both. Available in a range of wood finishes, this fire can be wall or hearth mounted with an easily accessible top mounted control. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected		
Useful energy efficiency	82%	
Energy efficiency class	D	
Fuel type	Natural gas	
Direct heat output	5.2kW	
Control type	Colour	Model Number
Electronic Top	Mahogany	FORMMOEN
	Teak	FORMTOEN
	Light Oak	FORMLOEN
	Medium Oak	FORMNOEN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



Misermatic in teak

Misermatic in medium oak

Misermatic in mahogany



Renaissance in silver



Firenza in bronze

high efficiency Conventional Flue — Hearth Outset — Open Fronted



Renaissance

The Renaissance provides a natural talking point the moment you enter the room. Its stylish retro design is matched by its forward thinking simplicity of installation, impressive 5.2kW heat output and astounding 82% energy efficiency. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	82%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	5.2kW

Control type	Colour	Model Number
Electronic Top	Silver	FORRS0EN
	Black	FORRBOEN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Dimensions



A 652mm
B 730mm
C 200mm
D 37mm
E 60mm



Renaissance in black

high efficiency Conventional Flue — Hearth Outset — Open Fronted



Firenza

The compact and economical Firenza can be wall or hearth mounted and has an energy efficiency of 80.1%. The control handle is located on the top panel for ease of use.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	80.1%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	3.8kW

Control type	Colour	Model Number
Top	Black	FFIRZ1MN
	Bronze	FFIRROMN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Dimensions



A 658mm
B 506mm
C 222mm



Firenza in black



Regent in black



Orchestra BF in satin silver

high efficiency Conventional Flue — Hearth Outset — Open Fronted



Regent

One of the most popular radiant fires in the UK, the Regent features a slim design and has an energy efficiency of 74%. The Regent is available in a choice of black or bronze finishes and is operated by electronic side control.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	74%
Energy efficiency class	E
Fuel type	Natural gas
Direct heat output	4.5kW

Control type	Colour	Model Number
Electronic Side	Black	FRGCN0EN
	Bronze	FRGCP0EN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Dimensions



Regent in bronze

high efficiency Balanced Flue — Hearth Inset — Glass Fronted



Orchestra BF

If you want the warmth and mood created by a living flame fire yet don't have a chimney or flue, then the Orchestra is the perfect solution. This neat, glass fronted inset fire with an energy efficiency of 80% is framed by a chamfered trim and sleek fret.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	80%
Energy efficiency class	E
Fuel type	Natural gas
Direct heat output	2.7kW

Control type	Colour	Model Number
Manual	Satin Silver	FBFN98G
	Brass	FBFN76G


Safety: Flame Supervision Device
Air vent required: Not normally



Web Link



Dimensions



3 inch black spacer available on this product. Part no. 70-35890P



Orchestra BF in brass



Calibre BF in brass



Windsor Contemporary with pebble fuel effect

Calibre BF

The Calibre Balanced Flue gas fire boasts an energy efficiency of 93.5% and features a full depth coal fuel effect. This glass fronted fire has an exceptionally large viewing area and is available in a choice of brass or chrome.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	93.5%
Energy efficiency class	B
Fuel type	Natural gas
Direct heat output	3.9kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Brass	FBFC1SMN2
		Chrome	FBFC37MN2
	Remote	Brass	FBFC1SRN3
		Chrome	FBFC37RN3


Safety: Flame Supervision Device
Air vent required: Not normally



Video



Dimensions



2 inch black spacer available on this product. Part no. 1126-1036286B



Calibre BF in chrome

Windsor Contemporary

The Windsor Wall inset open fronted gas fire is available in a choice of coal or pebble fuel bed and features a large viewing window. This extremely versatile fire will fit into almost any chimney or flue and comes in a chrome finish.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Fuel type	Natural gas
Direct heat output	2.7kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSRCHWMN
Pebble			FSRPHWMN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally
This product is not suitable for primary heating purposes.




Video
Pebble



Video
Coal



Dimensions



Windsor Contemporary with coal fuel effect



standardfires

Conventional Flue – Hearth Inset – Open Fronted



Caress Slimline

The Caress Slimline gas fire features a fabulous, top quality cast trim and Blenheim fret in chrome finish.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Manual Control

Fuel type	Natural gas
Direct heat output	2.7kW


Control type	Colour	Model Number
Manual	Chrome	FSRCCCMN

This product is not suitable for primary heating purposes



Dimensions

Caress Slimline
Manual Control
A 615mm
B 510mm
C 550mm
D 120mm
E 329mm



Web Link

standardfires

Conventional – Hearth Inset – Open Fronted

Waverley

The Waverley, with its beautiful decorative flame effect, is a perfect replacement for a solid fuel grate. The 16" tapered inset tray is designed to fit a standard 16" fire back, providing a realistic coal effect for almost any style of fireplace.


Specifications	
Description: Full depth inset tray Type of Heat: Radiant	
Fuel type	Natural gas
Direct heat output	2.7kW
Control type	Model Number
Manual	FITC00MN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally
This product is not suitable for primary heating purposes



Dimensions

A 350mm
B 205mm
C 230mm



Web Link

Windsor Contemporary, & Traditional

The versatile styling of the Windsor gas fires ensures that there is a style to suit any room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858).




Windsor Contemporary
Chrome fascia
Pebble fuel effect



Windsor Contemporary with
Chrome fascia
Coal fuel effect



Windsor Traditional
Chrome trim and fret
Coal fuel effect



Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Fuel type	Natural gas
Direct heat output	2.7kW

Windsor Contemporary

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSRCU0MN
Pebble		Chrome	FSRPU0MN

Windsor Traditional

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Brass	FSRC1PMN
		Chrome	FSRC3JMN


Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

This product is not suitable for primary heating purposes

Dimensions

Windsor Contemporary	Windsor Traditional
A 592mm	A 592mm
B 475mm	B 475mm
C 550mm	C 550mm
D 120mm	D 120mm
E 329mm	E 329mm



This product comes with a standard 1 inch black spacer, or can be replaced with a 2 inch black spacer available on Part no. I146-I036278B



Web Link

Windsor Traditional in brass with coal fuel effect



Regent LFE in black



Regent LFE

One of the most popular radiant fires in the UK, The Regent LFE is slim for a neat fit into an existing fireplace and is highly efficient. It provides radiant and convected heat and is an elegant interpretation of the Regency period.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant

Useful energy efficiency	59.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	3.3kW


Control type	Colour	Model Number
Electronic Side	Black	FRLCN0EN
	Bronze	FRLCP0EN
Remote	Black	FRLCNORN2
	Bronze	FRLCPORN2

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally




Web Link



Dimensions

A 680mm
B 710mm
C 255mm



Regent LFE in bronze

Builders' Opening sizes


	Minimum Opening Width	Maximum Opening Width	Minimum Opening Height	Maximum Opening Height
Product				
Calibre BF	415mm	420mm	563mm	570mm
Calypso	400mm	450mm	550mm	570mm
Calypso Plus	370mm	440mm	550mm	570mm
Caress HE	400mm	450mm	550mm	570mm
Caress Plus	370mm	440mm	550mm	570mm
Caress Slimline	330mm	440mm	550mm	575mm
Decadence HE	370mm	450mm	550mm	570mm
Decadence Plus	370mm	440mm	550mm	570mm
Diamond HE	370mm	450mm	550mm	570mm
Emberglow	305mm	440mm	500mm	650mm
Expression Plus	370mm	440mm	550mm	570mm
Firenza	305mm	440mm	510mm	650mm
Jazz HE	650mm	660mm	460mm	470mm
Jazz BF	635mm	645mm	465mm	475mm
Kenilworth HE	370mm	450mm	550mm	570mm
Kenilworth Plus	370mm	440mm	550mm	570mm
Linear HE	370mm	450mm	550mm	570mm
Linear Plus	370mm	440mm	550mm	570mm
Misermatic	305mm	440mm	580mm	650mm
Orchestra BF	410mm	420mm	555mm	565mm
Regent	305mm	440mm	470mm	650mm
Regent LFE	305mm	440mm	525mm	650mm
Renaissance	305mm	440mm	580mm	650mm
Renoir	305mm	440mm	500mm	650mm
Richmond	400mm	450mm	550mm	570mm
Richmond Plus	400mm	450mm	550mm	570mm
Rocco HE	750mm	760mm	520mm	530mm
Rocco BF	730mm	780mm	540mm	550mm
Romance	400mm	450mm	550mm	570mm
Sophia	760mm	790mm	870mm	880mm
Sophia Slimline BF	750mm	840mm	1025mm	1050mm
Strata	305mm	440mm	580mm	650mm
Waverley*	400mm	440mm	550mm	575mm
Waverley**	560mm	600mm	690mm	720mm
Windsor	330mm	440mm	550mm	575mm
Windsor HE	330mm	440mm	550mm	575mm
Windsor Plus	330mm	440mm	550mm	575mm

*when fitted into standard builders opening with existing chair-brick
**when fitted with "Victorian" style casting

Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting and servicing your Flavel fire.

- * Search tools to find your perfect gas fire
- * Watch videos of our stunning fires
- * Download Installation and User manuals
- * Find your nearest Flavel Approved Stockist
- * Register your warranty



www.flavelfires.co.uk

WARNING BFM Europe Limited is a Gas Safe Registered company.

We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only, every effort has been made to ensure accurate reproduction of typical installations, however flame pictures may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.
We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.
In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.
(This brochure is copyright and must not be reproduced in whole or in any part without prior written permission).



www.flavelfires.co.uk

Visit our Flavel website on your smart phone
or tablet device, just scan in this QR code.

We would like to thank Kedleston Heating (01332 200303), Olde England Reproductions (01782 319350),
Stanningley Firesides (0113 257 1512) and GB Mantles (01924 473243) for contributing fire surrounds to this brochure.



Find us on Facebook, Twitter,
Pinterest, Vimeo & YouTube



At the heart of your home

BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ.
Tel: 01782 339000. www.flavelfires.co.uk e-mail: info@bfm-europe.com

Issue No. 44